

SELECT A CATEGORY

HOTELS

HOTELS

HOTELS

HOTELS

HOTELS

GUEST HOUSE HOSTELS



RESOURCES

















1 STAR HOTELS

- **Caballero Errante**
- **Europa**
- **13 Ibis Budget Madrid Vallecas**
- **4 Ibis Madrid Valentín Beato**
- **Sancho**











ACCESSIBILITY - PHYSICALLY DISABLED -

	•		
Adapted room (No. 108)	:Number of adapted rooms: 1		
On the 1st floor, via accessible route Door width: 77 cm			
Clear turning circle inside	:Height of climate control: 142 cm		
(diameter): Ø 150 cm			
Bed height: 50 cm	Space for access to the bed: right		
	hand side 90 cm , left hand side 90 cm		
Height of coat rack: 180 cm			
Bathroom in adapted room			
Door: with a width of 77 cm	Clear turning circle inside		
	(diameter): Ø 150 cm		
Toilet:	•		
Seat height: 40 cm	Height of flush mechanism: 77 cm		
Width of approach: left hand side	Swing-out grab bar on the right		
100 cm	hand side at a height of 77-88 cm		
Fixed grab bars on the left hand side: no			
Basin:			
Height and clearance beneath the	Tap: mixer tap		
basin: 78 cm and 42 cm	•		
Height of the lower edge of the	Height of bathroom fittings: 84 cm		
mirror: 125 cm	•		
Shower:			
Width of approach to shower:	Shower base: with a 12 cm step		
140 cm	•		
Shower floor: non-slip	Shower chair or seat: fixed to the wall		
Does not have horizontal grab bar	Height and location of vertical		
	grab bar: 52-90 cm		
Mixer tap	Tap height: 120-145 cm , on		
	accessible wall		
Adjustable shower-head height: ye	s		
Lifts	•		
Route: accessible up to the door			
of the lift	:83 and 132 cm		
Door width: 80 cm	•		



CABALLERO ERRANTE HOTEL

Calle Fillog. 28029 Madrid Calle Pinos Alta, 14

Telephone: 91 144 13 30 **Fax:** 91 144 13 37

Web: www.hotelcaballeroerrante.com

Metro without a lift: Valdeacederas

Bus: 27

ACCESS

- The main entrance of the hotel has **21 cm** stairway and there is no alternative ramp.
- There is an 1.70 m wide automatic, sliding glass door. It is not marked with horizontal strips or a logo in a contrasting colour.
- There is an alternative entrance next to the main door. It is reached by an 80 cm wide access ramp, which is 2.50 m long, and which has a steep incline of 21.2%.
- This door is **70 cm** wide. It is usually closed, and you have to ask for it to be opened.



ACCESSIBILITY - HEARING IMPAIRED

Room	• •
	TV which communicates with reception: no
· ·	TV has alarm clock with visual alert:
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available services: yes	Light signals to indicate a knock at the door: no
Communal WCs	•
•	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	0
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visi	ual alerts: no





ACCOMMODATION



Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 118 cm
Cafeteria	Ground floor	Accessible	Height of the counter: 120 cm Table height: 73 cm Height under table: 70 cm Width under table: 60 cm Depth under table: 60 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 90-120 cm Table height: 73 cm Height under table: 70 cm Width under table: 60 cm Depth under table: 60 cm
Parking	Floors: -1, -2, -3	Accessible	None of them are adapted for wheelchair users
Communal WCs	Ground floor	Accessible	None of them are adapted for wheelchair users







ACCESSIBILITY - VISUALLY IMPAIRED —

Signs			
Signs the same size: yes, average height of 150-175 cm and a font s			
of ≥ 1.5 cm			
Lettering in a colour which	Text and symbols: not in relief		
contrasts with the background: yes	and not in Braille		
Main stairs	•		
Edge of stairs marked with a	Side protection skirting board of		
non-slip strip in a contrasting	≥ 12 cm on both sides: yes		
colour: no	0		
Steps have a riser: yes	All steps are the same height: yes		
Steps have nosing: no	•		
The space under the stairs is	Handrail on either side: yes		
blocked off: yes	•		
Continuous handrails on	Handrail extends at top and bottom		
half-landings: yes	of stairs: no		
Strip of surface of a different texture and contrasting colour at the top			
and bottom of the stairs: no			
Lifts :			
Cab with audio signals: yes	Control buttons in contrasting		
	colour: yes		
Keypad with numbers in relief:	Keypad with numbers in Braille:		
yes	yes		









ACCESSIBILITY - PHYSICALLY DISABLED-





EUROPA HOTEL

Calle Carmen, 4 (Puerta del Sol) 28013 Madrid

Telephone: 91 521 29 00 Fax: 91 521 46 96

Web: www.hoteleuropa.eu

Metro with lift: Sol

Bus: 3, 50, 51, 52, 53 and 150

ACCESS

- The main entrance has a **3 cm** step, and there is no alternative ramp.
- There is a manually opened double glass door with an opening of **90 cm** on each side. It is not marked with horizontal strips or a logo in a contrasting colour.
- There is a ramp from the vestibule of the hotel to the reception. It is 3.65 m wide, 1.40 m long, and has an incline of 10.5%.

9

ACCESSIBILITY - HEARING IMPAIRED

Room	• • •
	TV which communicates with reception: no
-	TV has alarm clock with visual alert: no
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	•
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	•
and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visi	ual alerts: no

6





Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 90 cm
Cafeteria Restaurant / Breakfast buffet	Ground floor	via ramp with a width of 150 cm , a	Height of the bar: 115 cm Table height: 72 cm Height under table: 71 cm Width under table: 60 cm Depth under table: 70 cm



ACCESSIBILITY - VISUALLY IMPAIRED

Signs	
Signs the same size: yes , average of ≥ 1.5 cm	height of 145-180 cm and a font size
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille
Main stairs	•
Edge of stairs marked with a non-slip strip in a contrasting colour: no	Side protection skirting board of ≥ 12 cm on both sides: yes
Steps have a riser: yes Steps have nosing: no	All steps are the same height: yes
The space under the stairs is blocked off: yes	Handrail on either side: yes
Continuous handrails on	Handrail extends at top and bottom of stairs: no
Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no	
Lifts	• •
Cab with audio signals: yes	Control buttons in contrasting colour: yes
Keypad with numbers in relief: yes	Keypad with numbers in Braille: yes







★ 1 STAR HOTELS



IBIS BUDGET MADRID VALLECAS

- Calle Casas de Miravete, 17 28051 Madrid
- Telephone: 91 305 21 74 Fax: 91 331 14 88
- Web: www.ibisbudget.com www.accorhotels.com
- Metro with lift: Sierra de Guadalupe

Bus: 31 and 131

ACCESS

- The entrance to the hotel is level with the street. It has a clearance width of **2 m**.
- The main entranceway has seven **17 cm** high steps with an alternative ramp access available.
- There are two stretches of ramp with a length of 4.50 m and 4.20 m respectively with 10.5% and 6.9% inclines. The clearance width is 1.36 m with handrails on one side but does not extend past the two ends. Neither ends of the ramp have a distinctively textured and contrastingly coloured strip to warn of the change in gradient.
- There are two set of doors with similar characteristics. Both are single automatic sliding glass doors. They are 1.20 m wide. They are marked with double horizontal stripes and the hotel logo in contrasting colours.
- The entranceway has a doorbell at a height of **1.12 m**.
- Between the two sets of doors is a doormat, securely affixed to the floor
- There is an accessible route that takes visitors straight to the reception and help desk.











ACCESSIBILITY - HEARING IMPAIRED

	Room	
	,	Written information on available services: yes
	TV which communicates with reception: no	TV has alarm clock with visual alert: no
	Bedside plug socket: yes	Entrance door with peephole: yes
		Emergency alarms with visual alerts: no
	Communal WCs	
	Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
	Lifts	
a	and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: yes
	Emergency system	
	Emergency alarm systems with visu	ual alerts: no



ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 006)	Number of adapted rooms: 3
On ground floor, accessible with 3 cm lip	Width of door: 86 cm
Clear turning circle inside (diameter): Ø 150 cm	Height of climate control: 100 cm
Height of bed: 50 cm	Space for access to the bed: right hand side 200 cm
Wardrobe doors: none	Height of hanger rail: 122 cm
Min. and max. height of wardrobe s	shelves and drawers: none
Bathroom in adapted room	
Door: Sliding door with a width of 82 cm	Clear turning circle inside (diameter): Ø 150 cm
Toilet:	0
Seat height: 40 cm plus a small step for the basin (must be requested at reception)	Height of flush mechanism: 100 cm
Approach area: on left hand side 150 cm and front 78 cm	Horizontal grab bar on the right hand side: 70 cm
Folding grab bar on the left hand side: 77 cm	Distance between bars: 61 cm



	maaria vanoodo
Basin:	•
Height and clearance beneath the basin: 77 cm and 60 cm	Tap: mixer tap easy to use
Height of the lower edge of the mirror: 82 cm	Min. and max. height of bathroom fittings: 85 cm and 130 cm
Shower:	
Width and depth of approach area: 120 cm and 150 cm	Shower base: level with the floor
Shower floor: non-slip	Shower chair or seat: yes - shower seat (must be requested at reception)
Height and location of horizontal grab bar: 80 cm on wall to the side of taps and on same wall as taps	Height and location of vertical grab bar: none
Tap: mixer tap easy to use	Height of the tap: 104 cm (moveable stool)
Non-adjustable shower head at height of 104 cm	Shower screen: none, only a shower curtain
17.6% incline.	30 cm long, 82 cm wide ramp with a
Adapted bathroom in communal areas	Total number of adapted toilets: 1
Located next to the reception – women's toilets	Accessible, on ground floor
Bathroom door: inward swinging with a width of 80 cm	Cubicle door: inward swinging with a width of 80 cm
Clear turning circle inside (diameter	·): Ø 150 cm
Toilet	•
Seat height: 40 cm	Height of flush mechanism: 79 cm
Approach area: left hand side	Fixed horizontal grab bar on the
153 cm and frontal 88 cm Folding grab bar on the left hand	right hand side at a height of 72 cm Distance between bars: 73 cm
side at a height of 77 cm	Distance between bars: 73 cm
Basin	•
Height and clearance beneath the basin: 74 cm and 55 cm	Tap: mixer tap, easy to use
Height of the lower edge of the mirror: 92 cm	Min. and max. height of bathroom fittings: 100 cm and 110 cm
Lifts	Total number of lifts: 1
Floors served: all floors	Accessible up to the door
Height of call buttons: 104 – 112 cm	Width of door: 90 cm
Width and depth of cab:	Min. and max. height of the call
110 and 139 cm	buttons: 90 cm and 116 cm Mirror opposite the door: yes
Height of handrail: 92 cm	* N A :





1 STAR HOTELS

-//		JODATION	
	Other	Location	•

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 80 cm and 110 cm
Breakfast Buffet	Ground floor	Accessible	Height of buffet bar: 88 cm and 140 cm Height of table: 75 cm Height beneath table 73 cm Width beneath table: 60 cm Depth beneath table: 26 cm
Parking	Basement -1	Accessible via lift	There is 1 parking space reserved for people with reduced mobility (PRM), indicated by the disabled parking sign (ISA). The reserved parking space has a lateral approach area of 120 cm.



ACCESSIBILITY - VISUALLY IMPAIRED

Bedrooms		
Colour of door contrasts with	:Information about hotel services	
adjacent walls: yes	available in Braille: no and in large	
	print: no	
Room lighting with dimmer switch:		
no	numbers: yes and in contrasting	
	colours: yes	
Room free of projecting elements:	Audible signals to indicate	
no , the coat hanger projects out	emergency alarm: yes	
20 cm from the wall	•	
Signs		
	height of 130-190 cm and a font size	
≥ 1.5 cm	÷ -	
Lettering in a colour which con-	Text and symbols: not in relief and	
trasts with the background: yes	not in Braille	
Main stairs		
Edge of stairs marked with a non-	Side protection skirting board of	
slip strip in a contrasting colour: no		
Steps have a riser: yes	Steps have nosing: no	
All steps are the same height: yes	The space under the stairs is	
11 1 2 20 11	blocked off: yes	
Handrail on either side: yes	Continuous handrails on	
Handrell automic months and	half-landings: no	
Handrail extends past top and	Distinctively textured and contras-	
bottom of stairs: no	tingly coloured strip at the top and	
1 14.	bottom of the stairs: no	
Lift	Control buttons in contraction	
Cab with audio signals: yes	Control buttons in contrasting	
Manuscript and the second and the second	colours: yes	
Keypad with numbers in relief: yes *Keypad with numbers in Braille: no		

MADRID FOR ALL











Calle Valentín Beato, 20 28037 Madrid

Telephone: 91 375 90 43 **Fax:** 91 375 01 50

Web: www.ibishotel.com

Metro without lift: Suances

Bus: 77, 104 and 105

ACCESS

- The entrance to the hotel is easily accessible and there is no slope.
- There are 2 sets of double automatic sliding glass doors. Each one has a clearance width of 1.60 m.
- They are both marked with the hotel's logo, although not in a contrasting colour.

ACCESSIBILITY - HEARING IMPAIRED

Room	• •
Internet connection: yes	TV which communicates with reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert: no
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	•
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	•
Visual signs indicating the floor and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with vis	ual alerts: no









ACCESSIBILITY - PHYSICALLY DISABLED

	•	
Adapted room (No. 22)	Number of adapted rooms: 3	
On the 2 nd floor , via accessible	Door width: 87 cm with a 4 cm	
route	projection at the bottom edge	
Clear turning circle inside	Height of climate control: 158 cm	
(diameter): Ø 150 cm	•	
Bed height: 55 cm	Space for access to the bed: right	
	hand side 60 cm , left hand side	
	95 cm	
Wardrobe doors: there are	Height of coat rack: 158 cm	
no doors	•	
Height of wardrobe shelves and dr	awers: 40-164 cm	
Bathroom in adapted room		
Door: opens inwards with a width	Clear turning circle inside	
of 82 cm	(diameter): Ø 150 cm	
Toilet:	•	
Seat height: 40 cm	Height of flush mechanism: 100 cm	
Width of approach: right hand	Swing-out grab bar on the right	
side 85 cm, left hand side 50 cm,	hand side at a height of 62-77 cm	
front 150 cm	gg	
Fixed grab bars on the left hand sid	de: no	
Basin:		
Height and clearance beneath	Tap: mixer tap	
the basin: 73 cm and 40 cm	•	
Height of the lower edge of the	Height of bathroom fittings:	
mirror: 90 cm	100-165 cm	
Shower:	•	
Width of approach to shower:	Shower base: flush with floor	
120 cm		
Shower floor: non-slip	Shower chair or seat: fold-out and	
опологион пологион	fixed to the wall	
Height and location of horizontal	Has a vertical grab bar which is	
grab bar: 76 cm on same wall	used for adjusting the height of the	
as taps	shower head	
Mixer tap	Tap height: 120 cm , on accessible	
wiikei tap	wall	
Adjustable shower-head height:	It has a curtain	
yes, 145-190 cm	it has a cultum	
Adapted toilets in	No. of adapted bathrooms in	
communal areas	communal areas: 2 , both are unisex	
On ground floor, with an	Opens inwards with a width of	
accessible route	77 cm	
Clear turning circle inside (diameter): Ø 150 cm		
Toilet:		
Seat height: 40 cm	Height of flush mechanism: 76 cm	
ocal licigiti. 40 citi	Theight of hush mechanism. To cit	

Width of approach: right hand side 150 cm, front 110 cm Swing-out grab bar on the right ha Basin: with a pedestal	Wing-out grab bar on the right hand side: no and side at a height of 60-80 cm
Height and clearance beneath the basin: 76 cm and 15 cm	Tap: mixer tap
Height of the lower edge of the mirror: 100 cm	Height of bathroom fittings: 96-105 cm
Lifts	No. of lifts: 3 , all with the same specifications. Two link the ground floor to the upper floors (rooms), and one links the ground floor to the basement (parking)
Route: accessible up to the door of the lift	Height of call buttons: 112 cm
Door width: 80 cm	Width and depth of cab: 98 and 118 cm
Height of the lift buttons: 90-115 cm	Height of handrail: 90 cm

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 80-106 cm
Cafeteria	Ground floor	Accessible	Height of the counter: 114 cm Table height: 75 cm Height under table: 73 cm Width under table: 66 cm Depth under table: 20 cm Tables with a central main leg
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 90 cm Table height: 73 cm Height under table 70 cm Width under table: 65 cm Depth under table: 25 cm Tables with a central main leg
Parking	Outside hotel and floors: -1	Accessible	There is one parking space for people with limited mobility (PRM), indicated by the disabled parking sign (ISA) on floor -1







ACCESSIBILITY - VISUALLY IMPAIRED

Signs		
Signs the same size: yes , average	height of 130-190 cm and a font size	
of ≥ 1.5 cm		
Lettering in a colour which	Text and symbols: not in relief	
contrasts with the background: yes	and not in Braille	
Main stairs	• •	
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting	≥ 12 cm on both sides: yes	
colour: no	•	
Steps have a riser: yes	All steps are the same height: yes	
Steps have nosing: no	•	
The space under the stairs is	Handrail on either side: yes	
blocked off: yes	0	
Continuous handrails on	Handrail extends at top and bottom	
half-landings: no	of stairs: no	
Strip of surface of a different texture	e and contrasting colour at the top	
and bottom of the stairs: no		
Lifts	•	
Cab with audio signals: yes	Control buttons in contrasting	
	colour: yes	
Keypad with numbers in relief:	Keypad with numbers in Braille:	
ves	no	







1 STAR HOTELS



SANCHO HOTEL

Paseo de las Delicias, 56 28045 Madrid

Telephone: 91 530 67 00 Fax: 91 530 67 08

Web: www.hotel-sancho.com

Metro with lift: Delicias

Bus: 8, 19, 45, 47, 59, 85, 86 and 24

ACCESS

- The main entrance has 2 steps and there is an alternative 96 cm wide, 1.14 m long ramp, with an incline of 14%.
- There are 2 sets of double automatic sliding glass doors, which are 1.15 m wide. Neither of them is marked with horizontal strips or a logo in a contrasting colour.

ACCESSIBILITY - HEARING IMPAIRED

Room	0 0
,	TV which communicates with reception: no
, , , , , , , , , , , , , , , , , , , ,	TV has alarm clock with visual alert: no
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
	at the door: no
Communal WCs	v 0 0
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	• •
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visu	ual alerts: no













ACCESSIBILITY - PHYSICALLY DISABLED

	0
Adapted room	•
Accessible route via lift	Door width: 78 cm
Clear turning circle inside (diameter): Ø 150 cm	Height of climate control: 137 cm
Bed height: 53 cm	Space for access to the bed: right hand side 92 cm , left hand side 92 cm
Wardrobe doors: sliding doors with knobs, difficult to open	Height of coat rack: 170 cm
Bathroom in adapted room	
Door: with a width of 78 cm	Clear turning circle inside (diameter): Ø 150 cm
Toilet:	
Seat height: 42 cm	Height of flush mechanism: 78 cm
Width of approach: neither ≥ 80 cm	Swing-out grab bar on the approach
Basin:	
Height and clearance beneath the basin: 68 cm	Tap: mixer tap
Height of the lower edge of the mirror: 86 cm	Height of bathroom fittings: 93 cm
Shower:	•
Width of approach to shower: 120 cm	Shower base: flush with the floor
Shower floor: non-slip	Shower chair or seat: fold-out and fixed to the wall
Does not have horizontal grab bar	Height and location of vertical grab bar: 98-113 cm
Mixer tap	Tap height: 120 cm , on accessible wall
Lifts	0
Route: accessible up to the door of the lift	Width and depth of cab: 98 and 140 cm
Door width: 80 cm	0



Other Location Access Main	
amenities : characteristics	
Reception Ground floor Accessible Height of reception desk:	
: 116 cm	
Cafeteria Ground floor Accessible Height of the counter:	
74 cm	
Table height: 70 cm	
Height under table: 73 cm	
Width under table: 60 cm	
Depth under table: 33 cm	
Restaurant / Ground floor Accessible Table height: 74 cm	
Breakfast : Height under table 66 cm	
buffet Width under table: 58 cm	
Depth under table: 64 cm	
Communal Ground floor Accessible None of them are adapted fo	r
WCs wheelchair users	
Parking Accessible There is 1 parking space	
via lift reserved for people with	
reduced mobility (PRM),	
indicated by the disabled	
parking sign (ISA)	



ACCESSIBILITY - VISUALLY IMPAIRED -

Signs	
Signs the same size: yes, average	height of 164-172 cm and a font size
of ≥ 1.5 cm	
	Text and symbols: not in relief
contrasts with the background: yes	and not in Braille
Main stairs	0
Edge of stairs marked with a	Side protection skirting board of
non-slip strip in a contrasting	≥ 12 cm on both sides: no
colour: no	0
Steps have a riser: yes	All steps are the same height: yes
Steps have nosing: no	•
The space under the stairs is	Handrail on either side: yes
blocked off: yes	•
	Handrail extends at top and bottom
	of stairs: no
Strip of surface of a different texture	e and contrasting colour at the top
and bottom of the stairs: no	•
Lifts	
Cab with audio signals: no	Control buttons in contrasting
	colour: yes
Keypad with numbers in relief:	Keypad with numbers in Braille:
yes	yes



















2 STAR HOTELS

- **11 4C Bravo Murillo**
- **2 4C Puerta de Europa**
- **13 Ibis Madrid Aeropuerto Barajas**
- **4 Ibis Madrid Centro**
- **Infanta Mercedes**
- 6 Julia
- **NH Barajas Express**
- **8 Room Mate Mario**









4C BRAVO MURILLO HOTEL

Calle de Bravo Murillo, 180 28020 Madrid

Telephone: 91 567 08 82 Fax: 91 579 96 62

Web: www.hoteles4c.com

Metro without lift: Estrecho

Bus: 64, 124 and 127



- The entrance to the hotel is level.
- There are two automatic, sliding doors, with a clearance width of **1.80 cm**. They are marked with horizontal strips and the logo of the hotel but neither of these are in a contrasting colour.



ACCESSIBILITY - HEARING IMPAIRED

Room	•
Internet connection: yes	TV which communicates with reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert: yes
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	•
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	•
	Emergency button with a light to show that the emergency call
inside and outside the cab: yes	has been received: no
Emergency system	
Emergency alarm systems with visi	ual alerts: no



ACCESSIBILITY - PHYSICALLY DISABLED

	Number of adapted rooms: 2
	Width of door: 77 cm
Clear turning circle inside	: Height of climate control: 125 cm
(diameter): Ø 150 cm	0
Height of bed: 50 cm	Space for access to the bed: right
	hand side 57 cm , left hand side
	110 cm
Wardrobe doors: folding doors	Height of coat rack: 170 cm
with knobs, difficult to open	•
Height of wardrobe shelves and drawers: 20-75 cm	

Bathroom in adapted room	
Door: inward opening with a width of 78 cm	Clear turning circle inside (diameter): Ø 150 cm
Toilet:	
Height of seat: 41 cm	Height of flush mechanism: 76 cm
Width of approach: right hand side 70 cm, left hand side	Folding grab bar on the right hand side at a height of 56-77 cm
100 cm, front 170 cm	
No grab bar on the left hand side	0
Basin: the basic has two legs tha of wheelchair	t could hamper frontal approach
Height and clearance beneath the basin: 82 cm and 41 cm	Tap: mixer tap
Height of the lower edge of the mirror: 120 cm	Height of bathroom fittings: 87 cm
Shower:	0
Width of approach to shower: 160 cm	Shower base: with a step of 10 cm
Shower floor: non-slip	Shower chair or seat: mobile
Height and location of horizontal grab bar: 109 cm , on wall to the side of the tap	No vertical grab bar
Mixer tap	Height of the tap: 110 cm , on accessible wall
Adjustable shower-head height: yes	Folding shower screen

MADRID PARA TODOS ACCESSIBLE TOURISM GUIDE





4C Bravo Murillo







Lifts	No. of lifts 2
Accessible right up to the door of the lift	Height of call buttons: 100-120 cm
	: Width and depth of cab:
	94 cm and 127 cm
Height of lift buttons: 110-130 cm	There is no handrail

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 116 cm
Communal WCs	Ground floor	Accessible	None of them are adapted for wheelchair users
Breakfast Buffet	Mezzanine	Accessible via lift	Height of buffet bar: 76-105 cm Height of table: 74 cm Height beneath table 68 cm Width beneath table: 70 cm Depth beneath table: 70 cm
. 3	Basement floor (-1, -2 and -3)	via lift	There are no parking spaces for people with limited mobility (PRM)



ACCESSIBILITY - VISUALLY IMPAIRED —

Signs			
Signs the same size: yes, average height of 165 cm and a font size of			
≥ 1.5 cm			
Lettering in a colour which	Text and symbols: not in relief		
contrasts with the background: yes	and not in Braille		
Main stairs	0		
Edge of stairs marked with a	Side protection skirting board of		
non-slip strip in a contrasting	≥ 12 cm on both sides: yes		
colour: no	•		
Steps have a riser: yes	All steps are the same height: yes		
Steps have nosing: yes			
The space under the stairs is	Handrail on either side: yes		
blocked off: yes	•		
Continuous handrails on	Handrail extends at top and bottom		
half-landings: no	of stairs: no		
Strip of surface of a different texture and contrasting colour at the top			
and bottom of the stairs: no			
Lifts	•		
Cab with audio signals: no	Control buttons in contrasting		
ŭ	colour: yes		
Keypad with numbers in relief:	Keypad with numbers in Braille:		
yes	yes		









4C PUERTA DE EUROPA HOTEL

Calle de Bravo Murillo, 364 28020 Madrid

Telephone: 91 579 60 77 **Fax:** 91 571 23 71

Web: www.hoteles4c.com

Metro without lift: Valdeacederas

Bus: 49, 66 and 124

ACCESS

- The entrance to the hotel is accessible, and there is no slope.
- There is a double set of automatic, sliding doors with a clearance width of 1.10 m.
- It is not marked with horizontal strips or a logo in a contrasting colour.

ACCESSIBILITY - HEARING IMPAIRED

Room	• •	
Internet connection: yes	TV which communicates with reception: no	
TV with teletext decoder: yes	TV has alarm clock with visual alert: no	
Bedside plug socket: yes	Entrance door with peephole: no	
Written information on available services: yes	Light signals to indicate a knock at the door: no	
Communal WCs	•	
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no	
Lifts	•	
	Emergency button with a light to show that the emergency call has been received: no	
Emergency system		
Emergency alarm systems with visual alerts: no		



(L) ACCESSIBILITY – PHYSICALLY DISABLED

mber of adapted rooms: 1 Ith of door: 77 cm ght of climate control: 150 cm ace for access to the bed: right ad side and left hand side 110 cm ght of coat rack: 170 cm s: 20-70 cm ar turning circle inside
ght of climate control: 150 cm ace for access to the bed: right ad side and left hand side 110 cm ght of coat rack: 170 cm s: 20-70 cm
ace for access to the bed: right ad side and left hand side 110 cm ght of coat rack: 170 cm
ace for access to the bed: right ad side and left hand side 110 cm ght of coat rack: 170 cm
nd side and left hand side 110 cm ght of coat rack: 170 cm s: 20-70 cm
nd side and left hand side 110 cm ght of coat rack: 170 cm s: 20-70 cm
ght of coat rack: 170 cm s: 20-70 cm
s: 20-70 cm
ar turning circle inside
ar turning circle inside
meter): Ø 150 cm
ght of flush mechanism: 78 cm
ed grab bars on the right hand
e: no
t a height of 60-82 cm
side
: mixer tap
•
ght of bathroom fittings: 100 cm
<u> </u>
ower base: level with the floor
ower chair or seat: Folding
iety, fixed to the wall in a
ess
s a vertical grab bar which is
ed for adjusting the height of the
wer head
ght of the tap: 110-190 cm , on
essible wall
s a folding shower screen
•
of lifts 1. Connects all the floors
ght of call buttons: 109-114 cm
Ith and depth of cab:
)-118 cm
ght of handrail: 92 cm









Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 120 cm
Communal WCs	Ground floor	Accessible	None of them are adapted for wheelchair users
buffet	Ground floor		Height of buffet bar: there is none Height of table: 74 cm Height beneath table 70 cm Width beneath table: 80 cm Depth beneath table: 35 cm Tables with central leg
Parking	Basement floor (-1 and -2)	Accessible via lift	There are no parking spaces for people with limited mobility (PRM)



28

ACCESSIBILITY - VISUALLY IMPAIRED

Signs			
Signs the same size: yes , average height of 170-175 cm and a font size of ≥ 1.5 cm			
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille		
Main stairs	▼ ● ●		
Edge of stairs marked with a non-slip strip in a contrasting colour: no	Side protection skirting board of ≥ 12 cm on both sides: yes		
Steps have a riser: yes Steps have nosing: yes	All steps are the same height: yes		
The space under the stairs is blocked off: yes	Handrail on either side: yes		
	Handrail extends at top and bottom of stairs: no		
Strip of surface of a different texture and bottom of the stairs: no	e and contrasting colour at the top		
Lifts	•		
Cab with audio signals: yes	Control buttons in contrasting colour: yes		
Keypad with numbers in relief: yes	Keypad with numbers in Braille: yes		





IBIS MADRID AEROPUERTO BARAJAS HOTEL

Avenida General, 49 28041 Madrid

Telephone: 91 301 09 99 Fax: 91 305 73 50

Web: www.accorhotels.com

Metro with lift: Barajas

Bus: 105 and 115

ACCESS

- The main entrance to the hotel is at street level and there is no slope.
- There are 2 sets of double, sliding, glass doors with a clearance width of **1.60 m**.
- Both of them are marked with horizontal strips and the hotel's logo, but neither of these are in a contrasting colour.
- Between both sets of doors there is a ramp, **4 m** wide and **5 m** long with a suitable incline of **6.9%**. There is no handrail, but along its whole length there is colour contrasted flooring with a distinctive texture.

9

ACCESSIBILITY - HEARING IMPAIRED-

Room	e e e	
	TV which communicates with reception: no	
TV with teletext decoder: yes	TV has alarm clock with visual alert:	
Bedside plug socket: yes	Entrance door with peephole: no	
Written information on available	Light signals to indicate a knock	
services: yes	at the door: no	
Communal WCs	• •	
•	Cubicle doors with a gap underneath to see if there is someone inside: no	
Lifts	•	
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no	
Emergency system		
Emergency alarm systems with visual alerts: no		









(ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 148)	Number of adapted rooms: 6	
On the 1st floor, accessible via lift	Width of door: 88 cm	
Clear turning circle inside	: Height of climate control: 147 cm	
(diameter): Ø 150 cm	•	
Height of bed: 50 cm	Space for access to the bed: right	
	hand side 57 cm and left hand side	
	110 cm	
Wardrobe doors: no doors	Height of coat rack: 155 cm	
Height of wardrobe shelves and dra	awers: 45-155 cm	
Bathroom in adapted room		
Door: sliding door with a width of	Clear turning circle inside	
84 cm	(diameter): Ø 150 cm	
Toilet:		
Height of seat: 40 cm	Height of flush mechanism: 110 cm	
Width of approach: left hand	Fixed grab bars on the right hand	
side 76 cm , front 90 cm	side: no	
Folding grab bar on the left hand si	de at a height of 60-77 cm	
Basin:		
Height and clearance beneath	Tap: mixer tap	
the basin: 66 cm and 55 cm	•	
Height of the lower edge of the	Height of bathroom fittings: 80 cm	
mirror: 85 cm	0	
Shower:	•	
Width of approach to shower:	Shower base: level with the floor	
110 cm	•	
Shower floor: non-slip	Shower chair or seat: fixed	
Height and location of horizontal	Has a vertical grab bar which is	
grab bar: 80 cm , on the same wall	used for adjusting the height of the	
as the tap	shower head	
Mixer tap	Height of the tap: 90-155 cm, on	
	accessible wall	
Adjustable shower-head height:	No shower screen, just a shower	
yes	curtain	
Adapted toilets in communal	No. of adapted toilets in communal	
areas	areas: 1	
On ground floor, with an	Sliding door with a width of 83 cm	
accessible route	•	
Clear turning circle inside (diamete	r): Ø 150 cm	
Toilet:		
	Height of flush mechanism: 100 cm	
	Folding grab bar on the right hand	
80 cm, front 180 cm	side: yes , height 67-85 cm	
Folding grab bar on the left hand side: no		

Basin:	
Height and clearance beneath the basin: 70 cm and 53 cm	Tap: mixer tap
	Height of bathroom fittings: 85-100 cm
Lifts	No. of lifts 3
Route: accessible up to the door of the lift	Height of call buttons: 110 cm
	Width and depth of cab: 105 and 136 cm
Height of the control buttons: 90-110 cm	Height of handrail: 90 cm

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 72 and 126 cm. It allows wheelchair users access right up to the desk from the front.
Cafeteria	Ground floor	Accessible	Height of bar: 110 cm Height of table: 75 cm Height beneath table 74 cm Width beneath table: 75 cm Depth beneath table: 30 cm Table with central leg
Restaurant (only dinner)/ Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 75-90 cm Height of table: 74 cm Height beneath table 70 cm Width beneath table: 60 cm Depth beneath table: 24 cm Table with central leg
Parking	Basement floor (-2)	Accessible via lift	There are 2 parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)







ACCESSIBILITY - VISUALLY IMPAIRED

Signs			
Signs the same size: yes, average height of 150-215 cm and a font			
of ≥ 1.5 cm			
Lettering in a colour which	Text and symbols: not in relief		
contrasts with the background: yes	and not in Braille		
Main stairs	•		
Edge of stairs marked with a	Side protection skirting board of		
non-slip strip in a contrasting	≥ 12 cm on both sides: only on		
colour: no	one side		
Steps have a riser: yes	All steps are the same height: yes		
Steps have nosing: no	•		
The space under the stairs is	Handrail on either side: yes		
blocked off: yes	•		
Continuous handrails on	Handrail extends at top and bottom		
half-landings: no	of stairs: no		
Strip of surface of a different textur	re and contrasting colour at the top		
and bottom of the stairs: no			
Lifts			
Cab with audio signals: no	Control buttons in contrasting		
	colour: yes		
Keypad with numbers in relief:	Keypad with numbers in Braille:		
yes	yes		





★ 2 STAR HOTELS







IBIS MADRID CENTRO HOTEL

Calle Manuela Malasaña, 6 28004 Madrid

Telephone: 91 448 58 16 **Fax:** 91 446 53 37

Web: www.ibishotel.com

Metro without lift: Bilbao

Bus: 21, 147 and 149

ACCESS

- The main entrance is accessible. There are no steps or any narrow stretches to impede access.
- There is a manually opened glass door measuring **80 cm** wide.
- It is marked with the hotel's logo, using sharply contrasting colours.



ACCESSIBILITY - HEARING IMPAIRED

Room	e e
Internet connection: yes	TV which communicates with reception: yes
TV with teletext decoder: yes	TV has alarm clock with visual alert: yes
Bedside plug socket: yes	Entrance door with peephole: yes
Light signals to indicate a knock at	the door: no
Communal WCs	•
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	
Visual signs indicating the floor and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with vis	ual alerts: no









ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 206)	Number of adapted rooms: 2
On the 2 nd floor, accessible via lift	Width of door: 77 cm
Clear turning circle inside	Height of climate control: 130 cm
(diameter): Ø 150 cm	
Height of bed: 58 cm	Space for access to the bed: left
3	hand side 110 cm
Height of coat rack: 164 cm	•
Bathroom in adapted room	
Door: with a width of 80 cm	Clear turning circle inside
	(diameter): Ø 150 cm
Toilet:	•
Height of seat: 40 cm	Height of flush mechanism: 95 cm
Width of approach: front	Fixed grab bars on the right hand
The state of the s	side: yes, height of 70 cm
Folding grab bar on the left hand s	ide at a height of 74-76 cm
Basin:	
Height and clearance beneath the	Tap: mixer tap
basin: 69 cm and 50 cm	
Height of the lower edge of the	Height of bathroom fittings: 82 cm
mirror: 85 cm	. reight of ballingen de cili
Shower:	•
Width of approach to shower:	Shower base: level with the floor
80 cm	Shower base. level with the fleet
Shower floor: non-slip	Shower chair or seat: fixed
Height and location of horizontal	Height and location of vertical grab
grab bar: 80 cm , wall to the side	bar: 80-120 cm , same wall as
of the tap	the tap
Mixer tap	Height of the tap: 100-142 cm, on
	accessible wall
Adjustable shower-head height:	Folding shower screen
ves	. Graming errorrer concern
Adapted toilets in communal	No. of adapted toilets in communal
areas	areas: 2
On ground floor, with an accessible	
route	
Clear turning circle inside (diameter	er). Ø 150 cm
Tollet:	
Height of seat: 42 cm	Height of flush mechanism: 100 cm
Width of approach: left hand side	Fixed grab bar on the right hand
120 cm	side: yes , height 75 cm
Folding grab bar on the left hand s	
Basin:	
Height and clearance beneath the	: Tan: mixer tan
basin: 70 cm and 20 cm	iap. iiixei tap
Height of the lower edge of the	Height of bathroom fittings: 100 cm
mirror: 100 cm	Tiolynt of battiloon fittings. 100 cm
IIIIIIOI. IUU CIII	•

Lifts	No. of lifts 1. Connects all the floors
	Width and depth of cab: 112 and
of the lift via a ramp with a width of	142 cm
1.2 m , a length of 3.20 m and a	
recommended incline of 6.9%.	0 0
Has a 100 cm handrail	0
Width of door: 75 cm	Height of handrail: 100 cm

amenities		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 100 cm
Restaurant / Breakfast buffet	Ground floor		Height of buffet bar: 90 cm Height of table: 75 cm Height beneath table 71 cm Width beneath table: 49 cm Depth beneath table: 59 cm



ACCESSIBILITY - VISUALLY IMPAIRED -

Signs				
Signs the same size: yes , average height of 145-175 cm and a font size of ≥ 1.5 cm				
Lettering in a colour which Text and symbols: not in relief contrasts with the background: yes and not in Braille				
Main stairs				
Edge of stairs marked with a non-slip strip in a contrasting colour: no	Side protection skirting board of ≥ 12 cm on both sides: no			
Steps have a riser: yes Steps have nosing: no	All steps are the same height: yes			
The space under the stairs is blocked off: There is none	Handrail on either side: yes			
	Handrail extends at top and bottom of stairs: no			
Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no				
Lifts	0			
Cab with audio signals: no	Control buttons in contrasting colour: yes			
Keypad with numbers in relief: yes	Keypad with numbers in Braille: yes			









INFANTA MERCEDES HOTEL

Calle Huesca, 21 28020 Madrid

Telephone: 91 570 33 33 Fax: 91 571 11 56

Web: www.hotelinfantamercedes.es

Metro without lift: Tetuán

Bus: 3, 66, 124, 126 and 149

ACCESS

- There is a single step at the main entrance with varying heights along its length, and there is no alternative ramp.
- There is an automatic glass door measuring **65 cm** wide It is not marked with horizontal strips or a logo in a contrasting colour.



ACCESSIBILITY - HEARING IMPAIRED

Room	• •	
Internet connection: yes	TV which communicates with reception: no	
TV with teletext decoder: yes	TV has alarm clock with visual alert: no	
Bedside plug socket: yes	Entrance door with peephole: no	
Written information on available	Light signals to indicate a knock	
services: yes	at the door: no	
Communal WCs		
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no	
Lifts		
Visual signs indicating the floor and direction of movement, both	Emergency button with a light to show that the emergency call	
inside and outside the cab: yes	has been received: no	
Emergency system		
Emergency alarm systems with visual alerts: no		



ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 510)	Number of adapted rooms: 1
On the 5th floor, accessible via lift	Width of door: 77 cm
Clear turning circle inside	: Height of climate control: uses a
(diameter): Ø 150 cm	remote control
Height of bed: 42 cm	Space for access to the bed: left
	hand side 151 cm
Height of wardrobe shelves and dra	awers: 25-120 cm
Bathroom in adapted room	
Door: inward opening with a width	
of 80 cm	(diameter): Ø 150 cm
Toilet:	
Height of seat: 39 cm	Height of flush mechanism: 75 cm
Width of approach: none ≥ 80 cm	Folding grab bar on the right hand
	side at a height of 78 cm
Folding grab bar on the left hand	Distance between bars: 53 cm
side at a height of 78 cm	0
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 81 cm (adjustable)	Tap: mixer tap
the basin: 81 cm (adjustable) and 50 cm	0 0 0 0
the basin: 81 cm (adjustable) and 50 cm Height of the lower edge of	Tap: mixer tap Height of bathroom fittings: 100 cm
the basin: 81 cm (adjustable) and 50 cm Height of the lower edge of the mirror: 100 cm	0 0 0 0
the basin: 81 cm (adjustable) and 50 cm Height of the lower edge of the mirror: 100 cm Bath:	Height of bathroom fittings: 100 cm
the basin: 81 cm (adjustable) and 50 cm Height of the lower edge of the mirror: 100 cm	Height of bathroom fittings: 100 cm Height and location of horizontal
the basin: 81 cm (adjustable) and 50 cm Height of the lower edge of the mirror: 100 cm Bath: Height of bath: 47 cm	Height of bathroom fittings: 100 cm Height and location of horizontal grab bar: 58-68 cm
the basin: 81 cm (adjustable) and 50 cm Height of the lower edge of the mirror: 100 cm Bath: Height of bath: 47 cm Transfer bench: no	Height of bathroom fittings: 100 cm Height and location of horizontal grab bar: 58-68 cm Has a vertical grab bar
the basin: 81 cm (adjustable) and 50 cm Height of the lower edge of the mirror: 100 cm Bath: Height of bath: 47 cm	Height of bathroom fittings: 100 cm Height and location of horizontal grab bar: 58-68 cm Has a vertical grab bar Shower head at 110 cm . Height can
the basin: 81 cm (adjustable) and 50 cm Height of the lower edge of the mirror: 100 cm Bath: Height of bath: 47 cm Transfer bench: no Mixer tap at 62 cm	Height of bathroom fittings: 100 cm Height and location of horizontal grab bar: 58-68 cm Has a vertical grab bar
the basin: 81 cm (adjustable) and 50 cm Height of the lower edge of the mirror: 100 cm Bath: Height of bath: 47 cm Transfer bench: no Mixer tap at 62 cm Has a curtain	Height of bathroom fittings: 100 cm Height and location of horizontal grab bar: 58-68 cm Has a vertical grab bar Shower head at 110 cm . Height can be adjusted
the basin: 81 cm (adjustable) and 50 cm Height of the lower edge of the mirror: 100 cm Bath: Height of bath: 47 cm Transfer bench: no Mixer tap at 62 cm Has a curtain Lifts	Height of bathroom fittings: 100 cm Height and location of horizontal grab bar: 58-68 cm Has a vertical grab bar Shower head at 110 cm. Height can be adjusted No. of lifts 2
the basin: 81 cm (adjustable) and 50 cm Height of the lower edge of the mirror: 100 cm Bath: Height of bath: 47 cm Transfer bench: no Mixer tap at 62 cm Has a curtain Lifts Route: accessible up to the door	Height of bathroom fittings: 100 cm Height and location of horizontal grab bar: 58-68 cm Has a vertical grab bar Shower head at 110 cm. Height can be adjusted No. of lifts 2 Height of call buttons: 110 cm
the basin: 81 cm (adjustable) and 50 cm Height of the lower edge of the mirror: 100 cm Bath: Height of bath: 47 cm Transfer bench: no Mixer tap at 62 cm Has a curtain Lifts	Height of bathroom fittings: 100 cm Height and location of horizontal grab bar: 58-68 cm Has a vertical grab bar Shower head at 110 cm. Height can be adjusted No. of lifts 2 Height of call buttons: 110 cm Width and depth of cab: 102 and
the basin: 81 cm (adjustable) and 50 cm Height of the lower edge of the mirror: 100 cm Bath: Height of bath: 47 cm Transfer bench: no Mixer tap at 62 cm Has a curtain Lifts Route: accessible up to the door	Height of bathroom fittings: 100 cm Height and location of horizontal grab bar: 58-68 cm Has a vertical grab bar Shower head at 110 cm. Height can be adjusted No. of lifts 2 Height of call buttons: 110 cm Width and depth of cab: 102 and 121 cm









Other			84-1-
Other	Location	Access	Main
amenities		•	characteristics
Reception	Ground floor	Accessible	Height of reception desk:
4		•	114 cm
Cafeteria	Ground floor	Accessible	Height of bar: 126 cm
		via lift and	Height of table: 76 cm
		with a ramp,	Height beneath table 74 cm
		124 cm long	Width beneath table: 88 cm
		with an	Depth beneath table: 40 cm
		incline of	•
		10%	
Restaurant /	Ground floor	Accessible	Height of buffet bar: 84 cm
Breakfast		•	Height of table: 76 cm
Buffet		•	Height beneath table 73 cm
		•	Width beneath table: 70 cm
		•	Depth beneath table: 70 cm
Meeting	First floor	Accessible	Height of table: 74 cm
rooms (1)		via lift	Height beneath table 70 cm
` ′		•	Width beneath table: 200 cm
		•	Depth beneath table: 45 cm
Communal	Ground floor	Accessible	None of them are adapted for
WCs		via lift	wheelchair users
Parking	Adjoining	Not	Parking is reached via stairs
	building	accessible	with no alternative lift



ACCESSIBILITY - VISUALLY IMPAIRED ----

Signs	gns			
•	height of 171-178 cm and a font size			
of ≥ 1.5 cm				
Lettering in a colour which	Text and symbols: not in relief			
contrasts with the background: yes and not in Braille				
Main stairs	•			
Edge of stairs marked with a	Side protection skirting board of			
non-slip strip in a contrasting	≥ 12 cm on both sides: no			
colour: yes	•			
Steps have a riser: yes	All steps are the same height: yes			
Steps have nosing: yes	•			
The space under the stairs is	Handrail on either side: yes			
blocked off: There is none	•			
Continuous handrails on	Handrail extends at top and bottom			
half-landings: no	of stairs: no			
Strip of surface of a different textur	e and contrasting colour at the top			
and bottom of the stairs: no				
Lifts	•			
Cab with audio signals: no	Control buttons in contrasting			
	colour: yes			
Keypad with numbers in relief:	Keypad with numbers in Braille:			
yes	yes			
-	•			












ACCESSIBILITY - PHYSICALLY DISABLED





JULIA HOTEL

Calle de Julián Camarillo, 9 28037 Madrid

Telephone: 91 440 12 17 Fax: 91 375 82 15

Web: www.hoteljulia.es

Metro without lift: García Noblejas

Bus: 70, 38, 105, 48

ACCESS

- The main entrance is accessible, there are no steps or any narrow stretches to impede access.
- There is an automatic glass door measuring **80 cm** wide.
- It is not marked with horizontal strips or a logo in a contrasting colour.




ACCESSIBILITY - HEARING IMPAIRED

Room		
,	TV which communicates with reception: no	
, , , , , , , , , , , , , , , , , , , ,	TV has alarm clock with visual alert: no	
Bedside plug socket: yes	Entrance door with peephole: no	
	Light signals to indicate a knock at the door: no	
Communal WCs		
·	Cubicle doors with a gap underneath to see if there is someone inside: no	
Lifts		
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no	
Emergency system		
Emergency alarm systems with visu	ual alerts: no	







Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 125 cm
Cafeteria / Restaurant	Ground floor	Accessible along a narrow, sloping corridoor, 86 cm long, 140 cm wide and an incline of 10%.	Height of bar: 110 cm Height of table: 74 cm Height beneath table 71 cm Width beneath table: 58 cm Depth beneath table: 60 cm
Meeting rooms (1)	First floor	Accessible via lift	Height of table: 67 cm Height beneath table 64 cm Width beneath table: 107 cm Depth beneath table: 80 cm
Parking	Basement floor (-2)	Accessible via lift	There is 1 parking space for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)







ACCESSIBILITY - VISUALLY IMPAIRED

Signs		
Signs the same size: yes , average height of 195 cm and a font size of ≥ 1.5 cm		
Lettering in a colour which contrasts with the background: no	Text and symbols: not in relief and not in Braille	
Main stairs	•	
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting colour: no	≥ 12 cm on both sides: yes	
Steps have a riser: yes	All steps are the same height: yes	
Steps have nosing: yes	•	
The space under the stairs is	Handrail on either side: no	
blocked off: There is none	•	
Continuous handrails on	Handrail extends at top and bottom	
half-landings: yes	of stairs: no	
Strip of surface of a different texture and contrasting colour at the top		
and bottom of the stairs: no		
Lifts	•	
Cab with audio signals: yes	Control buttons in contrasting	
	colour: yes	
Keypad with numbers in relief:	Keypad with numbers in Braille:	
yes	yes	





NH BARAJAS EXPRESS HOTEL

Calle Catamarán, 1 Calle Caland 28042 Madrid

Telephone: 91 742 02 00 Fax: 91 741 11 00

Web: www.nh-hoteles.com

Bus: 114

ACCESS

- The main entrance has no steps, stairways or narrow passageways to impede access.
- The main door is of mirrored glass, opens automatically, and is 1.30 m wide. It is not marked with horizontal strips or a logo in a contrasting colour.



ACCESSIBILITY - HEARING IMPAIRED

Room	•
Internet connection: yes	TV which communicates with reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert: no
Bedside plug socket: no	Light signals to indicate a knock at the door: no
Written information on available ser	rvices: yes
Communal WCs	•
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	•
Visual signs indicating the floor and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no
Emergency system	•
Emergency alarm systems with visi	ual alerts: no





ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 6)	Number of adapted rooms: 1
Located in an adjoining building.	Width of door: 77 cm
En route, there are two sets of	•
steps, both with an alternative	•
ramp. The first ramp is 3.9 m long	• •
and 99 cm wide, with an incline of	•
11%. The second ramp which	•
3.88 m long and 99 cm wide, with	• •
an adequate incline of 9%. Neither	•
have handrails	* I laight of climate controls 407 and
Clear turning circle inside (diameter): Ø 150 cm	Height of climate control: 107 cm
Height of bed: 57 cm	Space for access to the bed: right
	hand side 79 cm , left hand side
11:11:5	76 cm
Height of coat rack: 182 cm	• •
Bathroom in adapted room	Olean tumping single inside
Door: width of 81 cm	Clear turning circle inside
Toilet:	(diameter): Ø 150 cm
Height of seat: 42 cm	•
Width of approach: side approach	Grab har on the annroach side
of 61 cm	Grab bar on the approach side
Basin:	•
Clearance beneath the basin: 59 cm	Tap: mixer tap
Height of the lower edge of the	Height of bathroom fittings: 157 cm
mirror: 91 cm	•
Shower:	•
Shower base: with a step	•
Shower floor: non-slip	Shower chair or seat: there is none
There is a horizontal grab bar	There is a vertical grab bar
Lifts	No. of lifts 2
Accessible right up to the door	Width and depth of cab:
of the lift	113 cm and 130 cm
Width of door: 79 cm	•





Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 114 cm
Cafeteria	Ground floor	Accessible	Height of bar: 114 cm Height of table: 60 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of table: 75 cm Height beneath table 73 cm Width beneath table: 70 cm Depth beneath table: 36 cm
Parking	Ground floor in adjoining building	Not accessible, via stairs	



ACCESSIBILITY - VISUALLY IMPAIRED

Signs		
Signs the same size: yes , average height of 180-187 cm and a font size		
of 4-5 cm		
Lettering in a colour which	Text and symbols: not in relief	
contrasts with the background: yes	and not in Braille	
Main stairs	•	
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting	≥ 12 cm on both sides: no	
colour: no	•	
Steps have a riser: yes	All steps are the same height: yes	
Steps have nosing: no	•	
The space under the stairs is	Handrail on either side: no	
blocked off: there is none	•	
Continuous handrails on	Handrail extends at top and bottom	
half-landings: no	of stairs: no	
Strip of surface of a different texture and contrasting colour at the top		
and bottom of the stairs: no		
Lifts	•	
Cab with audio signals: no	Control buttons in contrasting	
	colour: no	
Keypad with numbers in relief:	Keypad with numbers in Braille:	
yes	yes	











ROOM MATE MARIO

Calle Campomanes, 4 28013 Madrid

Telephone: 91 548 85 48 Fax: 91 559 12 88

Web: www.room-matehotels.com

Metro with lift: Opera and Callao

Bus: 1, 2, 3, 5, 9, 15, 20, 25, 39, 44, 46, 50, 51, 52, 53, 74, 75, 133, 138, 146, 147, 148,

150, 202, M1, M2, C1 and C2

ACCESS

- The hotel has an access ramp to the hotel with a 6.9% incline. It has a clearance width of 1.90 m.
- The main entranceway has a step, the height of which varies between **10 cm** and **16 cm** as the hotel entrance is on a slope.
- There are two sets of double doors but with different characteristics. The first is a large outward opening double wooden door with a clearance width of **1.44 m**. The door is always open. The second set comprises automatic sliding glass doors. Their clearance width is **1.37 m**. The hotel logo is on the glass but not in a contrasting colour.
- The gap between both doors is 1.37 m with a 6.9% incline and is 2.10 m in length.
- The door has a bell located at a height of 1.27 m.
- Before getting to the double set of doors, there is a doormat that is securely affixed to the ground.
- There is an accessible route that takes guests straight to the reception and help desk.









ACCESSIBILITY - HEARING IMPAIRED

Room	0 0 0	
	Written information on available services: yes	
TV which communicates with	TV has alarm clock with visual alert:	
reception: yes	yes	
	Entrance door with peephole: no	
Light signals to indicate a knock	Emergency alarms with visual	
at the door: no	alerts: no	
Communal WCs		
·	Cubicle doors with a gap underneath to see if there is someone inside: no	
Lifts	•	
	Emergency button with a light to	
	show that the emergency call has	
inside and outside the cab: yes	been received: yes	
Emergency system		
Emergency alarm systems with visual alerts: no		



ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 102)	Number of adapted rooms: 1
On 1st floor accessible via lift	Width of door: 85 cm
Clear turning circle inside	Height of climate control: 150 cm
(diameter): Ø 150 cm	
Height of bed: 50 cm	Space for access to the bed: right hand side 93 cm , left hand side 103 cm
Wardrobe doors: swing door opening to 90° with doorknob	Height of hanger rail: 185 cm
Min. and max. height of wardrobe and 190 cm	shelves and drawers: 80 cm
Bathroom in adapted room	
Door: sliding door with a width of 72 cm	Clear turning circle inside (diameter): Ø 150 cm
Toilet:	•
Seat height: 40 cm plus a small step for the basin (must be requested at reception)	Height of flush mechanism: 135 cm
Approach area: left hand side 70 cm , front 182 cm	Folding grab bar on the right hand side at a height of 65 cm – 80 cm
Grab bar on the left hand side: no	ne

Basin:	0
Height and clearance beneath the basin: 77 cm and 50 cm	Tap: mixer tap easy to use
Height of the lower edge of the mirror: 110 cm	Min. and max. height of bathroom fittings: 90 cm and 113 cm
Bath:	•
Width and depth of approach area:	Height of bath: 46 cm
170 cm and 135 cm	•
Transfer table: mobile transfer	Tap: mixer tap easy to use
table (must be requested at	•
reception)	•
Height of tap: 60 cm on narrow	Height and location of horizontal
wall of bath	grab bar: none
Height and location of vertical	Adjustable shower-head at a height
grab bar: none	of 150 - 195 cm
Swinging glass shower screen	0 0
Lifts No. 1	Number of lifts: 1
Access to all floors	Accessible right up to the door
Height of call buttons: 117 cm	Width of door: 80 cm
Width and depth of cab:	Min. and max. height of the call
98 and 120 cm	buttons: 87 cm and 104 cm
Height of handrail: none	Mirror opposite the door: yes

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 101 cm
Communal toilets (4 cubicles)	Ground floor – 2 cubicles next to reception. First floor – 2 cubicles next to the breakfast buffet	Not accessible	None of the cubicles are Access to the toilets near the reception is impossible due to three 17 cm high steps. The cubicles located next to the breakfast buffet are accessible via two ramps with a width of 100 cm. The first has a length of 720 cm with a 10.5% incline; the second has a length of 70 cm with a 21.20% incline













Breakfast buffet	First floor	Accessible via lift and two ramps with a width of 100 cm. The first has a length of 720 cm with a 10.5% incline, the second has a length of 70 cm with
	e e e	a 21.20% incline





Bedrooms	
Colour of door contrasts with adjacent walls: no	Information about hotel services available in Braille: no and in large print: no
Room lighting with dimmer switch: no	TV remote control with large numbers: yes and in contrasting colours: yes
Room free of projecting elements: no	Audible signals to indicate emergency alarm: yes
Signs	
Signs the same size: yes , average 3 cm	height of 170 cm and a font size of
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille
Main stairs	• •
Edge of stairs marked with a non-slip strip in a contrasting colour	Side protection skirting board of ≥ 12 cm on both sides: yes
No, only non-slip	•
Steps have a riser: yes	
Steps have nosing: yes	All steps are the same height: yes
The space under the stairs is blocked off: yes	Handrail on either side: yes
Continuous handrails on half-landings: no	Handrail extends past the top and bottom of stairs: no
Distinctively textured and contrasting of the stairs: no	gly coloured strip at the top and bottom
Lift	
Cab with audio signals: yes	Control buttons in contrasting colours: yes
Keypad with numbers in relief: yes	Keypad with numbers in Braille: yes
Emergency System	
Audible alarma system in place in o	case of emergency: yes

















3 STAR HOTELS

- Aparthotel-Vicálvaro Encasa
- **Ganivet**
- **Gran Legazpi**
- Hesperia Hermosilla
- **High Tech Cliper**
- High Tech Gran Avenida
- **™** Holiday Inn Express Madrid Airport
- **8 Inglés**
- **9 NH Pacífico**
- 10 Petit Palace Arenal
- **m** Petit Palace Ducal
- 122 Petit Palace Italia
- 13 Petit Palace Londres
- Petit Palace Puerta del Sol

- 15 Petit Palace
 Tres Cruces
- 16 Puerta de Toledo
- 17 Regina
- **1B** Room Mate Oscar
- 19 Suites Viena
- **20 Sunotel Amaral**
- **Travelodge Torrelaguna**
- **22 Tryp Gran Vía**
- **23 Tryp Washington**
- **24 Victoria 4**
- **Zurbano**





APARTHOTEL-VICÁLVARO ENCASA

Carretera de Vicálvaro a la Estación de O'Donnell, 18 28032 Madrid

Telephone: 91 371 63 83 Fax: 91 776 98 54

Web: www.aparthotelencasa.es

Metro without lift: Puerta de Arganda

Bus: 100 and 106

ACCESS

- The entrance to the hotel is level with the street. It has a clearance width of **2 m**.
- The main entranceway has eight **18 cm** high steps, with alternative ramp access.
- The ramp is viable, with two stretches, each measuring 9 m in length, with a 6.9 % incline. It is 1.52 m wide with a double handrail that extends past both ends. Neither end of the ramp has a distinctively textured and contrastingly coloured strip to warn of the change in gradient.
- There are two sets of double doors with similar specifications. Both are double automatic sliding glass doors. They have an overall width of **1.80 m**. They are marked with double horizontal stripes and the hotel logo but not in contrasting colours.
- It has a video intercom at a height of **1.33 m**. The video intercom is operated using a single button.
- Past the double sets of doors is a doormat securely affixed to the ground.
- There is an accessible route that takes guests straight to the reception and help desk.







ACCESSIBILITY - HEARING IMPAIRED.

Room	0 0	
Internet connection: yes	Written information on available	
	services: yes	
TV which communicates with	TV has alarm clock with visual alert:	
reception: no	no	
	Entrance door with peephole: no	
Light signals to indicate a knock	Emergency alarms with visual	
at the door: no	alerts: no	
Communal WCs		
Door lock with visual aid to indicate		
either free or occupied: no	underneath to see if there is	
	someone inside: no	
Lifts		
	Emergency button with a light	
and direction of movement, both	to show that the emergency call	
inside and outside the cab: yes	has been received: yes	
Emergency system	•	
Emergency alarm systems with visual alerts: no		



ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 201)	Number of adapted rooms: 2	
On 2nd floor accessible via lift	Width of door: 84 cm	
Clear turning circle inside (diameter	er): Ø 150 cm	
Height of bed: 50 cm	Space for access to the bed: right hand side 75 cm , left hand side 87 cm . Moveable bed	
Wardrobe doors: easy to open sliding doors without handle	Height of hanger rail: 200 cm	
Min. and max. height of wardrobe shelves and drawers: 40 cm		
and 100 cm		
and too cin		
Bathroom in adapted room		
	Clear turning circle inside	
Bathroom in adapted room	Clear turning circle inside (diameter): Ø 150 cm	
Bathroom in adapted room Door: sliding door with a width		
Bathroom in adapted room Door: sliding door with a width of 80 cm		
Bathroom in adapted room Door: sliding door with a width of 80 cm Toilet:	(diameter): Ø 150 cm	
Bathroom in adapted room Door: sliding door with a width of 80 cm Toilet: Seat height: 45 cm	(diameter): Ø 150 cm Height of flush mechanism: 90 cm	









Encasa





Basin:	•
Height and clearance beneath the	Tan: miyor tan oasy to uso
basin: 77 cm and 50 cm	Tap: mixer tap easy to use
Height of the lower edge of the	Min. and max. height of bathroom
mirror: 97 cm	fittings: 95 cm
Shower:	0
Width and depth of approach area:	Shower base: level with floor
160 cm and 140 cm	0 0
Shower floor: non-slip	Shower chair or seat: none
Height and location of horizontal	Height and location of vertical grab
grab bar: 96 cm, on wall to side of	bar: 100 - 155 cm , on the same
the tap	wall as the tap
Tap: mixer tap easy to use	Height of tap: 115 cm
Non-adjustable shower-head at a	Outward opening glass shower
height of 115 cm	screen
Kitchen in adapted room	•
Door: doorway but no door with	Clear turning circle inside
width of 80 cm	(diameter): Ø 150 cm
Floor: non-slip	Clearance between furniture: 90 cm
Room free of projecting elements:	Sufficient lighting: yes
yes	• Outfort lighting. yes
Table	Countertop
Height of table: 76 cm	Does not give wheelchair users
rieight of table. Fo o m	close access to the countertop
Height below table: 65 cm	Height of countertop: 89 cm
Width below table: 65 cm	Depth of countertop: 60 cm
Depth below table: 89 cm	Bopar or ocumentop. co om
Sink	Hob
Does not give wheelchair users	Does not give wheelchair users
close access to the sink area	close access to the hob
Height of sink: 89 cm	Height of hob: 89 cm
Depth of sink: 60 cm	Depth of hob: 74 cm
Tap: mixer tap	Hob controls: Difficult to use as
iap. iiiixei tap	require a twisting movement of the
	wrist
Washing machine: no	• WIISL
Washing machine: no Other kitchen equipment	
	* Pofrigorator: difficult to anon
Min. and max. height of refrigerator shelves and drawers:	Refrigerator: difficult to open
20 – 100 cm	0
	Drowers: eacy to ener
Min. and max. height of kitchen	Drawers: easy to open
shelves and drawers: 40 – 180 cm	lloight of weeking machine
Height of oven controls: 70 cm	Height of washing machine
Height of microwave controls: 110	controls: 70 cm

Adapted bathroom in communal	areas
Next to reception and cafeteria	On ground floor - accessible
Bathroom door: width of doorway:	Cubicle door: inward opening with a
134 cm	width of 85 cm
Clear turning circle inside (diamete	r): Ø 150 cm
Toilet	
Seat height: 45 cm	Height of flush mechanism: 90 cm
Approach area: left hand side	Grab bar on right hand side: no
103 cm, front 110 cm	0
Folding grab bar on left hand side:	70 - 86 cm
Basin	
Height and clearance beneath the	Tap: push-down tap difficult to
basin: 71 cm and 55 cm	use
Height of the lower edge of the	Min. and max. height of bathroom
mirror: 110 cm	fittings: 110 cm
Lift No. 1	Number of lifts: 2. One larger than
	the other but located next to each
	other
Access to all floors	Accessible right up to the door
Height of call buttons: 105 cm	Width of door: 80 cm
Width and depth of cab: 104 and	Min. and max. height of the call
121 cm	buttons: 97 cm and 130 cm
Height of handrail: 92 cm	Mirror opposite the door: yes
Lift No. 2	0
Access to all floors	Accessible right up to the door
Height of call buttons: 105 cm	Width of door: 90 cm
Width and depth of cab: 107	Min. and max. height of the call
and 212 cm	buttons: 97 cm and 130 cm
Height of handrail: 92 cm	Mirror opposite the door: yes





		_	
Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 113 cm
Cafeteria / Restaurant	Ground floor	Accessible	Height of bar: 106 cm Height of table: 76 cm Height beneath table: 70 cm Width beneath table: 80 cm Depth beneath table: 36 cm
Parking	Outside the main door. (2 PRM parking spaces) and basement level -1	Accessible via lift	There are 2 parking spaces reserved for people with reduced mobility (PRM), indicated by the disabled parking sign (ISA) outside hotel next to the main door. The reserved parking spaces have a lateral approach area of 120 cm. Spaces 16 and 17 located at basement level -1 are also for the use of PRM guests although they are not marked as such.







ACCESSIBILITY - VISUALLY IMPAIRED —

Bedrooms		
Colour of door contrasts with adjacent walls: yes	Information about hotel services available in Braille: no and in large print: no	
Room lighting with dimmer switch: no	TV remote control with large numbers: yes and in contrasting colours: yes	
Room free of projecting elements: no	Audible signals to indicate emergency alarm: yes	
Kitchen	•	
Floor: non-slip	Clearance between furniture: 90 cm	
Room free of projecting elements:	Sufficient lighting: yes	
yes	•	
Signs	•	
Signs the same size: yes , average 5 cm	height of 170 cm and a font size of	
Lettering in a colour which con-	Text and symbols: not in relief and	
trasts with the background: yes	not in Braille	
Main stairs	•	
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting colour no	≥ 12 cm on both sides: yes	
Steps have a riser: yes	•	
Steps have nosing: yes	All steps are the same height: yes	
The space under the stairs is blocked off: yes	Handrail on either side: yes	
Continuous handrails on half-landings: no	Handrail extends past the top and bottom of stairs: no	
Distinctively textured and contrasting	gly coloured strip at the top and bottom	
of the stairs: no		
Lifts		
Cab with audio signals: no	Control buttons in contrasting colours: no	
	Keypad with numbers in Braille: yes	
Distinctively textured and contrasting	ngly coloured strip at entrance to lift:	
no		
Emergency System		
Audible alarm system in place in case of emergency: yes		





GANIVET HOTEL

Calle de Toledo, 111-113 28005 Madrid

Telephone: 91 365 36 00 **Fax:** 91 364 02 23

_

Web: www.hotelesporcel.com

Metro without lift: Puerta de Toledo

Bus: 3, 6, 18, 41, 148, C 1 and C 2

ACCESS

- The entrance is accessible and has a level surface.
- There are 2 sets of double automatic, sliding, glass doors both of which have a clearance of 1.17 m.
- They are marked with horizontal strips and a logo, but not in a contrasting color.
- To gain access from the hotel's reception area, it is necessary to climb a ramp 98 cm wide and 3.70 m long, with a non-recommended incline of 14%. The ramp has 2 handrails along one side, one of which is fixed at a height of 80 cm, and the other at 1 m. The handrails do not extend past the ends of the ramp. The ramp has a non-slip surface. Its ends are not indicated by a distinctively textured or contrastingly coloured floor surface.

9

ACCESSIBILITY - HEARING IMPAIRED

Room	
	TV which communicates with reception: no
,	TV has alarm clock with visual alert: yes
	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visu	ual alerts: no

MADRID FOR ALL









ACCESSIBILITY - PHYSICALLY DISABLED -

Adapted room (No. 235) On 2 nd floor accessible via lift Clear turning circle inside (diameter): Ø 150 cm Height of bed: 50 cm	Number of adapted rooms: 4 Width of door: 77 cm Height of climate control: 160 cm Space for access to the bed: right hand side 70 cm, left hand side	
	90 cm	
Wardrobe doors: Folding with	Height of coatrack: 170 cm	
door knobs, difficult to open	•	
Height of wardrobe shelves and drawers: 60-130 cm		

Bathroom in adapted room	
Door: outward opening with a	Clear turning circle inside
width of 79 cm	(diameter): Ø 150 cm
Toilet:	
Seat height: 40 cm	Height of flush mechanism: 77 cm
Width of approach: left hand side	Fixed grab bar on the right hand
100 cm , front 100 cm	side at a height of 75 cm
Folding grab bar on the left hand	Distance between bars: 75 cm
side at a height of 60-75 cm	•
Basin:	
Height and clearance beneath	Tap: mixer tap
the basin: 76 cm and 60 cm	
Height of the lower edge of the	Height of bathroom fittings: 90 cm
mirror: 95 cm	•
Shower:	
Width of approach to shower:	Shower base: level with floor
90 cm	•
Shower floor: non-slip	Shower stool: mobile
Height and location of horizontal	: Has a vertical grab bar on the same
grab bar: 100 cm , on wall to side	wall as the tap which is used for
of the tap	adjusting the height of the shower
	head
Tap: mixer tap	Height of tap: 120-140 cm on
	accessible wall
Adjustable shower-head height:	Folding shower screen
yes	0









Adapted bathroom in	Number of adapted toilets: 1
communal areas	
On floor -1, accessible via lift	Door: inward opening with a width
	of 71 cm
Clear turning circle inside (diameter	r): Ø 150 cm
Toilet:	•
Seat height: 40 cm	Height of flush mechanism: 78 cm
	• 0
Width of approach: left hand side	
70 cm, front 120 cm	72 cm
Folding grab bar on left hand side:	Distance between bars: 68 cm
55-72 cm	0
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 78 cm and 50 cm	•
	: Height of bathroom fittings: 90 cm
of the mirror: 100 cm	•

Lifts	Number of lifts: 2
Accessible up to the door	Height of call buttons: 110-115 cm
Width of door: 80 cm	Width and depth of cab:
	108 and 140 cm
Height of control buttons:	Height of handrail: 90 cm
95-144 cm	•





Other amenities	Location	Access	Main characteristics	E
Reception	Ground floor	Accessible	Height of reception desk: 110 cm	Ĭ
Cafeteria	Ground floor	Accessible via ramp described above	Height of buffet bar: 110 cm Height of table: 76 cm Height beneath table: 70 cm Width beneath table: 70 cm Depth beneath table: 30 cm Table with central leg	
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 87-95 cm Height of table: 75 cm Height beneath table: 69 cm Width beneath table: 60 cm Depth beneath table: 35 cm Table with central leg	
Parking	Floors -1, -2 and -3	Accessible via lift	There are 5 parking space for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)	





ACCESSIBILITY - VISUALLY IMPAIRED

Signs			
Signs the same size: yes, average height of 170 cm and a font size of			
≥ 1.5 cm			
Lettering in a colour which	:Text and symbols: not in relief		
contrasts with the background: yes	and not in Braille		
Main stairs	•		
Edge of stairs marked with a	Side protection skirting board of		
non-slip strip in a contrasting	≥ 12 cm on both sides: yes		
colour: no	•		
Steps have a riser: yes	All steps are the same height: yes		
Steps have nosing: yes	•		
The space under the stairs is	:Handrail on either side: yes		
blocked off: yes	•		
Continuous handrails on	Handrail extends at top and bottom		
half-landings: no	of stairs: no		
Strip of surface of a different textur	e and contrasting colour at the top		
and bottom of the stairs: no			
Lifts	•		
Cab with audio signals: no	Control buttons in contrasting		
	colour: yes		
Keypad with numbers in relief:	Keypad with numbers in Braille:		
yes	no		











GRAN LEGAZPI HOTEL

Paseo de la Chopera, 71 28045 Madrid

Telephone: 91 539 66 00 **Fax:** 91 530 67 03

Web: www.hotelgranlegazpi.com

Metro with lift: Legazpi

Bus: 6, 8, 18, 19, 22, 45, 47, 59, 62, 76, 78, 79, 85, 86, 123, 148 and 247

ACCESS

- The main entrance has a step of **20 cm**.
- There are 2 sets of automatic, sliding, glass doors. They are marked with the hotel's logo in a contrasting color. Between the 2 doors is a doormat, which is corectly fixed to the floor.
- Wheelchair users can gain access without using ramps by way of an outward opening metal door with a handle, located at the entrance to the hotel's car park. This door is 87 cm wide.

ACCESSIBILITY - HEARING IMPAIRED

Room	• •
Internet connection: yes	TV which communicates with
	reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert:
	no
	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	0 0
Door lock with visual aid to indicate	Cubicle doors with a gap
either free or occupied: no	underneath to see if there is
	someone inside: no
Lifts	• •
Visual signs indicating the floor	Emergency button with a light
and direction of movement, both	to show that the emergency call
inside and outside the cab: yes	has been received: no
Emergency system	•
Emergency alarm systems with visi	ual alerts: no







(PRM), indicated by the disabled parking sign (ISA)





ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 110)	Number of adapted rooms: 2
On 1 st floor accessible via lift	Width of door: 86 cm
Clear turning circle inside	: Height of climate control: 165 cm
(diameter): Ø 150 cm	and can also be controlled from
	reception
Height of bed: 50 cm	Space for access to the bed: right
	hand side 80 cm , none on left hand
	side
Wardrobe doors: Sliding without	Height of coatrack: 160 cm
knobs	0
Height of wardrobe shelves and dra	awers: none
Bathroom in adapted room	
Door: outward opening with	Clear turning circle inside
a width of 86 cm	(diameter): Ø 150 cm
Tollet:	•
Seat height: 50 cm	Height of flush mechanism: 110 cm
Width of approach: right hand side	Folding grab bar on the right hand
95 cm, front 69 cm	side at a height of 65-80 cm
Fixed grab bar on the left hand	Distance between bars: 60 cm
side at a height of 80 cm	•
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 80 cm and 60 cm	•
Height of the lower edge	Height of bathroom fittings: 90 cm
of the mirror: 95 cm	•
Shower:	•
Width of approach to shower:	Shower base: level with floor
90 cm	•
Shower floor: non-slip	Shower stool: mobile 40 cm
No horizontal grab bar	No vertical grab bar
Tap: mixer tap	Height of tap: 110 cm on accessible wall
Adjustable shower-head height:	No shower screen
no, 110 cm	INO SHOWEL SCIECH
Lifts	Number of lifts: 2
Access: with a 12 cm step	Height of call buttons: 110-120 cm
Width of door: 70 cm	Width and depth of cab:
Width of door. 70 cm	96 and 90 cm
Height of control buttons:	No handrail
120-145 cm	• Handrall
120-14J GIII	•



Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 110 cm
Communal WCs	Ground floor	Accessible	None of them are adapted for wheelchair users
Cafeteria / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 98 cm Height of table: 78 cm Height beneath table: 74 cm Width beneath table: 110 cm Depth beneath table: 70 cm Table with central leg
Parking	Ground floor	Accessible	There are 2 parking space for people with limited mobility



ACCESSIBILITY - VISUALLY IMPAIRED -

Signs		
Signs the same size: yes , average of ≥ 1.5 cm	height of 140-180 cm and a font size	
Lettering in a colour which	Text and symbols: not in relief	
contrasts with the background: yes	and not in Braille	
Main stairs	•	
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting	≥ 12 cm on both sides: yes	
colour: no		
Steps have a riser: yes	All steps are the same height: yes	
Steps have nosing: no	•	
The space under the stairs is	Handrail on either side: yes	
blocked off: yes	•	
Continuous handrails on	Handrail extends at top and bottom	
half-landings: no	of stairs: no	
Strip of surface of a different texture and contrasting colour at the top		
and bottom of the stairs: no		
Lifts		
Cab with audio signals: no	Control buttons in contrasting	
	colour: no	
Keypad with numbers in relief:	Keypad with numbers in Braille:	
yes	yes	















HESPERIA HERMOSILLA HOTEL

Calle de Hermosilla, 23 28001 Madrid

Telephone: 91 246 88 00 Fax: 91 246 88 01

Web: www.hesperia-hermosilla.com

Metro without lift: Serrano

Bus: 14, 17, 27, 51, 147 and 149

ACCESS

- The street accessing the hotel is wide, level and free of obstacles.
- The main entrance is not easily accessible due to the stairs. There is an alternative entrance door with 2 access ramps; the first of which is 1.40 m wide, 1.30 m long and has a non-recommended incline of 10.5%. The second ramp is 1.10 m wide, 2.3 m long and has an incline of 12.2%. Both ramps have a handrail fixed at a height of 94 cm, as well as distinctively textured and contrastingly coloured floor surfaces at both ends.
- The main door is automatic and made of glass, but it is not marked with horizontal strips or a coloured logo. The alternative door is 1.08 m wide and manually operated and is easy to opens.

ACCESSIBILITY - HEARING IMPAIRED

Room	0 0 0
	TV which communicates with reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert: no
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	•
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	•
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no
Emergency system	•
Emergency alarm systems with visi	ual alerts: no



ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 208)	Number of adapted rooms: 2
On 2 nd floor accessible via lift	Width of door: 77 cm
Clear turning circle inside	Height of climate control: 160 cm
(diameter): Ø 150 cm	• - • •
Height of bed: 50 cm	Space for access to the bed: both
	right hand side and left hand side
	110 cm
Wardrobe doors: Folding with	Height of coatrack: 150 cm
door knobs, easy to open	•
Height of wardrobe shelves and dra	awers: 40 cm
Bathroom in adapted room	
Door: outward opening with	Clear turning circle inside
a width of 77 cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 43 cm	Height of flush mechanism: 74 cm
Width of approach: left hand side	Folding grab bar on the left hand
74 cm	side at a height of 80 cm
No grab bar on the right hand side	•
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 46 cm and 70 cm	* I I a land a C la atlanta a con Citti a con A A A a con
Height of the lower edge of the	Height of bathroom fittings: 144 cm
mirror: 68 cm	•
Shower: Width of approach to shower:	Shower base: 20 am aton
60 cm	Shower base: 20 cm step
Shower floor: non-slip	Shower chair or stool: fixed
Height and location of horizontal	No vertical grab bar
grab bar: 90 cm, on wall to side	0 0
of the tap	0
Tap: mixer tap	Height of tap: 130 cm on accessible
	wall
No folding shower screen or curtain	
Adapted bathroom in	Number of adapted toilets: 1
communal areas	•_
On floor -1, accessible via lift	Door: outward opening with a width
	of 80 cm
Clear turning circle inside (diamete	r): ש 150 cm
Toilet:	Loight of flugh machanisms 74
Seat height: 43 cm	Height of flush mechanism: 74 cm
	Folding grab bar on right hand side:
80 cm Fixed grab bar on left hand side:	79 cm Distance between bars: 65 cm
79 cm	Distance Detween Dais. 03 Cili
7 3 6111	•







		_	
Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 110 cm
Cafeteria	Ground floor	Accessible	Height of bar: there is none Height of table: 75 cm Height beneath table: 74 cm Width beneath table: 80 cm Depth beneath table: 35 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 50-90 cm Height of table: 75 cm Height beneath table: 74 cm Width beneath table: 80 cm Depth beneath table: 35 cm
Parking	Floors: -2 and -3	Accessible via lift	There are no parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)







ACCESSIBILITY - VISUALLY IMPAIRED -

Signs		
Signs the same size: yes, average height of 160-172 cm and a font size		
of ≥ 1.5 cm		
Lettering in a colour which	Text and symbols: not in relief	
contrasts with the background: yes	and not in Braille	
Main stairs		
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting	≥ 12 cm on both sides: no	
colour: no		
Steps have a riser: yes	All steps are the same height: yes	
Steps have nosing: yes	•	
The space under the stairs is	Handrail on either side: yes	
blocked off: there is none	•	
Continuous handrails on	Handrail extends at top and bottom	
half-landings: yes	of stairs: no	
Strip of surface of a different texture and contrasting colour at the top		
and bottom of the stairs: no		
Lifts		
Cab with audio signals: no	Control buttons in contrasting	
	colour: yes	
Keypad with numbers in relief:	Keypad with numbers in Braille:	
no	no	









HIGH TECH CLIPER HOTEL

Calle Chinchilla, 6 Calle Chinchina 28013 Madrid

Telephone: 91 531 17 00 Fax: 91 531 17 07

Web: www.hthoteles.com

Metro without lift: Gran Vía

Bus: 1, 2, 46, 74, 146 and 202

ACCESS

- The entrance leading to the reception area has a single step in front of the door, and some stairs with an alternative platform stair-lift.
- The door is automatic, made of glass and is 1.40 m wide. It is not marked with horizontal strips or a contrastingly coloured logo.



ACCESSIBILITY - HEARING IMPAIRED

Room	0
Internet connection: yes	TV which communicates with
	reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert:
	no
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: no	at the door: no
Communal WCs	•
Door lock with visual aid to indicate	e Cubicle doors with a gap
either free or occupied: no	underneath to see if there is
	someone inside: no
Lifts	0
Visual signs indicating the floor	Emergency button with a light
and direction of movement, both	to show that the emergency call
inside and outside the cab: yes	has been received: no
Emergency system	
Emergency alarm systems with vis	sual alerts: no



(ACCESSIBILITY - PHYSICALLY DISABLED)

ACCESSIBILITY -	PHISICALLI DISABLED
Adapted room	Number of adapted rooms: 2
On main floor, accessible via lift	Width of door: 80 cm
Clear turning circle inside (diameter): Ø 150 cm	Height of climate control: 157 cm
Height of bed: 50 cm	Space for access to the bed: right hand side 62 cm , left hand side 79 cm
Height of coatrack: 172 cm	Height of wardrobe shelves and drawers: 42-74 cm
Bathroom in adapted room	
Door: outward opening with a width of 78 cm	Clear turning circle inside (diameter): Ø 150 cm
Toilet:	•
Seat height: 41 cm	Height of flush mechanism: 80 cm
Width of approach: side > 80 cm	Folding grab bar on the left hand side
Basin:	•
Height and clearance beneath the basin: 80 cm and 63 cm	Tap: mixer tap
Height of the lower edge of the mirror: 74 cm	Height of bathroom fittings: 145 cm
Shower:	•
Width of approach to shower: 134 cm	Shower base: level with floor
Shower floor: non-slip	Shower chair or stool: no
Tap: mixer tap	Height of tap: 125 cm on accessible wall
Adjustable shower-head height: no	No shower screen or curtain
Adapted bathroom in communal areas	Number of adapted toilets: 1
On floor -1, accessible via lift	Door: inward foldingwith a width of 78 cm
Clear turning circle inside (diamete	er): Ø 150 cm
Toilet:	
Seat height: 41 cm	Height of flush mechanism: 80 cm
Width of approach: lateral	:There are grab bars
Basin:	:
Height and clearance beneath the basin: 88 cm and 166 cm	Tap: mixer tap
Height of the lower edge of the mir	ror: 70 cm
Lifts	
Accessible up to the door	Height of call buttons: 116 cm
Width of door: 72 cm	Width and depth of cab: 92 and 119 cm
Height of control buttons: 118-149 cm	No handrail





CCOMMODATION



Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 113 cm
Cafeteria	Ground floor	Accessible	Height of bar: 87-93 cm Height of table: 78 cm Height beneath table: 72 cm Width beneath table: 72 cm Depth beneath table: 32 cm



ACCESSIBILITY - VISUALLY IMPAIRED

Signs		
Signs the same size: yes , average height of 161-181 cm and a		
of ≥ 1.5 cm		
Lettering in a colour which	Text and symbols: not in relief	
contrasts with the background: yes	and not in Braille	
Main stairs	•	
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting	≥ 12 cm on both sides: no	
colour: no	•	
Steps have a riser: yes	All steps are the same height: yes	
Steps have nosing: no	•	
The space under the stairs is	Handrail on either side: yes	
blocked off: there is none	•	
Continuous handrails on	Handrail extends at top and bottom	
half-landings: yes	of stairs: no	
Strip of surface of a different texture and contrasting colour at the top		
and bottom of the stairs: no		
Lifts	• •	
Cab with audio signals: no	Control buttons in contrasting	
	colour: yes	
Keypad with numbers in relief:	Keypad with numbers in Braille:	
yes	yes	











HIGH TECH GRAN AVENIDA HOTEL

Calle de Mesor 28013 Madrid Calle de Mesoneros Romanos, 14

Telephone: 91 532 71 07 Fax: 91 532 71 06

Web: www.hthoteles.com

Metro with lift: Callao

Bus: 1, 2, 46, 74, 146, 202, N16, N17 and N18

ACCESS

- On the way to the hotel's reception area there are 2 individual steps with no ramps which make access difficult.
- The main door is manually operated, made of glass and is 1.50 m wide. It is not marked with horizontal strips or a contrastingly coloured logo.
- There is an alternative entrance which has a ramp with an incline of 15%. The door is > 80 cm wide and is made of glass, but is not marked with horizontal strips or a contrastingly coloured logo.

ACCESSIBILITY - HEARING IMPAIRED

Room	0 0 0
Internet connection: yes	TV which communicates with
	reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert:
	no
	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	0 0
Door lock with visual aid to indicate	Cubicle doors with a gap
either free or occupied: no	underneath to see if there is
	someone inside: no
Lifts	• •
Visual signs indicating the floor	Emergency button with a light
and direction of movement, both	to show that the emergency call
inside and outside the cab: yes	has been received: no
Emergency system	6 6 A
Emergency alarm systems with visu	ual alerts: no







H. T. Gran Avenida



(ACCESSIBILITY - PHYSICALLY DISABLED

	A
Adapted room	Number of adapted rooms: 4
On accessible floor via lift	Width of door: 77 cm
Clear turning circle inside	: Height of climate control:
(diameter): Ø 150 cm	142-150 cm
Height of bed: 51 cm	•
Bathroom in adapted room	•
Clear turning circle inside (diamete	r): Ø 150 cm
Toilet:	
Seat height: 42 cm	There are no grab bars
Width of approach: side 115 cm	
Basin:	
Height and clearance beneath the	Tap: mixer tap
basin: 84 cm	
Dasin. UT Cili	•
Height of the lower edge	Height of bathroom fittings: 140 cm
	Height of bathroom fittings: 140 cm
Height of the lower edge	Height of bathroom fittings: 140 cm
Height of the lower edge of the mirror: 85.5 cm	Height of bathroom fittings: 140 cm Shower base: level with floor
Height of the lower edge of the mirror: 85.5 cm Shower:	
Height of the lower edge of the mirror: 85.5 cm Shower: Tap: mixer tap	Shower base: level with floor
Height of the lower edge of the mirror: 85.5 cm Shower: Tap: mixer tap Shower floor: non-slip	Shower base: level with floor Shower chair or stool: no
Height of the lower edge of the mirror: 85.5 cm Shower: Tap: mixer tap Shower floor: non-slip Lifts	Shower base: level with floor Shower chair or stool: no Number of lifts: 2
Height of the lower edge of the mirror: 85.5 cm Shower: Tap: mixer tap Shower floor: non-slip Lifts Accessible via portable ramp	Shower base: level with floor Shower chair or stool: no Number of lifts: 2 Width and depth of cab:

Other amenities	Location		Main characteristics
Reception	Ground floor		Height of reception desk:
Cafeteria	Ground floor	via a	Height of table: 77 cm Height beneath table: 72 cm Width beneath table: 71 cm

ACCESSIBILITY - VISUALLY IMPAIRED -

★★★ 3 STAR HOTELS

Signs			
Signs the same size: yes, average height of 157-177 cm and a font size			
of ≥ 1.5 cm			
Lettering in a colour which	Text and symbols: not in relief		
contrasts with the background: yes	and not in Braille		
Main stairs	• •		
Edge of stairs marked with a	Side protection skirting board of		
non-slip strip in a contrasting	≥ 12 cm on both sides: yes		
colour: no	•		
Steps have a riser: yes	All steps are the same height: yes		
Steps have nosing: no	0 0		
The space under the stairs is	Handrail on either side: no		
blocked off: there is none	•		
Continuous handrails on	Handrail extends at top and bottom		
half-landings: no	of stairs: no		
Strip of surface of a different texture and contrasting colour at the top			
and bottom of the stairs: no			
Lifts	•		
Cab with audio signals: no	Control buttons in contrasting		
	colour: yes		
Keypad with numbers in relief:	Keypad with numbers in Braille:		
no	no		










HOLIDAY INN EXPRESS MADRID AIRPORT HOTEL



Telephone: 91 748 16 57 **Fax:** 91 329 13 76

Web: www.hiexpress.com/madridairport

Bus: 22, 223, 224 and 227



- The street accessing the hotel is wide, level and free of obstacles.
- The main entrance is easily accessible, with no steps or narrow corridors to impede progress.
- There is an automatic glass door which is 1.65 m wide. It is not marked with horizontal strips or a contrastingly coloured logo.

ACCESSIBILITY - HEARING IMPAIRED

Room	
3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	TV which communicates with reception: no
	TV has alarm clock with visual alert: yes
Bedside plug socket: no	Entrance door with peephole: no
Written information on available services: yes	Light signals to indicate a knock at the door: no
Communal WCs	
	Cubicle doors with a gap underneath to see if there is someone inside: yes
Lifts	•
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visual alerts: no	



Express Madrid Airport ACCESSIBILITY - PHYSICALLY DISABLED -

Adapted room (No. 002)	Number of adapted rooms: 3	
Ground floor, accessible	Width of door: 80 cm	
Clear turning circle inside	Height of climate control: 150 cm	
(diameter): Ø 150 cm	•	
Height of bed: 60 cm	Space for access to the bed: left hand side 145 cm	
Height of wardrobe shelves	Height of coatrack: 172 cm	
and drawers: 80 cm		
Height of wardrobe shelves and dr	awers: 42 - 74 cm	
Bathroom in adapted room		
Door: outward opening with	Clear turning circle inside	
a width of 77 cm	(diameter): Ø 150 cm	
Toilet:	•	
Seat height: 49 cm	Height of flush mechanism: 85 cm	
Width of approach: left hand side	: No grab bar on the right hand side	
70 cm		
Folding grab bar on the left hand s	ide at a height of 60-82 cm	
Basin:		
Height and clearance beneath	Tap: mixer tap	
the basin: 70 cm and 48 cm	•	
Height of the lower edge	Height of bathroom fittings:	
of the mirror: 100 cm	74-86 cm	
Shower:	•	
Width of approach to shower: 120 cm	Shower base: level with floor	
Shower floor: non-slip	Shower chair or stool: fixed with	
·	horizontal grab bar which	
	hampers washing oneself	
Height and location of horizontal	Has a vertical grab bar which is	
grab bar: 92 cm , on the same	used for adjusting the height of the	
wall as the tap	shower head	
Tap: mixer tap	Height of tap: 117-135 cm on accessible wall	
Adjustable shower-head height:	There is a shower curtain	
yes	•	
Adapted bathroom in communal		
On ground floor, accessible	Door: inward folding with a width of 76 cm	
Clear turning circle inside (diameter): Ø 150 cm		
Toilet:		
Seat height: 41 cm	Height of flush mechanism: 100 cm	
	· -	
Width of approach: right hand side	: Folding grab bar on right hand side:	
Width of approach: right hand side 74 cm	Folding grab bar on right hand side: 65-75 cm	
Width of approach: right hand side		







Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 80 cm
Cafeteria	Ground floor	Accessible	Height of bar: 126 cm Height of table: 76 cm Height beneath table: 73 cm Width beneath table: 80 cm Depth beneath table: 80 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 85-140 cm Height of table: 76 cm Height beneath table: 73 cm Width beneath table: 80 cm Depth beneath table: 80 cm
Meeting rooms (1)	Ground floor	Accessible	Height of table: 78 cm Height beneath table: 74 cm Width beneath table: 140 cm Depth beneath table: 70 cm
Parking	Outdoor	Accessible	There are 4 parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA).







Express Madrid Airport



ACCESSIBILITY - VISUALLY IMPAIRED

Signs Signs the same size: yes, average height of 140-180 cm and a font size of ≥ 1.5 cm Lettering in a colour which contrasts with the background: yes and not in Braille Main stairs Edge of stairs marked with a non-slip strip in a contrasting colour: yes Steps have a riser: yes Steps have nosing: no The space under the stairs is blocked off: there is none Continuous handrails on half-landings: yes Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no Lifts Cab with audio signals: no Keypad with numbers in relief: yes Keypad with numbers in relief: yes				
Lettering in a colour which contrasts with the background: yes and not in Braille Main stairs Edge of stairs marked with a non-slip strip in a contrasting colour: yes Steps have a riser: yes Steps have nosing: no The space under the stairs is blocked off: there is none Continuous handrails on half-landings: yes Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no Lifts Cab with audio signals: no Lettering in a colour which and not in Braille: Text and symbols: not in relief Side protection skirting board of 2 12 cm on both sides: no ≥ 12 cm on both sides: no Handrail on either side: yes Handrail extends at top and bottom of stairs: no Control buttons in contrasting colour: yes Keypad with numbers in relief: Keypad with numbers in Braille:	Signs			
Lettering in a colour which contrasts with the background: yes and not in Braille Main stairs Edge of stairs marked with a non-slip strip in a contrasting colour: yes Steps have a riser: yes Steps have nosing: no The space under the stairs is blocked off: there is none Continuous handrails on half-landings: yes Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no Lifts Cab with audio signals: no Keypad with numbers in relief: Keypad with numbers in relief: Keypad with numbers in Braille:	Signs the same size: yes, average	Signs the same size: yes, average height of 140-180 cm and a font size		
contrasts with the background: yes and not in Braille Main stairs Edge of stairs marked with a non-slip strip in a contrasting colour: yes Steps have a riser: yes Steps have nosing: no The space under the stairs is blocked off: there is none Continuous handrails on half-landings: yes Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no Lifts Cab with audio signals: no Keypad with numbers in relief: Keypad with numbers in Braille:	of ≥ 1.5 cm			
Main stairs Edge of stairs marked with a non-slip strip in a contrasting colour: yes ≥ 12 cm on both sides: no Steps have a riser: yes All steps are the same height: yes Steps have nosing: no Handrail on either side: yes The space under the stairs is blocked off: there is none Handrail extends at top and bottom of stairs: no Continuous handrails on half-landings: yes Handrail extends at top and bottom of stairs: no Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no Lifts Cab with audio signals: no Control buttons in contrasting colour: yes Keypad with numbers in relief: Keypad with numbers in Braille:				
Edge of stairs marked with a non-slip strip in a contrasting colour: yes Steps have a riser: yes Steps have nosing: no The space under the stairs is blocked off: there is none Continuous handrails on half-landings: yes Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no Lifts Cab with audio signals: no Keypad with numbers in relief: Keypad with numbers in relief: Kight portection skirting board of stairs: no All steps are the same height: yes Handrail on either side: yes Handrail extends at top and bottom of stairs: no Control buttons in contrasting colour: yes	contrasts with the background: yes	and not in Braille		
non-slip strip in a contrasting colour: yes Steps have a riser: yes Steps have nosing: no The space under the stairs is blocked off: there is none Continuous handrails on half-landings: yes Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no Lifts Cab with audio signals: no Keypad with numbers in relief: Keypad with numbers in Braille:	Main stairs	• •		
Steps have a riser: yes Steps have nosing: no The space under the stairs is blocked off: there is none Continuous handrails on half-landings: yes Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no Lifts Cab with audio signals: no Keypad with numbers in relief: Keypad with numbers in Braille:				
Steps have a riser: yes Steps have nosing: no The space under the stairs is blocked off: there is none Continuous handrails on half-landings: yes Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no Lifts Cab with audio signals: no Keypad with numbers in relief: Keypad with numbers in Braille:		≥ 12 cm on both sides: no		
Steps have nosing: no The space under the stairs is blocked off: there is none Continuous handrails on half-landings: yes of stairs: no Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no Lifts Cab with audio signals: no Control buttons in contrasting colour: yes Keypad with numbers in relief: Keypad with numbers in Braille:	colour: yes	♥ ♦ 8		
The space under the stairs is blocked off: there is none Continuous handrails on Handrail extends at top and bottom half-landings: yes of stairs: no Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no Lifts Cab with audio signals: no Control buttons in contrasting colour: yes Keypad with numbers in relief: Keypad with numbers in Braille:		All steps are the same height: yes		
blocked off: there is none Continuous handrails on half-landings: yes of stairs: no Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no Lifts Cab with audio signals: no Control buttons in contrasting colour: yes Keypad with numbers in relief: Keypad with numbers in Braille:		0		
Continuous handrails on half-landings: yes of stairs: no Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no Lifts Cab with audio signals: no Keypad with numbers in relief: Keypad with numbers in Braille:		Handrail on either side: yes		
half-landings: yes Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no Lifts Cab with audio signals: no Control buttons in contrasting colour: yes Keypad with numbers in relief: Keypad with numbers in Braille:	blocked off: there is none			
Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no Lifts Cab with audio signals: no Control buttons in contrasting colour: yes Keypad with numbers in relief: Keypad with numbers in Braille:				
and bottom of the stairs: no Lifts Cab with audio signals: no Control buttons in contrasting colour: yes Keypad with numbers in relief: Keypad with numbers in Braille:				
Lifts Cab with audio signals: no Control buttons in contrasting colour: yes Keypad with numbers in relief: Keypad with numbers in Braille:				
Cab with audio signals: no Control buttons in contrasting colour: yes Keypad with numbers in relief: Keypad with numbers in Braille:	•			
colour: yes Keypad with numbers in relief: Keypad with numbers in Braille:		•		
Keypad with numbers in relief: Keypad with numbers in Braille:	Cab with audio signals: no			
**				
yes	Keypad with numbers in relief:	Keypad with numbers in Braille:		
	yes	yes		













Telephone: 91 429 65 51 **Fax:** 91 420 24 23

Web: www.hotel-ingles.net

Metro with lift: Sol

Bus: 3, 5, 6, 9, 15, 26, 32, 20, 51, 52, 53,

150, N13, N14 and N15



ACCESS

- On the way to the hotel's reception area there is a single step with no ramp which make access difficult.
- There is a double, manually operated glass main door, which is **79 cm** on each side. It is not marked with horizontal strips or a contrastingly coloured logo.



ACCESSIBILITY - HEARING IMPAIRED

Room	0 0 0
Internet connection: no	TV which communicates with
	reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert:
	no
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	•
Door lock with visual aid to indicate	Cubicle doors with a gap
either free or occupied: no	underneath to see if there is
	someone inside: no
Lifts	
Visual signs indicating the floor	Emergency button with a light
and direction of movement, both	to show that the emergency call
inside and outside the cab: yes	has been received: no
Emergency system	
Emergency alarm systems with visi	ual alerts: no



ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room	Number of adapted rooms: 1
Accessible floor, accessible via lift	Width of door: 78 cm
Clear turning circle inside	Height of climate control: 164 cm
(diameter): Ø 150 cm	•
Height of bed: 51 cm	Space for access to the bed: right
	hand side 87 cm , left hand side
	145 cm
Height of coatrack: 188 cm	
Bathroom in adapted room	
Door: outward opening with	Clear turning circle inside
a width of 86 cm	(diameter): Ø 150 cm
Toilet:	
Seat height: 46 cm	No grab bars
Width of approach: lateral 99 cm	•
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 58 cm	•
Height of the lower edge	Height of bathroom fittings: 158 cm
of the mirror: 89 cm	
Shower:	
Width of approach to shower:	Shower base: level with floor
130 cm	•
Shower floor: non-slip	Shower chair or stool: no
Tap: mixer tap	0
Lifts	
Accessible up to the door	Width and depth of cab:
	104 and 130 cm
Width of door: 80 cm, 142 cm,	Height of control buttons:
130 cm	90-160 cm





Other amenities	Location		Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 109 cm
Cafeteria	Ground floor	accessible, as there are steps, no	Height of bar: 108 cm Height of table: 77 cm Height beneath table: 70 cm Width beneath table: 70 cm Depth beneath table: 30 cm
Parking	Ground floor		There are no parking spaces for people with limited mobility (PRM)



ACCESSIBILITY - VISUALLY IMPAIRED

Signs		
Signs the same size: yes , average height of 120-200 cm and a font size		
of ≥ 1.5 cm		
Lettering in a colour which	Text and symbols: not in relief	
contrasts with the background: yes	and not in Braille	
Main stairs	•	
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting	≥ 12 cm on both sides: yes	
colour: no	•	
Steps have a riser: yes	All steps are the same height: yes	
Steps have nosing: yes	•	
The space under the stairs is	Handrail on either side: no	
blocked off: there is none	•	
Continuous handrails on	Handrail extends at top and bottom	
half-landings: no	of stairs: no	
Strip of surface of a different texture and contrasting colour at the top		
and bottom of the stairs: no		
Lifts	•	
Cab with audio signals: no	Control buttons in contrasting	
	colour: yes	
Keypad with numbers in relief:	Keypad with numbers in Braille:	
yes	yes	











NH PACIFICO HOTEL

Avenida de la Ciudad de Barcelona, 113 28007 Madrid

Telephone: 91 434 11 20 **Fax:** 91 353 00 70

Web: www.nh-hotels.com

Metro without lift: Puente de Vallecas

Bus: 8, 10, 24, 37, 54, 56, 57, 136, 141 and N9

ACCESS

- The main entrance is easily accessible, with no steps or narrow corridors to impede access. There is a ramp 5.30 m long, with an incline
- The main door revolves automatically and is made of glass, with an opening of > 80 cm.
- There are 2 alternative swing glass doors, one on either side of the revolving door, which are both 90 cm wide. None of the doors are marked with horizontal strips or a contrastingly coloured logo (the hotel's logo is insufficient).

ACCESSIBILITY - HEARING IMPAIRED

Room	0 0 0
	TV which communicates with
	reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert:
	no
	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	0
Door lock with visual aid to indicate	Cubicle doors with a gap
either free or occupied: no	underneath to see if there is
	someone inside: yes
Lifts	•
Visual signs indicating the floor	Emergency button with a light
and direction of movement, both	to show that the emergency call
inside and outside the cab: yes	has been received: no
Emergency system	o o
Emergency alarm systems with visu	ual alerts: no

84 **MADRID FOR ALL**










ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room	Number of adapted rooms: 1
Accessible via lift	Width of door: 77 cm
Clear turning circle inside	Height of climate control: 162 cm
(diameter): Ø 150 cm	•
Height of bed: 64 cm	Space for access to the bed: left
3	hand side 151 cm
Height of coatrack: 164 cm	•
Bathroom in adapted room	
Door: width of 78 cm	Clear turning circle inside
Boot: Width of 10 offi	(diameter): Ø 150 cm
Toilet:	(diameter). D 100 cm
Seat height: 42 cm	Height of flush mechanism: 80 cm
Width of approach: left hand side	
	No grab bar on the right hand side
70 cm	0
Folding grab bar on the left hand	•
Basin:	·- ·
Height and clearance beneath	Tap: mixer tap
the basin: 67 cm and 40 cm	•
Height of the lower edge	Height of bathroom fittings:
of the mirror: 109 cm	80-105 cm
Bath:	•
Height of bath: 47 cm	Height of horizontal grab bar:
	88 cm
No transfer chair or platform	No vertical grab bar
Tap: mixer tap	•
Adapted bathroom in	Number of adapted toilets: 1
communal areas	•
On ground floor, accessible	Door: width of 77 cm
Clear turning circle inside (diamete	r): Ø 150 cm
Toilet:	0 0
Seat height: 42 cm	Height of flush mechanism: 80 cm
Width of approach: neither	Grab bar on right hand side
≥ 80 cm	
Grab bar on left hand side	•
Basin:	0
Height and clearance beneath	Tap: mixer tap
the basin: 69 cm and 40 cm	iap. iiixoi tap
Height of the lower edge	Height of bathroom fittings:
of the mirror: 84 cm	105-120 cm
Lifts	Number of lifts: 2
Lift 1	Connects reception with
A this to the deci	upper floors
Accessible up to the door	Width and depth of cab:
	101 and 135 cm





Width of door: 80 cm

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 110 cm
Cafeteria	Ground floor		Height of bar: 110 cm Height of table: 50 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of table: 72 cm Height beneath table: 68 cm Width beneath table: 70 cm Depth beneath table: 35 cm
Parking	0 0 0 0 0	Accessible via lift	There are no parking spaces for people with limited mobility (PRM)



ACCESSIBILITY - VISUALLY IMPAIRED -

Signs		
Signs the same size: yes , average height of 179-189 cm and a font size of ≥ 1.5 cm		
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille	
Main stairs	• •	
Edge of stairs marked with a non-slip strip in a contrasting colour: yes	Side protection skirting board of ≥ 12 cm on both sides: yes	
Steps have a riser: yes Steps have nosing: no	All steps are the same height: no	
The space under the stairs is blocked off: there is none	Handrail on either side: no	
Continuous handrails on half-landings: yes	Handrail extends at top and bottom of stairs: no	
Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no		
Lifts	• •	
Cab with audio signals: yes	Control buttons in contrasting colour: yes	
Keypad with numbers in relief: yes	Keypad with numbers in Braille: yes	









Petit Palace Arenal









Web: www.nh-hoteles.com

Estación with lift: Sol

Bus: 3 and 53



ACCESS

- There is a step of **4 cm** in the main entrance.
- The main door is made of glass, opens manually and is **1.20 m** wide. It is marked with the logo in a contrasting colour, but is too heavy.



ACCESSIBILITY - HEARING IMPAIRED

Room	0 0 0	
	TV which communicates with	
	reception: no	
TV with teletext decoder: yes	TV has alarm clock with visual alert:	
	no	
	Entrance door with peephole: yes	
Written information on available	Light signals to indicate a knock	
services: yes	at the door: yes	
Lifts	•	
Visual signs indicating the floor	Emergency button with a light	
and direction of movement, both	to show that the emergency call	
inside and outside the cab: yes	has been received: no	
Emergency system	• •	
Emergency alarm systems with visual alerts: no		

★★★ 3 STAR HOTELS

ACCESSIBILITY – PHYSICALLY DISABLED -

Adapted room (605)	Number of adapted rooms: 2
On 6 th floor, accessible via lift	Width of door: 78 cm
Clear turning circle inside	Height of climate control: 147 cm
(diameter): Ø 150 cm	• •
Height of bed: 78 cm	Space for access to the bed: right
	hand side 86 cm
Height of coatrack: 200 cm	•
Bathroom in adapted room	
Door: width of 89 cm	Clear turning circle inside
	(diameter): Ø 150 cm
Toilet:	
Seat height: 42 cm	Height of flush mechanism: 82 cm
Width of approach: neither	No grab bar on the right hand side
≥ 80 cm	0 0
No grab bar on the left hand	0 0
Basin:	·
Height and clearance beneath	Tap: mixer tap
the basin: 80 cm and 45 cm	* I I shake a file at the same fitting and 450 and
Height of the lower edge	Height of bathroom fittings: 150 cm
of the mirror: 93 cm	• •
Shower:	Charren hann mith a all alst lin
Width of approach to shower:	Shower base: with a slight lip
120 cm	Chaver shair ar stack year a shair
Shower floor: non-slip and in relief	Shower chair or stool: yes , a chair
No vertical grab bar	Height of horizontal grab bar:
No vertical grab bai	97 cm
Tap: mixer tap	• 97 CIII
Lifts	Number of lifts: 2
Accessible up to the door	Width and depth of cab:
Accessible up to the door	101 and 35 cm
Width of door: 80 cm	• 101 dila 00 dili
Lift 1	Connects reception
	with parking area
Accessible up to the door	Width and depth of cab:
	86 and 130 cm
Width of door: 78 cm	0
	<u> </u>





Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 110 cm
Restaurant / Breakfast buffet	Ground floor		Height of buffet bar: 74-92 cm Height of table: 78 cm Height beneath table: 73 cm Width beneath table: 70 cm Depth beneath table: 30 cm
Meeting rooms (1)	First floor	Accessible via lift	0 0 0



ACCESSIBILITY - VISUALLY IMPAIRED

Signs the same size: yes, average height of 95 cm and a font size of ≥ 1.5 cm Lettering in a colour which contrasts with the background: yes and not in Braille Main stairs Edge of stairs marked with a non-slip strip in a contrasting colour: no Steps have a riser: yes Steps have nosing: yes The space under the stairs is blocked off: there is none Continuous handrails on half-landings: no Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no Lifts Cab with audio signals: no Keypad with numbers in relief: yes Keypad with numbers in Braille: yes			
≥ 1.5 cm Lettering in a colour which contrasts with the background: yes and not in Braille Main stairs Edge of stairs marked with a non-slip strip in a contrasting colour: no Steps have a riser: yes Steps have nosing: yes The space under the stairs is blocked off: there is none Continuous handrails on half-landings: no Strip of surface of a different texture and contrasting colour: at the top and bottom of the stairs: no Lifts Cab with audio signals: no Keypad with numbers in relief: Keypad with numbers in Braille:	Signs		
Lettering in a colour which contrasts with the background: yes and not in Braille Main stairs Edge of stairs marked with a non-slip strip in a contrasting colour: no Steps have a riser: yes Steps have nosing: yes The space under the stairs is blocked off: there is none Continuous handrails on half-landings: no Strip of surface of a different texture and contrasting colour: at the top and bottom of the stairs: no Lifts Cab with audio signals: no Keypad with numbers in relief: Keypad with numbers in Braille:			
contrasts with the background: yes and not in Braille Main stairs Edge of stairs marked with a non-slip strip in a contrasting colour: no Steps have a riser: yes Steps have nosing: yes The space under the stairs is blocked off: there is none Continuous handrails on half-landings: no Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no Lifts Cab with audio signals: no Keypad with numbers in relief: Keypad with numbers in Braille:	≥ 1.5 cm		
Main stairsEdge of stairs marked with a non-slip strip in a contrasting colour: noSide protection skirting board of ≥ 12 cm on both sides: yesSteps have a riser: yes Steps have nosing: yesAll steps are the same height: yesThe space under the stairs is blocked off: there is noneHandrail on either side: noContinuous handrails on half-landings: noHandrail extends at top and bottom of stairs: noStrip of surface of a different texture and contrasting colour at the top and bottom of the stairs: noLifts Cab with audio signals: no Keypad with numbers in relief:Control buttons in contrasting colour: yes	Lettering in a colour which	Text and symbols: not in relief	
Edge of stairs marked with a non-slip strip in a contrasting colour: no Steps have a riser: yes Steps have nosing: yes The space under the stairs is blocked off: there is none Continuous handrails on half-landings: no Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no Lifts Cab with audio signals: no Keypad with numbers in relief: Keypad with numbers in relief: Side protection skirting board of ≥ 12 cm on both sides: yes All steps are the same height: yes Handrail on either side: no Handrail extends at top and bottom of stairs: no Control buttons in contrasting colour: yes Keypad with numbers in Braille:	contrasts with the background: yes	and not in Braille	
non-slip strip in a contrasting colour: no Steps have a riser: yes Steps have nosing: yes The space under the stairs is blocked off: there is none Continuous handrails on half-landings: no Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no Lifts Cab with audio signals: no Keypad with numbers in relief: Keypad with numbers in Braille:	Main stairs	•	
Colour: no Steps have a riser: yes Steps have nosing: yes The space under the stairs is blocked off: there is none Continuous handrails on half-landings: no Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no Lifts Cab with audio signals: no Keypad with numbers in relief: Keypad with numbers in Braille:	Edge of stairs marked with a	Side protection skirting board of	
Steps have a riser: yes Steps have nosing: yes The space under the stairs is blocked off: there is none Continuous handrails on half-landings: no Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no Lifts Cab with audio signals: no Keypad with numbers in relief: Keypad with numbers in Braille:	non-slip strip in a contrasting	≥ 12 cm on both sides: yes	
Steps have nosing: yes The space under the stairs is blocked off: there is none Continuous handrails on half-landings: no Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no Lifts Cab with audio signals: no Control buttons in contrasting colour: yes Keypad with numbers in relief: Keypad with numbers in Braille:	colour: no	•	
The space under the stairs is blocked off: there is none Continuous handrails on half-landings: no Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no Lifts Cab with audio signals: no Control buttons in contrasting colour: yes Keypad with numbers in relief: Keypad with numbers in Braille:	Steps have a riser: yes	All steps are the same height: yes	
Continuous handrails on half-landings: no Handrail extends at top and bottom of stairs: no Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no Lifts Cab with audio signals: no Control buttons in contrasting colour: yes Keypad with numbers in relief: Keypad with numbers in Braille:	Steps have nosing: yes	•	
Continuous handrails on half-landings: no of stairs: no Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no Lifts Cab with audio signals: no Control buttons in contrasting colour: yes Keypad with numbers in relief: Keypad with numbers in Braille:		Handrail on either side: no	
half-landings: no of stairs: no Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no Lifts Cab with audio signals: no Control buttons in contrasting colour: yes Keypad with numbers in relief: Keypad with numbers in Braille:	blocked off: there is none	•	
Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no Lifts Cab with audio signals: no Control buttons in contrasting colour: yes Keypad with numbers in relief: Keypad with numbers in Braille:	Continuous handrails on	:Handrail extends at top and bottom	
and bottom of the stairs: no Lifts Cab with audio signals: no Control buttons in contrasting colour: yes Keypad with numbers in relief: Keypad with numbers in Braille:			
Cab with audio signals: no Control buttons in contrasting colour: yes Keypad with numbers in relief: Keypad with numbers in Braille:			
Cab with audio signals: no Control buttons in contrasting colour: yes Keypad with numbers in relief: Keypad with numbers in Braille:	and bottom of the stairs: no		
colour: yes Keypad with numbers in relief: Keypad with numbers in Braille:	Lifts	•	
Keypad with numbers in relief: Keypad with numbers in Braille:	Cab with audio signals: no		
_ ··		colour: yes	
yes *yes	Keypad with numbers in relief:	Keypad with numbers in Braille:	
	yes	yes	







★★★ 3 STAR HOTELS



PETIT PALACE DUCAL HOTEL

Calle de Hortaleza, 3 28050 Madrid

Telephone: 91 521 10 43 **Fax:** 91 521 50 64

Web: www.hthoteles.com

Metro without lift: Gran Vía

Bus: 1, 2, 46, 74, 146, 202

ACCESS

- The main entrance has a ramp 2.40 m wide, 90 cm long and with a steep incline of 14%.
- The double doors open manually, each one being **78 cm** wide. They are not marked with horizontal strips or a contrastingly coloured logo.



ACCESSIBILITY - HEARING IMPAIRED

Room	•	
Internet connection: yes	TV which communicates with	
	reception: no	
TV with teletext decoder: yes	TV has alarm clock with visual alert: no	
Bedside plug socket: yes	Entrance door with peephole: no	
Written information on available	Light signals to indicate a knock	
services: yes	at the door: no	
Lifts		
Visual signs indicating the floor	Emergency button with a light	
and direction of movement, both	to show that the emergency call	
inside and outside the cab: yes	has been received: no	
Emergency system	•	
Emergency alarm systems with visual alerts: no		











Petit Palace Ducal



ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (105)	Number of adapted rooms: 2
On 1st floor, accessible	Width of door: 78 cm
Clear turning circle inside	Height of climate control: 148 cm
(diameter): Ø 150 cm	0 0 0
Height of bed: 55 cm	Space for access to the bed: left
	hand side and right hand side
	57 cm
Height of coatrack: 185 cm with ha	ingers for long sleeved clothes
Bathroom in adapted room	•
Door: width of 83 cm	Clear turning circle inside
	(diameter): Ø 150 cm
Toilet:	
Seat height: 40 cm	Height of flush mechanism: 77 cm
	Folding grab bar on right hand side:
	62-79 cm
Fixed grab bar on left hand side:	Distance between bars: 68 cm
62-79 cm	
Basin:	
Height and clearance beneath	Tap: mixer tap
the basin: 84 cm and 40 cm	
Height of the lower edge	Height of bathroom fittings: 87 cm
of the mirror: 88 cm	0
Shower:	
Width of approach to shower:	Shower base: level with floor
130 cm	Observation of the Control of the Co
Shower floor: non-slip	Shower chair or stool: folding ,
Tana makasan tan	fixed to the wall
Tap: mixer tap	Height of tap: 90 cm on accessible wall
Adjustable shower-head height: yes	
Lifts	INO grab bars
Accessible up to the door	Width and depth of cab:
Accessible up to the door	105 and 95 cm
Width of door: 78 cm	100 and 90 cm
Width of door. To cill	•

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 110 cm
Breakfast buffet	Ground floor	Not accessible, step 17 cm	Height of buffet bar: 74-91 cm Height of table: 77 cm Height beneath table: 73 cm Width beneath table: 70 cm Depth beneath table: 30 cm
Meeting rooms (1)	0 0 0 0 0 0 0 0	Accessible via lift	Height of table: 74 cm Height beneath table: 61 cm Width beneath table: 210 cm Depth beneath table: 30 cm



ACCESSIBILITY - VISUALLY IMPAIRED -

Signs		
Signs the same size: yes, average height of 180 cm and a font size of		
≥ 1.5 cm		
Lettering in a colour which	Text and symbols: not in relief	
contrasts with the background: yes	and not in Braille	
Main stairs	• •	
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting	≥ 12 cm on both sides: no	
colour: yes	0	
Steps have a riser: yes	All steps are the same height: yes	
Steps have nosing: yes	0	
The space under the stairs is	Handrail on either side: yes	
blocked off: there is none	0 0	
Continuous handrails on	Handrail extends at top and bottom	
half-landings: no	of stairs: no	
Strip of surface of a different texture and contrasting colour at the top		
and bottom of the stairs: no		
Lifts	•	
Cab with audio signals: no	Control buttons in contrasting	
	colour: yes	
Keypad with numbers in relief:	Keypad with numbers in Braille:	
yes	yes	







Petit Palace Italia



PETIT PALACE ITALIA HOTEL

Calle de Gonzalo Jiménez Quesada, 2 Calle de Gonza 28004 Madrid

Telephone: 91 522 47 90 Fax: 91 521 28 91

Web: www.hthoteles.com

Metro without lift: Gran Vía

Bus: 1, 2, 46, 74, 146 and 202



ACCESS

- The main entrance is accessible by way of a two-sectioned ramp. The first section is 1.12 m long and has a non-recommended incline of 14%. The second section is 2.37 m long and has a non-recommended incline of 15%. There are no handrails or tacto-visual markings.
- The door opens manually, is made of glass and is **1.66 m** wide. It is not marked with horizontal strips or a contrastingly coloured logo.

ACCESSIBILITY - HEARING IMPAIRED

Room	o o o	
Internet connection: yes	TV which communicates with	
	reception: no	
TV with teletext decoder: yes	TV has alarm clock with visual alert:	
	no	
	Entrance door with peephole: no	
Written information on available	Light signals to indicate a knock	
services: yes	at the door: no	
Communal WCs	•	
Door lock with visual aid to indicate	Cubicle doors with a gap	
either free or occupied: no	underneath to see if there is	
	someone inside: no	
Lifts	•	
Visual signs indicating the floor	Emergency button with a light	
and direction of movement, both	to show that the emergency call	
inside and outside the cab: yes	has been received: no	
Emergency system		
Emergency alarm systems with visual alerts: no		
	·	

★★★ 3 STAR HOTELS

ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 605)	Number of adapted rooms: 2
On 6 th floor, accessible via lift	Width of door: 77 cm
Clear turning circle inside	Height of climate control: 145 cm
(diameter): Ø 150 cm	• - • • • • • • • • • • • • • • • • • •
Height of bed: 50 cm	Space for access to the bed: left
	hand side 100 cm
Height of coatrack: 192 cm	0 0
Bathroom in adapted room	•
Door: outward opening with	Clear turning circle inside
a width of 81 cm	(diameter): Ø 150 cm
Toilet:	
Seat height: 46 cm	Height of flush mechanism: 85 cm
Width of approach: left hand side	Fixed grab bar on the right hand
100 cm	side
Folding grab bar on the left hand si	de
Basin:	
Height and clearance beneath	Tap: mixer tap
the basin: 75 cm and 40 cm	• • • • • • • • • • • • • • • • • • •
Height of the lower edge	Height of bathroom fittings: 143 cm
of the mirror: 84 cm	•
Shower:	0
Width of approach to shower:	Shower base: level with floor
130 cm	0 0 A
Shower floor: non-slip	Shower chair or stool: fixed
No grab bars	Tap: mixer tap
Adapted bathroom in	Number of adapted bathrooms: 1
communal areas	• • •
On floor -1, accessible	Door: width of 80 cm
Clear turning circle inside (diameter	r): Ø 150 cm
Toilet:	
	Height of flush mechanism: 100 cm
Width of approach: right hand side	Folding grab bar on right hand side
122 cm	•
Fixed grab bar on left hand side	•
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 80 cm and 40 cm	•
Height of the lower edge	Height of bathroom fittings: 123 cm
of the mirror: 77 cm	•
Lifts	• •
Accessible up to the door	Height of call buttons:
,	102 cm and 120 cm
Width of door: 80 cm	0







Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 110 cm
Cafeteria	Ground floor	Accessible	Height of bar: 115 cm Height of table: 72 cm Height beneath table: 70 cm Width beneath table: 70 cm Depth beneath table: 35 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 86 cm Height of table: 72 cm Height beneath table: 70 cm Width beneath table: 70 cm Depth beneath table: 35 cm



ACCESSIBILITY - VISUALLY IMPAIRED

Signs		
Signs the same size: yes , average height of 100-120 cm and a font size of ≥ 1.5 cm		
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille	
Main stairs	•	
Edge of stairs marked with a non-slip strip in a contrasting colour: no	Side protection skirting board of ≥ 12 cm on both sides: no	
Steps have a riser: yes Steps have nosing: yes	All steps are the same height: yes	
The space under the stairs is blocked off: there is none	Handrail on either side: no	
Continuous handrails on half-landings: yes	Handrail extends at top and bottom of stairs: no	
Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no		
Lifts	•	
Cab with audio signals: no	Control buttons in contrasting colour: yes	
Keypad with numbers in relief: yes	Keypad with numbers in Braille: yes	







★★★ 3 STAR HOTELS



PETIT PALACE LONDRES HOTEL

Calle de Galdo, 2 28013 Madrid

Telephone: 91 531 41 05 Fax: 91 531 41 01

Web: www.hthoteles.com

Metro with lift: Callao

Bus: 3, 5, 20, 15, 50, 51, 52, 53, 44, 75, 133, 146, 147, 148, 150, 150, N 13, N 14 and N 15

ACCESO

- The main entrance of the hotel is accessible by way of a steep ramp with an incline of 25%.
- The glass door opens manually and is **90 cm** wide. It is not marked with horizontal strips or a contrastingly coloured logo.



ACCESSIBILITY - HEARING IMPAIRED _

Room	o o	
•	TV which communicates with reception: no	
•	TV has alarm clock with visual alert: no	
Bedside plug socket: yes	Entrance door with peephole: no	
	Light signals to indicate a knock at the door: no	
Lifts	•	
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no	
Emergency system		
Emergency alarm systems with visual alerts: no		











ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room	Number of adapted rooms: 2
Accessible	Width of door: 93 cm
Clear turning circle inside	Height of climate control: 120 cm
(diameter): Ø 150 cm	•
Height of bed: 60 cm	Space for access to the bed: right
	hand side 70 cm , left hand side
	72 cm
Height of coatrack: 170 cm	• •
Bathroom in adapted room	0
Door: outward opening with	Clear turning circle inside
a width of 96 cm	(diameter): Ø 150 cm
Toilet:	
Seat height: 41 cm	Height of flush mechanism: 80 cm
Width of approach: left hand side	Folding grab bar on the right
45 cm	hand side
Folding grab bar on the left hand si	de
Basin:	
Height and clearance beneath	Tap: mixer tap
the basin: 79 cm and 40 cm	• •
Height of the lower edge	Height of bathroom fittings: 124 cm
of the mirror: 83 cm	0
Shower:	0
Width of approach to shower:	Shower base: level with floor
150 cm	0
Shower floor: non-slip	Shower chair or stool: portable
No grab bars	Tap: mixer tap
Lifts	
Accessible up to the door	Height of call buttons:
	148 cm and 96 cm
Width of door: 70 cm	•




Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 115 cm
Cafeteria / Breakfast buffet	Fifth floor	Accessible via lift	Height of bar: 92 cm Height of table: 77 cm Height beneath table: 77 cm Width beneath table: 70 cm Depth beneath table: 32 cm
Meeting rooms (1)		Accessible via lift	



ACCESSIBILITY - VISUALLY IMPAIRED -

Signs			
Signs the same size: yes , average height of 165 cm and a font size of ≥			
1.5 cm			
Lettering in a colour which	Text and symbols: not in relief		
contrasts with the background: yes	and not in Braille		
Main stairs	v 0 0		
Edge of stairs marked with a	Side protection skirting board of		
non-slip strip in a contrasting	≥ 12 cm on both sides: no		
colour: yes	9 0 0		
Steps have a riser: yes	All steps are the same height: yes		
Steps have nosing: no	•		
The space under the stairs is	Handrail on either side: no		
blocked off: there is none	• •		
Continuous handrails on	Handrail extends at top and bottom		
	of stairs: no		
Strip of surface of a different texture and contrasting colour at the top			
and bottom of the stairs: no	•		
Lifts	•		
Cab with audio signals: no	Control buttons in contrasting		
	colour: yes		
Keypad with numbers in relief:	Keypad with numbers in Braille:		
yes	yes		





PETIT PALACE PUERTA DEL SOL HOTEL

Calle del Arenal, 4 Calle del Arena 28013 Madrid

Telephone: 91 521 05 42 Fax: 91 521 05 61

Web: www.hthoteles.com

Metro with lift: Sol

Bus: 3 and 53

ACCESS

- The main entrance has 2 small individual steps and no alternative ramp.
- The glass door opens manually and is **1.20 m** wide. It is marked with a logo in a contrasting colour.



ACCESSIBILITY - HEARING IMPAIRED

Room	0 0 0	
	TV which communicates with reception: no	
•	TV has alarm clock with visual alert: no	
Bedside plug socket: yes	Entrance door with peephole: no	
Written information on available	Light signals to indicate a knock	
services: yes	at the door: yes	
Lifts	•	
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no	
Emergency system	o o	
Emergency alarm systems with visual alerts: no		





ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room	Number of adapted rooms: 2
On a floor accessible via lift	Width of door: 76 cm
Clear turning circle inside (diameter): Ø 150 cm	Height of climate control: 163 cm
Height of bed: 60 cm	Space for access to the bed: right hand side 101 cm , left hand side 105 cm
Height of coatrack: 194 cm	
Bathroom in adapted room	
Door: width of 70 cm	Clear turning circle inside (diameter): Ø 150 cm
Toilet:	•
Seat height: 42 cm	Height of flush mechanism: 85 cm
Width of approach: left hand side 100 cm	Folding grab bar on the approach side
No grab bar on the opposite side	•
Basin:	
Height and clearance beneath the basin: 75 cm and 40 cm	Tap: mixer tap
Height of the lower edge	Height of bathroom fittings:
of the mirror: 82 cm	80-164 cm
Shower:	
Width of approach to shower: 150 cm	Shower base: level with floor
Shower floor: non-slip	Shower chair or stool: yes
No grab bars	Tap: mixer tap
Lifts	
Accessible up to the door	Height of call buttons:
	:106 cm and 137 cm
Width of door: 80 cm	•





Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 111 cm
Restaurant / Breakfast buffet	Ground floor		Height of buffet bar: 74-108 cm Height of table: 77 cm Height beneath table: 72 cm Width beneath table: 71 cm Depth beneath table: 30 cm



ACCESSIBILITY - VISUALLY IMPAIRED

Signs			
Signs the same size: yes , average height of 122 cm and a font size of			
≥ 1.5 cm			
	Text and symbols: not in relief		
contrasts with the background: yes	and not in Braille		
Main stairs	•		
Edge of stairs marked with a	Side protection skirting board of		
non-slip strip in a contrasting	≥ 12 cm on both sides: no		
colour: no	•		
Steps have a riser: yes	All steps are the same height: yes		
Steps have nosing: yes	0		
The space under the stairs is	Handrail on either side: no		
blocked off: there is none	•		
Continuous handrails on	Handrail extends at top and bottom		
half-landings: no	of stairs: no		
Strip of surface of a different texture and contrasting colour at the top			
and bottom of the stairs: no			
Lifts	• •		
Cab with audio signals: no	Control buttons in contrasting		
	colour: yes		
Keypad with numbers in relief:	Keypad with numbers in Braille:		
yes	no		











PETIT PALACE TRES CRUCES HOTEL

Calle de las Tres Cruces, 6 28013 Madrid

Telephone: 91 522 33 27 Fax: 91 522 79 89

Web: www.hthoteles.com

Metro with lift: Sol Metro without lift: Gran Vía

Bus: 2, 1, 74, 202, 75, 46 and 146

ACCESS

- The main entrance is accessible by way of a ramp 1.75 m wide, 3.70 m long and with an incline of 14% (not recommended).
- The glass door opens automatically and is **1.20 m** wide. It is not marked with horizontal strips or a contrastingly coloured logo.



ACCESSIBILITY - HEARING IMPAIRED __

Room	0 0
	TV which communicates with
	reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert:
	yes
	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	0 0 0
Door lock with visual aid to indicate	Cubicle doors with a gap
either free or occupied: no	underneath to see if there is
	someone inside: no
Lifts	•
Visual signs indicating the floor	Emergency button with a light
and direction of movement, both	to show that the emergency call
inside and outside the cab: yes	has been received: no
Emergency system	•
Emergency alarm systems with visu	ual alerts: no

ACCESSIBLE TOURISM GUIDE

102 MADRID FOR ALL





ACCOMMODATION





ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (408)	Number of adapted rooms: 2	
4th floor, accessible	Width of door: 75 cm	
Clear turning circle inside	Height of climate control: 160 cm	
(diameter): Ø 150 cm	•	
Height of bed: 53 cm	Space for access to the bed: right	
ŭ	hand side 100 cm	
Height of coatrack: 155 cm	•	
Bathroom in adapted room	•	
Door: width of 70 cm	Clear turning circle inside	
	(diameter): Ø 150 cm	
Toilet:	0	
Seat height: 41 cm	Height of flush mechanism: 86 cm	
	Folding grab bar on the right hand	
а с. арр. сас полист 🗕 се си	side: 65-79 cm	
No grab bar on the left hand	•	
Basin:	•	
Height and clearance beneath	Tap: mixer tap	
the basin: 70 cm and 48 cm	•	
Height of the lower edge	Height of bathroom fittings: 130 cm	
of the mirror: 65 cm	g	
Shower:	•	
Width of approach to shower:	Shower base: level with floor	
150 cm		
Shower floor: non-slip	Shower chair or stool: no	
Height of horizontal grab bar:	Height of tap: 120-180 cm on	
85 cm	accessible wall	
Tap: mixer tap	•	
Adapted bathroom	Number of adapted toilets: 1	
in communal areas		
On ground floor, accessible	Door: width of 70 cm	
Clear turning circle inside (diamete	er): Ø 150 cm	
Toilet:		
Seat height: 41 cm	Height of flush mechanism: 77 cm	
Width of approach: neither	Folding grab bar on right hand side:	
≥ 80 cm	58-76 cm	
No fixed grab bar on left hand side		
Basin:		
Height and clearance beneath	Tap: mixer tap	
the basin: 77 cm and 20 cm	•	
Height of the lower edge	Height of bathroom fittings: 95 cm	
of the mirror: 100 cm	•	
Lift		
Accessible up to the door	Width and depth of cab:	
	102 and 120 cm	
Width of door: 80 cm		





★★★ 3 STAR HOTELS Petit Palace Tres Cruces

Other amenities	Location		Main characteristics
Reception	Ground floor		Height of reception desk: 118 cm
Restaurant / Breakfast buffet	Ground floor		Height of buffet bar: 85-100 cm Height of table: 75 cm Height beneath table: 73 cm Width beneath table: 70 cm Depth beneath table: 35 cm
Meeting rooms (1)	0	Accessible via lift	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0



ACCESSIBILITY - VISUALLY IMPAIRED -

Signs			
Signs the same size: yes , average height of 180 cm and a font size of			
≥ 1.5 cm			
	Text and symbols: not in relief		
contrasts with the background: yes	and not in Braille		
Main stairs			
Edge of stairs marked with a	Side protection skirting board of		
non-slip strip in a contrasting	≥ 12 cm on both sides: no		
colour: yes	0 0		
Steps have a riser: yes	All steps are the same height: yes		
Steps have nosing: no	0		
The space under the stairs is	Handrail on either side: no		
blocked off: there is none	0		
Continuous handrails on	Handrail extends at top and bottom		
half-landings: yes	of stairs: no		
Strip of surface of a different texture and contrasting colour at the top			
and bottom of the stairs: no			
Lifts	0 0		
Cab with audio signals: yes	Control buttons in contrasting		
	colour: yes		
Keypad with numbers in relief:	Keypad with numbers in Braille:		
yes	no		





Puerta de Toledo





ACCESSIBILITY – PHYSICALLY DISABLED –

Adapted room	Number of adapted rooms: 4
Accessible via lift	Width of door: 76 cm
Clear turning circle inside	Height of climate control: 120 cm
(diameter): Ø 150 cm	•
Height of bed: 50 cm	Space for access to the bed: right
	hand side 78 cm , left hand side
	90 cm
Height of coatrack: adjustable	•
Bathroom in adapted room	• • • • • • • • • • • • • • • • • • • •
Door: width of 78.5 cm	Clear turning circle inside
	(diameter): Ø 150 cm
Toilet:	
Seat height: 41 cm	Height of flush mechanism: 80 cm
Width of approach: right hand	Fixed grab bar on the right hand
side 132 cm	side
Grab bar on the left hand	•
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 75 cm and 40 cm	•
Height of the lower edge	Height of bathroom fittings: 134 cm
of the mirror: 90 cm	•
Shower:	•
Width of approach to shower:	Shower base: level with floor
150 cm	•
Shower floor: non-slip	Shower chair or stool: fixed
Tap: mixer tap on accessible wal	No grab bars
Lifts	•
Accessible up to the door	Width and depth of cab:
	127 and 127 cm
Width of door: 82 cm	•



PUERTA DE TOLEDO HOTEL

Glorieta de la Puerta de Toledo, 4 Gioriela de la . 28005 Madrid

Telephone: 91 474 71 00 **Fax:** 91 474 07 47

Web: www.hotel-puertatoledo.es

Metro without lift: Puerta de Toledo

Bus: 3, 17, 18, 23 and 35

ACCESS

- The path to the main entrance has an incline of 11% and a 6 cm
- The glass door opens automatically and is **1.40 m** wide. There is then another door, 1.40 m wide, which opens manually. Neither of the two doors is marked with horizontal strips or a contrastingly coloured logo.



ACCESSIBILITY - HEARING IMPAIRED

Room	•	
Internet connection: yes	TV which communicates with	
	reception: no	
TV with teletext decoder: yes	TV has alarm clock with visual alert:	
	no	
Bedside plug socket: yes	Entrance door with peephole: no	
Written information on available	Light signals to indicate a knock	
services: yes	at the door: no	
Lifts	•	
Visual signs indicating the floor	Emergency button with a light	
and direction of movement, both	to show that the emergency call	
inside and outside the cab: yes	has been received: no	
Emergency system	•	
Emergency alarm systems with visual alerts: yes		

106





ACCOMMODATION



Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 93-113 cm
Restaurant / Breakfast buffet	0 0 0 0 0 0 0 0 0 0 0	Accessible with lift	Height of bar: 118 cm Height of buffet: 85 cm Height of table: 75 cm Height beneath table: 69 cm Width beneath table: 124 cm Depth beneath table: 37 cm
Meeting rooms (1)	0	Accessible via lift	0 0 0 0



ACCESSIBILITY - VISUALLY IMPAIRED

Signs			
Signs the same size: yes , average height of 166-172 cm and a font size			
of ≥ 1.5 cm			
	Text and symbols: not in relief		
contrasts with the background: yes	and not in Braille		
Main stairs			
	Side protection skirting board of		
non-slip strip in a contrasting	≥ 12 cm on both sides: no		
colour: yes			
Steps have a riser: yes	All steps are the same height: yes		
Steps have nosing: yes	0		
The space under the stairs is	Handrail on either side: no		
blocked off: there is none	0		
Continuous handrails on	Handrail extends at top and bottom		
half-landings: no of stairs: no			
Strip of surface of a different texture and contrasting colour at the top			
and bottom of the stairs: no			
Lifts	•		
Cab with audio signals: no	Control buttons in contrasting		
	colour: yes		
Keypad with numbers in relief:	Keypad with numbers in Braille:		
yes	yes		











REGINA HOTEL

Calle de Alcalá, 19 28013 Madrid

Telephone: 91 521 47 25 **Fax:** 91 522 40 88

Web: www.hotelreginamadrid.com

Metro with lift: Sol
Metro without lift: Sevilla

Bus: 3, 5, 15, 20, 51, 52, 53 and 150

ACCESS

- The main entrance is accessible, with no steps or narrow corridors to impede access.
- The glass door opens automatically and is **1.33 m** wide. It is not marked with horizontal strips or a contrastingly coloured logo.



ACCESSIBILITY - HEARING IMPAIRED

Room	0 0 0
	TV which communicates with
	reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert:
	no
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Lifts	•
Visual signs indicating the floor	Emergency button with a light
and direction of movement, both	to show that the emergency call
inside and outside the cab: yes	has been received: no
Emergency system	o o
Emergency alarm systems with visu	ual alerts: no









ACCESSIBILITY - PHYSICALLY DISABLED

	•
Adapted room	Number of adapted rooms: 4
Accessible via lift	Width of door: 80 cm
Clear turning circle inside	Height of climate control: 158 cm
(diameter): Ø 150 cm	•
Height of bed: 52 cm	Space for access to the bed: right
	hand side 40 cm , left hand side 56 cm
Height of wardrobe shelves	Height of coatrack: 170 cm
and drawers: 20-80 cm	•
Bathroom in adapted room	
Door: width of 77.5 cm	Clear turning circle inside (diameter):
	Ø 150 cm
Toilet:	•
Seat height: 39 cm	Height of flush mechanism: 85 cm
Width of approach: left hand side	Folding grab bar on the right hand
110 cm	side
Folding grab bar on the left hand	0
Basin:	•
Height and clearance beneath the	Tap: mixer tap
basin: 80 cm and 50 cm	•
Height of the lower edge	Height of bathroom fittings: 150 cm
of the mirror: 97 cm	•
Shower:	•
Shower floor: non-slip	Shower base: level with floor
Tap: mixer tap on accessible wal	
р	fixed to the wall
Height and location of horizontal	Height and location of vertical grab
grab bar: 85 cm, same wall	bar: 89-133 cm, on wall to the
as the tap	side of the tap
Lifts	•
Lift No. 1	•
Accessible up to the door	Width and depth of cab:
The second second	103 and 107 cm
Width of door: 80 cm	•
Lift No. 2	•
Accessible up to the door	Width and depth of cab:
	79 and 128 cm
Width of door: 80 cm	t ditter (200 ditt
Triduit of door. Oo offi	•

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 113 cm
Cafeteria	Ground floor	Accessible	Height of bar: 115 cm Height of table: 76 cm Height beneath table: 72 cm Width beneath table: 116 cm Depth beneath table: 18 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of table: 78 cm Height beneath table: 72 cm Width beneath table: 116 cm Depth beneath table: 29 cm
Meeting rooms (1)		Accessible via lift	• • • • • • • • • • • • • • • • • • •



ACCESSIBILITY - VISUALLY IMPAIRED -

Signs			
Signs the same size: yes , average height of 200 cm and a font size of			
≥ 1.5 cm			
Lettering in a colour which	Text and symbols: not in relief		
contrasts with the background: yes and not in Braille			
Main stairs	0 0		
Edge of stairs marked with a	Side protection skirting board of		
non-slip strip in a contrasting	≥ 12 cm on both sides: no		
colour: no	0		
Steps have a riser: yes	All steps are the same height: yes		
Steps have nosing: no	0		
The space under the stairs is	Handrail on either side: no		
blocked off: there is none	0		
Continuous handrails on	Handrail extends at top and bottom		
half-landings: no	of stairs: no		
Strip of surface of a different texture and contrasting colour at the top			
and bottom of the stairs: no			
Lifts	•		
Cab with audio signals: no	Control buttons in contrasting		
	colour: yes		
Keypad with numbers in relief:	Keypad with numbers in Braille:		
yes	yes		









ACCESSIBILITY – PHYSICALLY DISABLED -

Adapted room (108)	Number of adapted rooms: 2	
2 nd floor, accessible via lift	Width of door: 78 cm	
Clear turning circle inside	Height of climate control: 90 cm	
(diameter): Ø 150 cm	0	
Height of bed: 50 cm	Space for access to the bed: right	
	hand side and left hand side	
	≥ 90 cm	
Wardrobe doors: sliding with	Height of coatrack: 155 cm	
knobs, difficult to open	•	
Height of wardrobe shelves and dr	rawers: 25-50 cm	
Bathroom in adapted room		
Door: inward opening with	Clear turning circle inside	
a width of 75 cm	(diameter): Ø 150 cm	
Toilet:		
Seat height: 40 cm	Height of flush mechanism: 85 cm	
Width of approach: right hand	Folding grab bar on the right hand	
side ≥ 90 cm	side: 72 cm	
Folding grab bar on the left hand	Distance between bars: 62 cm	
side: 72 cm	•	
Basin:	0	
Height and clearance beneath	Tap: mixer tap	
the basin: 70 cm and 40 cm	•	
Height of the lower edge	Height of bathroom fittings: 90 cm	
Height of the lower edge of the mirror: 100 cm	Height of bathroom fittings: 90 cm	
of the mirror: 100 cm	Height of bathroom fittings: 90 cm	
of the mirror: 100 cm Shower:		
of the mirror: 100 cm Shower: Width of approach to shower:	Height of bathroom fittings: 90 cm Shower base: level with floor	
of the mirror: 100 cm Shower: Width of approach to shower: 150 cm	Shower base: level with floor	
of the mirror: 100 cm Shower: Width of approach to shower: 150 cm Shower floor: non-slip	Shower base: level with floor Shower chair or stool: no	
of the mirror: 100 cm Shower: Width of approach to shower: 150 cm Shower floor: non-slip Height of horizontal grab bar:	Shower base: level with floor	
of the mirror: 100 cm Shower: Width of approach to shower: 150 cm Shower floor: non-slip Height of horizontal grab bar: 74 cm on same wall as tap	Shower base: level with floor Shower chair or stool: no	
of the mirror: 100 cm Shower: Width of approach to shower: 150 cm Shower floor: non-slip Height of horizontal grab bar: 74 cm on same wall as tap and on side wall	Shower base: level with floor Shower chair or stool: no No vertical grab bar	
of the mirror: 100 cm Shower: Width of approach to shower: 150 cm Shower floor: non-slip Height of horizontal grab bar: 74 cm on same wall as tap	Shower base: level with floor Shower chair or stool: no No vertical grab bar Height of tap: 120-130 cm on	
of the mirror: 100 cm Shower: Width of approach to shower: 150 cm Shower floor: non-slip Height of horizontal grab bar: 74 cm on same wall as tap and on side wall Tap: mixer tap	Shower base: level with floor Shower chair or stool: no No vertical grab bar Height of tap: 120-130 cm on accessible wall	
of the mirror: 100 cm Shower: Width of approach to shower: 150 cm Shower floor: non-slip Height of horizontal grab bar: 74 cm on same wall as tap and on side wall Tap: mixer tap Adjustable shower-head height:	Shower base: level with floor Shower chair or stool: no No vertical grab bar Height of tap: 120-130 cm on	
of the mirror: 100 cm Shower: Width of approach to shower: 150 cm Shower floor: non-slip Height of horizontal grab bar: 74 cm on same wall as tap and on side wall Tap: mixer tap Adjustable shower-head height: yes	Shower base: level with floor Shower chair or stool: no No vertical grab bar Height of tap: 120-130 cm on accessible wall There is a shower curtain	
of the mirror: 100 cm Shower: Width of approach to shower: 150 cm Shower floor: non-slip Height of horizontal grab bar: 74 cm on same wall as tap and on side wall Tap: mixer tap Adjustable shower-head height: yes Adapted bathroom	Shower base: level with floor Shower chair or stool: no No vertical grab bar Height of tap: 120-130 cm on accessible wall	
of the mirror: 100 cm Shower: Width of approach to shower: 150 cm Shower floor: non-slip Height of horizontal grab bar: 74 cm on same wall as tap and on side wall Tap: mixer tap Adjustable shower-head height: yes Adapted bathroom in communal areas	Shower base: level with floor Shower chair or stool: no No vertical grab bar Height of tap: 120-130 cm on accessible wall There is a shower curtain Number of adapted toilets: 1 cubicle	
of the mirror: 100 cm Shower: Width of approach to shower: 150 cm Shower floor: non-slip Height of horizontal grab bar: 74 cm on same wall as tap and on side wall Tap: mixer tap Adjustable shower-head height: yes Adapted bathroom	Shower base: level with floor Shower chair or stool: no No vertical grab bar Height of tap: 120-130 cm on accessible wall There is a shower curtain Number of adapted toilets: 1 cubicle Door: inward folding with a width of	
of the mirror: 100 cm Shower: Width of approach to shower: 150 cm Shower floor: non-slip Height of horizontal grab bar: 74 cm on same wall as tap and on side wall Tap: mixer tap Adjustable shower-head height: yes Adapted bathroom in communal areas On floor -1, accessible via lift	Shower base: level with floor Shower chair or stool: no No vertical grab bar Height of tap: 120-130 cm on accessible wall There is a shower curtain Number of adapted toilets: 1 cubicle Door: inward folding with a width of 76 cm	
of the mirror: 100 cm Shower: Width of approach to shower: 150 cm Shower floor: non-slip Height of horizontal grab bar: 74 cm on same wall as tap and on side wall Tap: mixer tap Adjustable shower-head height: yes Adapted bathroom in communal areas On floor -1, accessible via lift Clear turning circle inside (diameter	Shower base: level with floor Shower chair or stool: no No vertical grab bar Height of tap: 120-130 cm on accessible wall There is a shower curtain Number of adapted toilets: 1 cubicle Door: inward folding with a width of 76 cm	
of the mirror: 100 cm Shower: Width of approach to shower: 150 cm Shower floor: non-slip Height of horizontal grab bar: 74 cm on same wall as tap and on side wall Tap: mixer tap Adjustable shower-head height: yes Adapted bathroom in communal areas On floor -1, accessible via lift Clear turning circle inside (diameter	Shower base: level with floor Shower chair or stool: no No vertical grab bar Height of tap: 120-130 cm on accessible wall There is a shower curtain Number of adapted toilets: 1 cubicle Door: inward folding with a width of 76 cm er): Ø 150 cm	
of the mirror: 100 cm Shower: Width of approach to shower: 150 cm Shower floor: non-slip Height of horizontal grab bar: 74 cm on same wall as tap and on side wall Tap: mixer tap Adjustable shower-head height: yes Adapted bathroom in communal areas On floor -1, accessible via lift Clear turning circle inside (diameter Toilet: Seat height: 41 cm	Shower base: level with floor Shower chair or stool: no No vertical grab bar Height of tap: 120-130 cm on accessible wall There is a shower curtain Number of adapted toilets: 1 cubicle Door: inward folding with a width of 76 cm er): Ø 150 cm Height of flush mechanism: 77 cm	
of the mirror: 100 cm Shower: Width of approach to shower: 150 cm Shower floor: non-slip Height of horizontal grab bar: 74 cm on same wall as tap and on side wall Tap: mixer tap Adjustable shower-head height: yes Adapted bathroom in communal areas On floor -1, accessible via lift Clear turning circle inside (diameter Toilet: Seat height: 41 cm Width of approach: neither	Shower base: level with floor Shower chair or stool: no No vertical grab bar Height of tap: 120-130 cm on accessible wall There is a shower curtain Number of adapted toilets: 1 cubicle Door: inward folding with a width of 76 cm er): Ø 150 cm Height of flush mechanism: 77 cm Folding grab bar on right hand side:	
of the mirror: 100 cm Shower: Width of approach to shower: 150 cm Shower floor: non-slip Height of horizontal grab bar: 74 cm on same wall as tap and on side wall Tap: mixer tap Adjustable shower-head height: yes Adapted bathroom in communal areas On floor -1, accessible via lift Clear turning circle inside (diameter Toilet: Seat height: 41 cm	Shower base: level with floor Shower chair or stool: no No vertical grab bar Height of tap: 120-130 cm on accessible wall There is a shower curtain Number of adapted toilets: 1 cubicle Door: inward folding with a width of 76 cm er): Ø 150 cm Height of flush mechanism: 77 cm Folding grab bar on right hand side: 58-76 cm	



ROOM MATE ÓSCAR HOTEL

Plaza de Vázquez de Mella, 12 28004 Madrid

Telephone: 91 701 11 73 **Fax:** 91 521 62 96

Web: www.room-matehotels.com

Metro without lift: Chueca

Bus: 1, 2, 74, 146 and 202

ACCESS

- The main entrance is accessible, with no steps or narrow corridors to impede access.
- The glass door opens automatically and is wide. It is not marked with horizontal strips or a contrastingly coloured logo.



ACCESSIBILITY - HEARING IMPAIRED

Room	
,	TV which communicates with reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert:
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock at the door: no
Communal WCs	
	Cubicle doors with a gap underneath to see if there is someone inside: yes
Lifts	•
and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visu	ual alerts: no







	_		
Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 120 cm
Cafeteria	Ground floor	Accessible	Height of bar: 126 cm Height of table: 75 cm Height beneath table: 72 cm Width beneath table: 80 cm Depth beneath table: 35 cm
Restaurant / Breakfast buffet	First floor	Accessible via lift	Height of buffet bar: 71-92 cm Height of table: 75 cm Height beneath table: 72 cm Width beneath table: 80 cm Depth beneath table: 35 cm
Meeting rooms (1)	Basement -1	Accessible via lift	Height of table: 76 cm Height beneath table: 73 cm Width beneath table: 180 cm
Pool / Terrace	Outdoor, 7 th Floor	Accessible via service lift	No hoist for getting into the pool or toilets







ACCESSIBILITY - VISUALLY IMPAIRED -

Signs			
Signs the same size: yes , average height of 160 cm and a font size of ≥ 1.5 cm			
•	Text and symbols: not in relief		
contrasts with the background: yes	and not in Braille		
Main stairs	0 0 0		
Edge of stairs marked with a	Side protection skirting board of		
non-slip strip in a contrasting	≥ 12 cm on both sides: yes		
colour: no	•		
Steps have a riser: yes	All steps are the same height: yes		
	All steps are the same height. yes		
Steps have nosing: no	• • • • • • • • • • • • • • • • • • •		
The space under the stairs is	Handrail on either side: no		
blocked off: there is none	0 0		
Continuous handrails on	Handrail extends at top and bottom		
half-landings: yes	of stairs: no		
Strip of surface of a different texture and contrasting colour at the top			
and bottom of the stairs: no			
Lifts	0		
Cab with audio signals: no	Control buttons in contrasting		
Cas mar addic orginals. He	colour: yes		
Koypad with numbers in relief:			
Keypad with numbers in relief:	Keypad with numbers in Braille:		
yes	no		











★★★ 3 STAR HOTELS

ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (102)	Number of adapted rooms: 1
2 nd floor, accessible via lift	Width of door: 77 cm
Clear turning circle inside	Height of climate control: 164 cm
(diameter): Ø 150 cm	
Height of bed: 51 cm	Space for access to the bed: right
	hand side 250 cm
Wardrobe doors: sliding with	Height of coatrack: 177 cm
knobs, difficult to open	•
Height of wardrobe shelves	0
and drawers: 20-70 cm	•
Bathroom in adapted room	
Door: sliding with a width of 69 cm	
	(diameter): Ø 150 cm
Toilet:	•
Seat height: 40 cm	Height of flush mechanism: 79 cm
Width of approach: neither	Folding grab bar on the right hand
≥ 80 cm	side: 56-72 cm
No grab bar on the left hand side	•
Basin:	
Height and clearance beneath	့Тар: mixer tap
the basin: 76 cm and 17 cm	•
Height of the lower edge	Height of bathroom fittings:
of the mirror: 102 cm	81-145 cm
Shower:	
Width of approach to shower:	Shower base: level with floor
80 cm	•
Shower floor: non-slip	Shower chair or stool: mobile
Height of horizontal grab bar:	No vertical grab bar
81 cm on same wall as tap	•
Tap: mixer tap	Height of tap: 100 cm on
	accessible wall
Adjustable shower-head height:	No shower screen or curtain
yes	•
Lifts	•
Accessible up to the door	Height of call buttons: 100 cm
Width of door: 80 cm	Width and depth of cab:
	99 and 125 cm
Height of control buttons:	Height of handrail: 88 cm
108-121 cm	•



SUITES VIENA HOTEL

Calle de Juan Álvarez Mendizábal, 17 Calle de Call 28008 Madrid

Telephone: 91 758 36 05 **Fax:** 91 758 36 32

Web: www.suitesviena.es

Metro with lift: Plaza de España and Ventura Rodríguez

Bus: 1, 2, 3, 74, 133, 138, circular, C1, C2, L4, NC1 and NC2

ACCESS

- The main entrance is accessible by way of a ramp.
- The ramp is sectional, and its width varies from 3 m to 1.20 m. Its incline varies from **3.5% to 14%**. The glass door opens automatically and is **1.05 m** wide. It is marked with the hotel's logo in a contrasting color.



ACCESSIBILITY - HEARING IMPAIRED

Room	• •
Internet connection: yes	TV which communicates with reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert: no
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available services: yes	Light signals to indicate a knock at the door: no
Communal WCs	•
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: yes
Lifts	•
	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visi	ual alerts: no

116





ACCOMMODATION



Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 109 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 74-102 cm Height of table: 75 cm Height beneath table: 69 cm Width beneath table: 59 cm Depth beneath table: 79 cm
Meeting rooms (2)	First floor	Accessible via lift	Height of table: 76 cm Height beneath table: 71 cm Width beneath table: 150 cm Depth beneath table: 120 cm
Parking	Basement -1	Accessible via lift	There are no parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)
Communal WCs	First Floor	Accessible via lift	None of them are adapted for wheelchair users



ACCESSIBILITY - VISUALLY IMPAIRED

Signs		
Signs the same size: yes , average ≥ 1.5 cm	height of 165 cm and a font size of	
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille	
Main stairs		
Edge of stairs marked with a non-slip strip in a contrasting colour: yes	Side protection skirting board of ≥ 12 cm on both sides: yes	
Steps have a riser: yes Steps have nosing: no	All steps are the same height: yes	
The space under the stairs is blocked off: there is none	Handrail on either side: yes	
Continuous handrails on half-landings: yes	Handrail extends at top and bottom of stairs: no	
Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no		
Lifts	•	
Cab with audio signals: yes	Control buttons in contrasting colour: yes	
Keypad with numbers in relief: yes	Keypad with numbers in Braille: yes	











SUNOTEL AMARAL

Calle General Varela, 37 28020 Madrid

Telephone: 91 579 97 38 Fax: 91 571 86 04

Web: www.sunotel.es

Metro without lift: Cuzco and Tetuán

Bus: 5, 27, 11, 149

ACCESS

- The street outside the hotel has an incline of **6.9%**. In front of the main door are **4** steps of **16 cm** but fifty meters along the same street is a level entrance which leads to the main door.
- Access is by a double set of glass doors. They are automatic sliding doors and are marked with the hotel's logo in a contrasting color. Both doors have a clearance of 1.15 m, but they are not directly aligned: the first is on the left, and the second on the right.
- There is a doormat correctly fixed to the floor between the 2 doors.

9

ACCESSIBILITY - HEARING IMPAIRED ____

Room	• •	
Internet connection: yes	TV which communicates with reception: no	
TV with teletext decoder: yes	TV has alarm clock with visual alert: yes	
Bedside plug socket: yes	Entrance door with peephole: no	
Written information on available	Light signals to indicate a knock	
services: yes	at the door: no	
Communal WCs	6 0	
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no	
Lifts	0	
Visual signs indicating the floor and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: yes	
Emergency system	• •	
Emergency alarm systems with visual alerts: no		

118 MADRID FOR ALL











ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (108)	Number of adapted rooms: 3
1 st floor, accessible via lift	Width of door: 78 cm
Clear turning circle inside	Height of climate control:
(diameter): Ø 150 cm	140-153 cm
Height of bed: 50 cm	Space for access to the bed: right
	hand side 96 cm and left hand side
	< 100 cm
Wardrobe doors: sliding,	Height of coatrack: 160 cm
easy to open	
Height of wardrobe shelves and dra	awers: 25-167 cm
Bathroom in adapted room	
Door: inward opening with	Clear turning circle inside
a width of 78 cm	(diameter): Ø 150 cm
Toilet:	0
Seat height: 43 cm	Height of flush mechanism: 78 cm
Width of approach: front 148 cm,	Folding grab bar on the right hand
right hand side 109 cm	side: 71 cm
Fixed grab bar on the left hand	Distance between bars: 79 cm
side: 71 cm	0
Basin:	0
Height and clearance beneath	Tap: mixer tap
the basin: 82 cm and 61 cm	•
Height of the lower edge	Height of bathroom fittings: 90 cm
of the mirror: 114 cm	
Shower:	•
Width of approach to shower:	Shower base: a 7 cm step
90 cm	•
Shower floor: non-slip	Shower chair or stool: no
Height of horizontal grab bar:	No vertical grab bar
57 cm opposite wall to tap	0
Tap: mixer tap	Height of tap: 65 cm on accessible
	wall
Adjustable shower-head height:	There is a fixed shower screen
yes	0
Adapted bathroom	Number of adapted toilets: 1
in communal areas	0
On ground floor, accessible	Door: main door to toilets inward
	opening with a width of 80 cm
Door: cubicle door inward opening	Clear turning circle inside
with a width of 78 cm	(diameter): Ø 150 cm
Toilet:	
Seat height: 43 cm	Height of flush mechanism: 79 cm
Width of approach: right hand	Folding grab bar on right hand side:
side 90 cm, front 150 cm	73 cm
Fixed grab bar on left hand side:	Distance between bars: 75 cm
73 cm	0

Basin:	0
Height and clearance beneath the basin: 80 cm and 46 cm	Tap: mixer tap
Height of the lower edge of the mirror: 100 cm	Height of bathroom fittings: 105 cm
	No. of lifts: 3 with the same specifications
Accessible up to the door via a ramp with a length of 5 m, a width of 1.22 m, an incline of 14% and a handrail	Height of call buttons: 109 cm
	Width and depth of cab:
Height of control buttons: 90-110 cm	Height of handrail: 92 cm

Other ameni	ties	Location	Access	Main characteristics
Recep	tion	Ground floor	Accessible	Height of reception desk: 110 cm
Cafete	ria	Ground floor	Accessible	Height of bar: 110 cm Height of table: 57 cm Height beneath table: 30 cm Width beneath table: 50 cm Depth beneath table: 30 cm
Restau Breakf buffet		Ground floor	Bar accessible via steps and ramp	Height of buffet bar: 74 cm Height of table: 76 cm Height beneath table: 72 cm Width beneath table: 63 cm Depth beneath table: 25 cm
Meetin rooms (1) Bel	•	First floor	Accessible	Height of table: 74 cm Height beneath table: 72 cm Width beneath table: 125 cm Depth beneath table: 63 cm
Parkin	g	Basement -1	Accessible via lift	There are no parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)







ACCESSIBILITY - VISUALLY IMPAIRED

Signs				
Signs the same size: yes , average height of 160 cm and a font size of				
≥ 1.5 cm				
Lettering in a colour which	Text and symbols: not in relief			
contrasts with the background: yes	s and not in Braille			
Main stairs				
Edge of stairs marked with a	Side protection skirting board of			
non-slip strip in a contrasting	≥ 12 cm on both sides: no			
colour: no	0			
Steps have a riser: yes	All steps are the same height: yes			
Steps have nosing: no	0			
The space under the stairs is	Handrail on either side: yes			
blocked off: yes	•			
Continuous handrails on	Handrail extends at top and bottom			
half-landings: no	of stairs: no			
Strip of surface of a different texture and contrasting colour at the top				
and bottom of the stairs: no				
Lifts	•			
Cab with audio signals: no	Control buttons in contrasting			
	colour: yes			
Keypad with numbers in relief:	Keypad with numbers in Braille:			
yes	no			











TRAVELODGE TORRELAGUNA HOTEL

Calle de Torrelaguna, 69 28027 Madrid

Telephone: 91 405 73 93 **Fax:** 91 405 73 94

Web: www.travelodgehoteles.es

Metro without lift: Barrio de la Concepción

Bus: 11, 53 and 122

ACCESS

- The main entrance is accessible, with no steps or narrow corridors to impede access.
- The glass door opens automatically and is > 80 cm wide. It is not marked with horizontal strips or a contrastingly coloured logo.



ACCESSIBILITY - HEARING IMPAIRED _

Room		
Internet connection: yes	TV which communicates with	
	reception: no	
TV with teletext decoder: yes	TV has alarm clock with visual alert:	
	yes	
Bedside plug socket: yes	Entrance door with peephole: no	
Written information on available	Light signals to indicate a knock	
services: yes	at the door: no	
Communal WCs		
Door lock with visual aid to indicate	Cubicle doors with a gap	
either free or occupied: no	underneath to see if there is	
	someone inside: no	
Lifts		
	Emergency button with a light	
and direction of movement, both	to show that the emergency call	
inside and outside the cab: yes	has been received: yes	
Emergency system		
Emergency alarm systems with visual alerts: no		





ACCOMMODATION



ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room	Number of adapted rooms: 2	
4th floor, accessible via lift	Width of door: 90 cm	
Clear turning circle inside	Height of climate control:	
(diameter): Ø 150 cm	40-140 cm	
Height of bed: 55 cm	Space for access to the bed: right	
	hand side 140 cm and left hand	
	side 152 cm	
Height of coatrack: 123 cm	• •	
Bathroom in adapted room	•	
Door: inward opening with a width	Clear turning circle inside	
of 90 cm	(diameter): Ø 150 cm	
Toilet:		
Seat height: 46 cm	Height of flush mechanism: 85 cm	
Width of approach: left hand side	Folding grab bar on the right hand	
80 cm	side	
Folding grab bar on the left hand si	de	
Basin:	•-	
Height of bathroom fittings: 90 cm		
Height of the lower edge of the mirr	ror: 95 cm	
Shower:	Observa has a last last the flat of	
Width of approach to shower:	Shower base: level with floor	
130 cm	Observation of the state of the	
Shower floor: non-slip	Shower chair or stool: fixed with	
Ton, wiver ton an acceptible	two folding bars	
Tap: mixer tap on accessible	No grab bars	
Wall	Number of adented tailets: 1	
Adapted bathroom in communal areas	Number of adapted toilets: 1	
	Door: width of 76 cm	
Clear turning circle inside (diameter): Ø 150 cm Toilet:		
Seat height: 45 cm	Height of flush mechanism: 80 cm	
	Folding grab bar on right hand side	
100 cm	• Olding grab bar on right halld side	
Fixed grab bar on left hand side	0	
Basin:	0	
Height of bathroom fittings: 90 cm	Tap: mixer tap	
Height of the lower edge of the mirr		
Lifts	•	
Accessible up to the door	Width and depth of cab:	
	100 and 120 cm	
Width of door: 80 cm	0	
Tridai of door. Oo oiii	•	





Other amenities	Location	Main characteristics
·	Ground floor	Height of reception desk: 110 cm
Cafeteria / Breakfast buffet	Ground floor	Height of bar: 110 cm Height of table: 75 cm Height beneath table: 70 cm Width beneath table: 80 cm Depth beneath table: 38 cm





ACCESSIBILITY - VISUALLY IMPAIRED—

Signs			
Signs the same size: yes , average height of 145-175 cm and a font size of ≥ 1.5 cm			
Lettering in a colour which Text and symbols: not in relief contrasts with the background: yes and not in Braille			
Main stairs	• •		
Edge of stairs marked with a non-slip strip in a contrasting colour: no	Side protection skirting board of ≥ 12 cm on both sides: no		
Steps have a riser: yes Steps have nosing: no	All steps are the same height: yes		
The space under the stairs is blocked off: there is none	Handrail on either side: yes		
Continuous handrails on half-landings: yes	Handrail extends at top and bottom of stairs: no		
Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no			
Lifts	0 0 0		
Cab with audio signals: no	Control buttons in contrasting colour: yes		
Keypad with numbers in relief: no	Keypad with numbers in Braille: yes		











ACCESSIBILITY - PHYSICALLY DISABLED -

Adapted room	Number of adapted rooms: 3	
On floor, accessible via lift	Width of door: 76 cm	
Clear turning circle inside	Height of climate control: 110 cm	
(diameter): Ø 150 cm		
Height of bed: 47 cm	Space for access to the bed: right hand side 140 cm	
Height of coatrack: 154 cm	•	
Bathroom in adapted room		
Door: inward opening with	Clear turning circle inside	
a width of 76 cm	(diameter): Ø 150 cm	
Toilet:		
Seat height: 40 cm	Height of flush mechanism: 79 cm	
Width of approach: neither	Folding grab bar on both sides	
≥ 80 cm	•	
Basin:	•	
Height and clearance beneath	Tap: mixer tap	
the basin: 61 cm and 31 cm	•	
Shower:		
Width of approach to shower:	Shower base: level with floor	
130 cm	•	
Shower floor: non-slip	Shower chair or stool: folding, fixed to the wall	
Height and location of horizontal	Height and location of vertical grab	
grab bar: 80 cm, same wall	bar: 80-188 cm	
as the tap	•	
Tap: mixer tap on accessible wall		
Adjustable shower-head height:	No shower screen or curtain	
yes	0	
Lifts	0	
Accessible up to the door	Height of handrail: 90 cm	
Width of door: 80 cm	Width and depth of cab: 107 and	



TRYP GRAN VÍA HOTEL

Gran Vía, 25 Gran Via, ∠o 28013 Madrid

Telephone: 91 522 11 21 **Fax:** 91 521 24 24

Web: www.solmelia.com

Metro without lift: Gran Vía

Bus: 1, 2, 46, 74, 146 and 202

ACCESS

- The main entrance is accessible, with no steps or narrow corridors to impede access.
- The glass door opens manually and is **1.74 m** wide. It is not marked with horizontal strips or a contrastingly coloured logo.



ACCESSIBILITY - HEARING IMPAIRED

Room	o o
•	TV which communicates with reception: no
•	TV has alarm clock with visual alert: no
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Lifts	•
and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no
Emergency system	0 0
Emergency alarm systems with visi	ual alerts: no





Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 112 cm
Cafeteria / Breakfast buffet	Ground floor	Accessible	Height of bar: 110 cm Height of buffet: 72 cm Height of table: 79 cm Height beneath table: 79 cm Width beneath table: 17 cm
Meeting rooms	0 0 0	Accessible via lift	0 0 0
Communal WCs	0 0	Accessible via lift	None of them are adapted for wheelchair users



ACCESSIBILITY - VISUALLY IMPAIRED

Signs		
Signs the same size: yes , average height of 175 cm and a font size of		
≥ 1.5 cm		
	Text and symbols: not in relief	
contrasts with the background: yes	and not in Braille	
Main stairs	•	
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting	≥ 12 cm on both sides: no	
colour: no	•	
Steps have a riser: yes	All steps are the same height: yes	
Steps have nosing: yes	•	
The space under the stairs is	Handrail on either side: no	
blocked off: there is none	•	
Continuous handrails on	Handrail extends at top and bottom	
half-landings: no	of stairs: no	
Strip of surface of a different texture and contrasting colour at the top		
and bottom of the stairs: no		
Lifts	•	
Cab with audio signals: no	Control buttons in contrasting	
	colour: no	
Keypad with numbers in relief:	Keypad with numbers in Braille:	
yes	no	











TRYP WASHINGTON HOTEL

Gran Vía, 72 28013 Madrid

Telephone: 91 541 72 27 Fax: 91 547 51 99

Web: www.solmelia.com

Metro with lift: Plaza de España Metro without lift: Santo Domingo

Bus: 1, 2, 44, 46, 74, 75, 133, 138, 147, 148, 202

ACCESS

- The main entrance to the hotel has **3** steps and no alternative ramp.
- There is an automatic, revolving, glass door **1.24 m** wide. It has a stop button at a height of **1.70 m** from the floor. It is not marked with horizontal strips or a contrastingly coloured logo.



ACCESSIBILITY - HEARING IMPAIRED _

Room	6 6
,	TV which communicates with reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert: no
Bedside plug socket: yes	Entrance door with peephole: no
	Light signals to indicate a knock at the door: no
Lifts	•
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no
Emergency system	0 0
Emergency alarm systems with visi	ual alerts: no







Tryp Washington





Adapted room	Number of adapted rooms: 5
Accessible via lift	Width of door: 94 cm
Clear turning circle inside	Height of climate control: 166 cm
(diameter): Ø 150 cm	
Height of bed: 50 cm	Space for access to the bed: right hand side 90 cm and left hand side 80 cm
Height of coatrack: 140 cm	•
Bathroom in adapted room	•
Door: inward opening with	Clear turning circle inside
a width of 98 cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 42 cm	Height of flush mechanism: 80 cm
Width of approach: neither	Folding grab bar on the right hand
≥ 80 cm	side
Folding grab bar on the left hand si	de
Basin:	
Height and clearance beneath the basin: 70 and 48 cm	Tap: mixer tap
Height of the lower edge of the mirror: 100 cm	Height of bethroom fittings: 74 - 86 cm
Shower:	•
Width of approach to shower: 130 cm	Shower base: a 3 cm lip
Shower floor: non-slip	Shower chair or stool: folding, fixed to the wall, adjustable with two folding grab bars
Tap: mixer tap on accessible wal	
Lifts	
Accessible up to the door	Width and depth of cab: 115 and 145 cm
Width of door: 70 cm	0



Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 110 cm
Cafeteria	• • • • • • • • • • • • • • • • • • •	Accessible via lift	Height of bar: 110 cm Height of table: 50 cm
Breakfast buffet	0 0 0 0 0 0 0	Accessible via lift	Height of buffet bar: 90 cm Height of table: 74 cm Height beneath table: 70 cm Depth beneath table: 26 cm
Communal WCs	0	Accessible	None of them are adapted for wheelchair users





ACCESSIBILITY - VISUALLY IMPAIRED -

Signs			
Signs the same size: yes , average height of 94-183 cm and a font size of ≥ 1.5 cm			
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille		
Main stairs	•		
Edge of stairs marked with a non-slip strip in a contrasting colour: no	Side protection skirting board of ≥ 12 cm on both sides: no		
Steps have a riser: yes Steps have nosing: no	All steps are the same height: yes		
The space under the stairs is blocked off: there is none	Handrail on either side: no		
Continuous handrails on half-landings: yes	Handrail extends at top and bottom of stairs: no		
Strip of surface of a different texture and bottom of the stairs: no	e and contrasting colour at the top		
Lifts	• • •		
Cab with audio signals: no	Control buttons in contrasting colour: yes		
Keypad with numbers in relief: no	Keypad with numbers in Braille: no		















ACCESSIBILITY - PHYSICALLY DISABLED -

	_
Adapted room (114)	Number of adapted rooms: 2
1 st floor, accessible	Width of door: 77 cm
Clear turning circle inside	Height of climate control: 130 cm
(diameter): Ø 150 cm	0
Height of bed: 50 cm	Space for access to the bed: right hand side 170 cm
Height of coatrack: 140 cm	0
Bathroom in adapted room	
Door: inward opening with	Clear turning circle inside
a width of 77 cm	(diameter): Ø 150 cm
Toilet:	
Seat height: 41 cm	Height of flush mechanism: 75 cm
Width of approach: right hand side 120 cm	Folding grab bar on the right hand side: 78-94 cm
Folding grab bar on the left hand side: 78-94 cm	Distance between bars: 76 cm
Basin:	0
Height and clearance beneath	Tap: mixer tap
the basin: 80 cm and 50 cm	•
Height of the lower edge	Height of bathroom fittings: 84 cm
of the mirror: 96 cm	•
Shower:	
Width of approach to shower: 150 cm	Shower base: level with floor
Shower floor: non-slip	Shower chair or stool: fixed and folding
Height of horizontal grab bar:	No vertical grab bar
78-93 cm on same wall as tap	•
Tap: mixer tap on not accessible	wall
Adapted bathroom	Number of adapted toilets: 1
in communal areas	
On ground floor, accessible	Door: inward folding with a width of 75 cm
Clear turning circle inside (diameter	er): Ø 150 cm
Toilet:	
Seat height: 41 cm	Height of flush mechanism: 76 cm
Width of approach: right hand side	No grab bar on right hand side
80 cm	•
Folding grab bar on left hand side:	79-110 cm
Basin:	•-
Height and clearance beneath	Tap: mixer tap
the basin: 85 cm and 40 cm	•
	11 1 1 (61 () 6(0) 466
Height of the lower edge of the mirror: 110 cm	Height of bathroom fittings: 120 cm



VICTORIA 4 HOTEL

Calle de la viol 28012 Madrid Calle de la Victoria, 4

Telephone: 91 523 84 31 Fax: 91 523 84 31

Web: www.hotelvictoria4.com

Metro with lift: Sol

Bus: 3, 15, 51, 52, 53, N16,N17, L1, L5,

L50 and M1

ACCESS

- The main entrance is accessible, with no steps or narrow corridors to impede access.
- The double glass doors open manually and each one is **74 cm** wide. They are not marked with horizontal strips or a contrastingly coloured logo.



ACCESSIBILITY - HEARING IMPAIRED

Room	0 0
•	TV which communicates with
	reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert:
	no
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	
Door lock with visual aid to indicate	Cubicle doors with a gap
either free or occupied: no	underneath to see if there is
·	someone inside: yes
Lifts	•
Visual signs indicating the floor	Emergency button with a light
and direction of movement, both	to show that the emergency call
inside and outside the cab: yes	has been received: no
Emergency system	
Emergency alarm systems with visu	ual alerts: no

132







Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 115 cm
Cafeteria / Restaurant / Breakfast Buffet	Ground floor		Height of bar: 110 cm Height of buffet: 74-112 cm Height of table: 76 cm Height beneath table: 72 cm Width beneath table: 68 cm Depth beneath table: 68 cm



ACCESSIBILITY - VISUALLY IMPAIRED

Signs			
Signs the same size: yes, average	Signs the same size: yes, average height of 145-180 cm and a font size		
of ≥ 1.5 cm			
Lettering in a colour which			
contrasts with the background: ye	s and not in Braille		
Main stairs	•		
Edge of stairs marked with a	Side protection skirting board of		
non-slip strip in a contrasting	≥ 12 cm on both sides: no		
colour: yes	0 0		
Steps have a riser: yes	All steps are the same height: yes		
Steps have nosing: no	•		
The space under the stairs is	: Handrail on either side: yes		
blocked off: there is none	•		
Continuous handrails on	Handrail extends at top and bottom		
half-landings: yes	of stairs: no		
	re and contrasting colour at the top		
and bottom of the stairs: no			
Lifts	0		
Cab with audio signals: yes	Control buttons in contrasting		
	colour: yes		
Keypad with numbers in relief:	Keypad with numbers in Braille:		
yes	yes		











ZURBANO HOTEL

Calle de Zurbano, 79 - 81 28003 Madrid

Telephone: 91 441 45 00 **Fax:** 91 441 32 24

Web: www.nh-hotels.com

Metro with lift: Gregorio Marañón and Alonso Cano

Bus: 2, 5, 12, 14, 27, 40, 45, 147, 150 and N20

ACCESS

- The main entrance has 3 steps, which are navigable by way of a platform stair-lift.
- The glass door opens automatically and is **1.11 m** wide. It is not marked with horizontal strips or a contrastingly coloured logo.

ACCESSIBILITY - HEARING IMPAIRED _

Room	
Internet connection: yes	TV which communicates with
	reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert:
	yes
	Entrance door with peephole: no
	Light signals to indicate a knock
	at the door: no
Communal WCs	
Door lock with visual aid to indicate	
either free or occupied: no	underneath to see if there is
	someone inside: no
Lifts	
Visual signs indicating the floor	Emergency button with a light
and direction of movement, both	to show that the emergency call
inside and outside the cab: yes	has been received: no
Emergency system	
Emergency alarm systems with visu	ual alerts: no





ACCOMMODATION



ACCESSIBILITY - PHYSICALLY DISABLED

	Number of adapted rooms: 9			
	Width of door: 86 cm			
	Height of climate control: 147 cm			
meter): Ø 150 cm	Troight of omnato control. 147 om			
ght of bed: 57 cm	Space for access to the bed: right hand side 60 cm , left hand side 80 cm			
ght of coatrack: 158 cm				
hroom in adapted room				
or: inward opening with	Clear turning circle inside			
idth of 80 cm	(diameter): Ø 150 cm			
let:	,			
at height: 41 cm	Height of flush mechanism: 73 cm			
	Folding grab bar on the right hand side			
Folding grab bar on the left hand side				
sin:				
ght and clearance beneath	Tap: mixer tap			
basin: 131 cm and 143 cm				
ght of the lower edge of the mirro	or: 100 cm			
h:				
ght of bath: 47 cm	No horizontal grab bar			
transfer chair or platform	No vertical grab bar			
: mixer tap on short wall				
	Number of adapted toilets: 1			
ommunal areas				
	Door: inward folding with a width of 87 cm			
Clear turning circle inside (diameter): Ø 150 cm				
let:				
nt height: 41 cm	Height of flush mechanism: 80 cm			
Ith of approach: side 80 cm	Grab bar on both sides			
sin:				
ght and clearance beneath basin: 67 cm and 35 cm	Tap: mixer tap			
	Height of bathroom fittings:			
	90-100 cm			
S				
	Width and depth of cab: 100 and 120 cm			
Ith of door: 80 cm				





Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 103 cm
Cafeteria	Ground floor	Accessible	Height of bar: 126 cm Height of table: 74 cm Height beneath table: 72 cm Width beneath table: 70 cm Depth beneath table: 60 cm
Restaurant/ Breakfast Buffet	Ground floor	Accessible	Height of table: 74 cm Height beneath table: 72 cm Width beneath table: 70 cm Depth beneath table: 60 cm
Meeting rooms (1)	Ground floor	Accessible	•
Parking	Outdoor	Accessible via service lift	There are 2 parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)



ACCESSIBILITY - VISUALLY IMPAIRED -

Signs				
Signs the same size: yes , average height of 145-175 cm and a font size				
of ≥ 1.5 cm				
Lettering in a colour which	Text and symbols: not in relief			
contrasts with the background: yes: and not in Braille				
Main stairs	•			
Edge of stairs marked with a	Side protection skirting board of			
non-slip strip in a contrasting	≥ 12 cm on both sides: no			
colour: yes	0 0			
Steps have a riser: yes	All steps are the same height: yes			
Steps have nosing: no	0 0			
The space under the stairs is	Handrail on either side: no			
blocked off: there is none	•			
Continuous handrails on	Handrail extends at top and bottom			
half-landings: no	of stairs: no			
Strip of surface of a different texture and contrasting colour at the top				
and bottom of the stairs: no				
Lifts	0			
Cab with audio signals: no	Control buttons in contrasting			
	colour: yes			
Keypad with numbers in relief:	Keypad with numbers in Braille:			
no	yes			
	. •			

















4 STAR HOTELS

- A&H Plaza de Liceo
- Aeropuerto
- Abba Avenida de América
- **4** AC Hotel Aitana
- **5 AC Hotel Aravaca**
- **6 AC Hotel Atocha**
- **AC Hotel Carlton Madrid**
- **8 AC Hotel Cuzco**
- 9 AC Hotel Los Vascos
- **10 AC Hotel Madrid Feria**
- **III** AC Hotel Monte Real
- 12 AC Hotel Recoletos
- **13 Ada Palace**
- **14 Agora Juan de Austria**
- 15 Agumar

- 16 Atlántico
- **Auditorium Madrid**
- **18 Axor Barajas**
- 19 Axor Feria
- 20 Ayre Gran Hotel Colón
- **Barceló Castellana**Norte
- **221 Barceló Torre Arias**
- **23 Catalonia Atocha**
- **24 Catalonia Centro**
- **25 Catalonia Gran Vía**
- **26 Catalonia Las Cortes**
- **27 Catalonia Moratín**
- **Plaza Mayor**

















4 STAR HOTELS

- 29 Clarion Preciados
- 30 Clement Barajas
- **31 Confortel Alcalá Norte**
- **321 Confortel Atrium**
- **33 Confortel Madrid Pío XII**
- **34 Confortel Suites Madrid**
- 35 Convención
- **36 Crowne Plaza Madrid Airport**
- **37 Dehesa Real**
- **Emperador**
- 39 Emperatriz
- **40 Foxá M-30**
- High Tech Madrid Aeropuerto

- **42 High Tech Nueva Castellana**
- High Tech President Castellana
- **44 Holiday Inn Madrid**
- 45 Holiday Inn Madrid Callé Alcalá
- **46 Husa Moncloa**
- 47 Husa Paseo del Arte
- **48 Intur Palacio San Martín**
- 49 Liabeny
- **50 Lope de Vega**
- **51 Lusso Infantas**
- 52 María Elena Palad
- **Mayorazgo**

















4 STAR HOTELS

- **Me Madrid Reina Victoria**
- Meliá Avenida de América
- 56 Meliá Barajas
- 57 Meninas
- 58 Mercure Madrid Plaza de España
- **59 NH Abascal**
- **60 NH Eurobuilding**
- 61 NH La Habana
- **62 NH Las Tablas**
- **63 NH Mercader**
- **64 NH Nacional**
- 65 NH Parque de las Avenidas
- 66 NH Paseo del Prado de Madrid

- 67 NH Ribera del Manzanares
- **Novotel Campo de las Naciones**
- **Sanchinarro**
- Novotel Puente de la Paz
- **71 Nuevo Boston**
- **Nuevo Madrid**
- 73 Ópera
- 74 Osuna
- 75 Petit Palace Alcalá
 Torre

















4 STAR HOTELS

- **76 Petit Palace Art Gallery**
- **77 Petit Palace Mayor**
- 78 Petit Palace Plaza del Carmen
- 79 Petit Palace Posada del Peine
- **Posada del Dragón**
- **B11 Praga**
- **82 Pullman Madrid Airport** & Feria
- 83 Quo Puerta del Sol
- **84 Radisson BLU Hotel, Madrid Prado**
- **85** Rafael Hoteles Atocha
- **861 Rafael Hoteles Orense**

- **87 Rafael Hoteles Ventas**
- **88 Santos Maydrit**
- 89 Senator España
- 90 Senator Gran Vía
- 91 Silken Puerta Madrid
- 92 Tach Clement Barajas
- **Tryp Madrid Alameda Aeropuerto**
- 94 Vincci Capitol
- 95 Vincci Soho
- 96 Vincci Soma (Antiguo Bouzá)
- 97 Vincci Vía 66



TEL PLAZA DEL LICEO









★★★★ 4 STAR HOTELS

A & H PLAZA DEL LICEO HOTEL Calle Moscatelar, 20 Calle Moscater 28043 Madrid

Telephone: 91 300 59 60 Fax: 91 300 09 35
Fax: 91 300 09 35

	Web:	www.ah-hoteles.com
W	WCD.	www.ari-nototos.com

o without	lift:	Arturo	Soria
r	ro without	ro without lift:	ro without lift: Arturo





- The main entrance has stairs and an alternative ramp. The ramp is more than 12 m long, and has an incline which varies between 8% and 10%. There is a handrail.
- The automatic glass door is **1.40 m** wide. It is not marked with horizontal strips or a logo in a contrasting colour.

ACCESSIBILITY - HEARING IMPAIRED

	•
Room	
	TV which communicates with reception: no
, , , , , , , , , , , , , , , , , , , ,	TV has alarm clock with visual alert:
Bedside plug socket: yes	Entrance door with peephole: no
	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	D D
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no
Emergency system	0
Emergency alarm systems with visu	ual alerts: no



ACCESSIBILITY - PHYSICALLY DISABLED-

Adapted room On 1st floor, accessible	No. adapted rooms: 1 Width of door: 77 cm
Clear turning circle inside (diameter): Ø 150 cm	Height of climate control: remote control
Height of bed: 55 cm	Space for access to the bed: right hand side 63 cm , left hand side 67 cm
Wardrobe doors: Folding with door knobs, difficult to open	Height of hanger rail: 193 cm

Bathroom in adapted room	
Door: outward opening with a	Clear turning circle inside
width of 78 cm	(diameter): Ø 150 cm
Toilet:	
Seat height: 42 cm	Height of flush mechanism: 78 cm
Approach area: side 89 cm	No grab bars
Basin:	
Height beneath the basin: 87 cm	Tap: mixer tap
Height of the lower edge	Height of bathroom fittings:
of the mirror: 90 cm	120-150 cm
Shower:	
Shower floor: non-slip	Shower base: level with floor
No grab bars	0

Lifts	Number of lifts: 2
Lift 1	
Accessible up to the door	Width and depth of cab: 102 and 128 cm
Width of door: 80 cm	0
Lift 2	•
Accessible up to the door	Width and depth of cab:
	84 and 108 cm
Width of door: 70 cm	:





Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 120 cm
Cafeteria	Ground floor	Accessible	Height of bar: 114 cm Height of table: 75 cm Height beneath table: 67 cm Width beneath table: 54 cm Depth beneath table: 66 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 75 cm Height of table: 67 cm Height beneath table: 69 cm Width beneath table: 54 cm Depth beneath table: 66 cm
Parking	Basement -1	Accessible	There are no parking space for people with limited mobility (PRM)



ACCESSIBILITY - VISUALLY IMPAIRED

Signs Signs the same size: yes, average of ≥ 1.5 cm	height of 170-180 cm and a font size	
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille	
Main stairs	•	
	Side protection skirting board of ≥ 12 cm on both sides: no	
Steps have a riser: yes Steps have nosing: no	All steps are the same height: yes	
The space under the stairs is blocked off: yes	Handrail on either side: yes	
	Handrail extends at top and bottom of stairs: no	
Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no		









★ ★ 4 STAR HOTELS



AT. SUIT KRIS AEROPUERTO

Calle de Capezo, 8 28022 Madrid

Telephone: 91 305 90 55 Fax: 91 312 18 35

Web: www.krishoteles.com

Bus: 77

ACCESS

- The main entrance is accessible and and has a level surface. The main entrance has an automatically revolving glass door with an opening of 1.30 m.
- There are glass swing doors on either side of the revolving door, both of which are 1 m wide.
- None of the doors are marked with horizontal strips or a logo in a contrasting colour.



CESSIBILITY - HEARING IMPAIRED -

	•
Room	0 0
3	TV which communicates with reception: no
, , , , , , , , , , , , , , , , , , , ,	TV has alarm clock with visual alert: no
Bedside plug socket: yes	Entrance door with peephole: yes
Written information on available	Light signals to indicate a knock
	at the door: no
Communal WCs	0 0 0
•	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	•
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: yes
Emergency system	
Emergency alarm systems with visu	ual alerts: no





97 cm Basin:

ramp





Aeropuerto





Number of lifts: 8, connecting

	all floors
Accessible on all floors, except	Height of call buttons: 105 cm
on the ground floor, where it is	•
accessed via earlier described	•

	Width and depth of cab: 99 and 125 cm
Height of lift buttons: 107-127 cm	Height of handrail: 87 cm
-	

Other amenities	Location	Access	: Main : characteristics
Reception	Ground floor	Accessible	Height of reception desk: 111 cm
Cafeteria	First floor	accessible	Height of bar: 112 cm Height of table: 73 cm Height beneath table: 70 cm Width beneath table: 80 cm
Restaurant / Breakfast buffet	First floor	Not accessible via reception, via ramp described above	Height of buffet bar: 73-90 cm Height of table: 73 cm Height beneath table: 70 cm Width beneath table: 80 cm Depth beneath table: 36 cm
Meeting rooms (3)	Second floor	Accessible via lift	Height of table: 75 cm Height beneath table: 73 cm Width beneath table: 200 cm Depth beneath table: 104 cm



ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 112)	No. of adapted rooms: 5
On 1st floor, accessible via lift from	
parking area. From reception, not	•
accessible, via a ramp with a width	0 0 0
of 115 cm, a length of 310 cm and	•
an incline of 28.6%. Handrail on	u 0 0
one side, height of 114 cm	• •
Clear turning circle inside	Height of climate control: 140 cm
(diameter): Ø 150 cm	with remote control
Height of bed: 50 cm	Space for access to the bed: right
	hand side 100 cm , left hand side
	30 cm
Wardrobe doors: With knobs,	Height of hanger rail: 180 cm
easy to open	•
Height of wardrobe shelves and dra	awers: 20-80 cm
Bathroom in adapted room	•
Door: opens both ways with	Clear turning circle inside
a width of 80 cm	(diameter): Ø 150 cm
Toilet:	
Seat height: 50 cm	Height of flush mechanism: 110 cm
Approach area: front 100 cm	No grab bar on the right hand side
Fixed grab bar on the left hand side	9: 80 cm
Basin:	Ton, mirror ton
Height and clearance beneath	Tap: mixer tap
Height and clearance beneath the basin: 64 cm and 60 cm	• • • • • • • • • • • • • • • • • • •
Height and clearance beneath the basin: 64 cm and 60 cm Height of the lower edge	Height of bathroom fittings:
Height and clearance beneath the basin: 64 cm and 60 cm Height of the lower edge of the mirror: 80 cm	• • • • • • • • • • • • • • • • • • •
Height and clearance beneath the basin: 64 cm and 60 cm Height of the lower edge of the mirror: 80 cm Shower:	Height of bathroom fittings: 70 cm
Height and clearance beneath the basin: 64 cm and 60 cm Height of the lower edge of the mirror: 80 cm Shower: Width of approach to shower:	Height of bathroom fittings:
Height and clearance beneath the basin: 64 cm and 60 cm Height of the lower edge of the mirror: 80 cm Shower: Width of approach to shower: 120 cm	Height of bathroom fittings: 70 cm Shower base: level with floor
Height and clearance beneath the basin: 64 cm and 60 cm Height of the lower edge of the mirror: 80 cm Shower: Width of approach to shower: 120 cm Shower floor: non-slip	Height of bathroom fittings: 70 cm Shower base: level with floor Shower stool: fixed with backrest
Height and clearance beneath the basin: 64 cm and 60 cm Height of the lower edge of the mirror: 80 cm Shower: Width of approach to shower: 120 cm Shower floor: non-slip No horizontal grab bar	Height of bathroom fittings: 70 cm Shower base: level with floor Shower stool: fixed with backrest No vertical grab bar
Height and clearance beneath the basin: 64 cm and 60 cm Height of the lower edge of the mirror: 80 cm Shower: Width of approach to shower: 120 cm Shower floor: non-slip	Height of bathroom fittings: 70 cm Shower base: level with floor Shower stool: fixed with backrest No vertical grab bar Height of tap: 70 cm on accessible
Height and clearance beneath the basin: 64 cm and 60 cm Height of the lower edge of the mirror: 80 cm Shower: Width of approach to shower: 120 cm Shower floor: non-slip No horizontal grab bar Tap: mixer tap	Height of bathroom fittings: 70 cm Shower base: level with floor Shower stool: fixed with backrest No vertical grab bar Height of tap: 70 cm on accessible wall
Height and clearance beneath the basin: 64 cm and 60 cm Height of the lower edge of the mirror: 80 cm Shower: Width of approach to shower: 120 cm Shower floor: non-slip No horizontal grab bar Tap: mixer tap Adjustable shower-head height:	Height of bathroom fittings: 70 cm Shower base: level with floor Shower stool: fixed with backrest No vertical grab bar Height of tap: 70 cm on accessible
Height and clearance beneath the basin: 64 cm and 60 cm Height of the lower edge of the mirror: 80 cm Shower: Width of approach to shower: 120 cm Shower floor: non-slip No horizontal grab bar Tap: mixer tap Adjustable shower-head height: yes, 140 cm	Height of bathroom fittings: 70 cm Shower base: level with floor Shower stool: fixed with backrest No vertical grab bar Height of tap: 70 cm on accessible wall No shower screen
Height and clearance beneath the basin: 64 cm and 60 cm Height of the lower edge of the mirror: 80 cm Shower: Width of approach to shower: 120 cm Shower floor: non-slip No horizontal grab bar Tap: mixer tap Adjustable shower-head height:	Height of bathroom fittings: 70 cm Shower base: level with floor Shower stool: fixed with backrest No vertical grab bar Height of tap: 70 cm on accessible wall No shower screen Number of adapted toilets: 2,
Height and clearance beneath the basin: 64 cm and 60 cm Height of the lower edge of the mirror: 80 cm Shower: Width of approach to shower: 120 cm Shower floor: non-slip No horizontal grab bar Tap: mixer tap Adjustable shower-head height: yes, 140 cm Adapted bathroom in	Height of bathroom fittings: 70 cm Shower base: level with floor Shower stool: fixed with backrest No vertical grab bar Height of tap: 70 cm on accessible wall No shower screen
Height and clearance beneath the basin: 64 cm and 60 cm Height of the lower edge of the mirror: 80 cm Shower: Width of approach to shower: 120 cm Shower floor: non-slip No horizontal grab bar Tap: mixer tap Adjustable shower-head height: yes, 140 cm Adapted bathroom in communal areas	Height of bathroom fittings: 70 cm Shower base: level with floor Shower stool: fixed with backrest No vertical grab bar Height of tap: 70 cm on accessible wall No shower screen Number of adapted toilets: 2, 1 one for men, 1 for women Door: sliding with a width of 73 cm
Height and clearance beneath the basin: 64 cm and 60 cm Height of the lower edge of the mirror: 80 cm Shower: Width of approach to shower: 120 cm Shower floor: non-slip No horizontal grab bar Tap: mixer tap Adjustable shower-head height: yes, 140 cm Adapted bathroom in communal areas On first floor, not accessible from	Height of bathroom fittings: 70 cm Shower base: level with floor Shower stool: fixed with backrest No vertical grab bar Height of tap: 70 cm on accessible wall No shower screen Number of adapted toilets: 2, 1 one for men, 1 for women Door: sliding with a width of 73 cm
Height and clearance beneath the basin: 64 cm and 60 cm Height of the lower edge of the mirror: 80 cm Shower: Width of approach to shower: 120 cm Shower floor: non-slip No horizontal grab bar Tap: mixer tap Adjustable shower-head height: yes, 140 cm Adapted bathroom in communal areas On first floor, not accessible from reception, details of ramp as above	Height of bathroom fittings: 70 cm Shower base: level with floor Shower stool: fixed with backrest No vertical grab bar Height of tap: 70 cm on accessible wall No shower screen Number of adapted toilets: 2, 1 one for men, 1 for women Door: sliding with a width of 73 cm
Height and clearance beneath the basin: 64 cm and 60 cm Height of the lower edge of the mirror: 80 cm Shower: Width of approach to shower: 120 cm Shower floor: non-slip No horizontal grab bar Tap: mixer tap Adjustable shower-head height: yes, 140 cm Adapted bathroom in communal areas On first floor, not accessible from reception, details of ramp as above Clear turning circle inside (diamete Toilet: Seat height: 40 cm	Height of bathroom fittings: 70 cm Shower base: level with floor Shower stool: fixed with backrest No vertical grab bar Height of tap: 70 cm on accessible wall No shower screen Number of adapted toilets: 2, 1 one for men, 1 for women Door: sliding with a width of 73 cm Theight of flush mechanism: 77 cm
Height and clearance beneath the basin: 64 cm and 60 cm Height of the lower edge of the mirror: 80 cm Shower: Width of approach to shower: 120 cm Shower floor: non-slip No horizontal grab bar Tap: mixer tap Adjustable shower-head height: yes, 140 cm Adapted bathroom in communal areas On first floor, not accessible from reception, details of ramp as above Clear turning circle inside (diamete Toilet: Seat height: 40 cm Approach area: right hand side	Height of bathroom fittings: 70 cm Shower base: level with floor Shower stool: fixed with backrest No vertical grab bar Height of tap: 70 cm on accessible wall No shower screen Number of adapted toilets: 2, 1 one for men, 1 for women Door: sliding with a width of 73 cm Tixed grab bar on right hand side:
Height and clearance beneath the basin: 64 cm and 60 cm Height of the lower edge of the mirror: 80 cm Shower: Width of approach to shower: 120 cm Shower floor: non-slip No horizontal grab bar Tap: mixer tap Adjustable shower-head height: yes, 140 cm Adapted bathroom in communal areas On first floor, not accessible from reception, details of ramp as above Clear turning circle inside (diamete Toilet: Seat height: 40 cm	Height of bathroom fittings: 70 cm Shower base: level with floor Shower stool: fixed with backrest No vertical grab bar Height of tap: 70 cm on accessible wall No shower screen Number of adapted toilets: 2, 1 one for men, 1 for women Door: sliding with a width of 73 cm Theight of flush mechanism: 77 cm













Pool		Accessible via a ramp which is 1.30 m wide, 15 m long and an incline of 3.5%. Handrail on one side.	No hoist for getting into the pool. No specially adapted changing rooms or toilets.
Parking	Basement -1	via lift, excluding from	There are 2 parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)



ACCESSIBILITY - VISUALLY IMPAIRED

Signs		
Signs the same size: yes , average	height of 180 cm and a font size of	
≥ 1.5 cm		
	Text and symbols: not in relief	
contrasts with the background: yes	and not in Braille	
Main stairs	•	
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting	≥ 12 cm on both sides: yes	
colour: no	♥ 0 8	
Steps have a riser: yes	All steps are the same height: yes	
Steps have nosing: yes	•	
The space under the stairs is	Handrail on either side: yes	
blocked off: yes	•	
Continuous handrails on	Handrail extends at top and bottom	
half-landings: no	of stairs: no	
Strip of surface of a different texture and contrasting colour at the top		
and bottom of the stairs: no		
Lifts	•	
Cab with audio signals: no	Control buttons in contrasting	
	colour: yes	
Keypad with numbers in relief:	Keypad with numbers in Braille:	
yes	yes	





ABBA AVENIDA DE AMÉRICA HOTEL Avenida de América, 32 28028 Madrid

Telephone: 91 212 50 00 **Fax:** 91 212 50 01

Web: www.abbamadridhotel.com

Metro without lift: Cartagena and Avda. América

Bus: 1, 72, 114, 115 and 122

ACCESS

- The main entrance is accessible and and has a level surface.
- The main entrance has an automatic revolving glass door.
 There is an alternative swing door, 90 cm wide, next to the revolving door.

CCESSIBILITY - HEARING IMPAIRED

Room	0 0 0
	TV which communicates with reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert: no
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	0 0 0
	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	•
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visu	ual alerts: no

152









ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room Accessible via lift Clear turning circle inside (diameter): Ø 150 cm Height of bed: 57 cm Wardrobe doors: With knobs, difficult to open Bathroom in adapted room Door: inward opening with a width of 74.5 cm Height of bathroom fittings: 80-100 cm Height of bathroom in the incommunal areas On first floor, accessible Clear turning circle inside (diameter): Ø 150 cm No. of adapted rooms: Width of door: 77 cm Width of door: 77 cm Height of climate control: 144 cm Height of climate control: 144 cm Height of hanger rail: 174 cm dididide 81 cm Height of hanger rail: 174 cm (diameter): Ø 150 cm Clear turning circle inside (diameter): Ø 150 cm Tap: mixer tap Height of bathroom fittings: 81-145 cm No horizontal grab bar Transfer bench: no Wertical grab bar: 73-84 cm Number of adapted toilets: 1 Number of adapted toilets: 1 Door: outward opening with a width of 74 cm Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 41 cm Approach area: front 90 cm Basin: Height of bathroom fittings: 96 cm Tap: mixer tap Height of flush mechanism: 80 cm Folding grab bar on both sides Tap: mixer tap Tap: mixer tap		•
Clear turning circle inside (diameter): Ø 150 cm Height of bed: 57 cm Wardrobe doors: With knobs, difficult to open Bathroom in adapted room Door: inward opening with a width of 74.5 cm Toilet: Seat height: 40 cm Height of bathroom fittings: Height of bathroom fittings: Height of bathroom fittings: Height of bathroom Shower: Height of bath: 47 cm Transfer bench: no Mixer tap at 50 cm on narrow wall Adapted bathroom In communal areas On first floor, accessible Clear turning circle inside (diameter): Ø 150 cm Toilet: Height of flush mechanism: 80 cm Fixed grab bar: 66 cm Bain: Height of bathroom fittings: 81-145 cm No horizontal grab bar Vertical grab bar: 73-84 cm Number of adapted toilets: 1 Door: outward opening with a width of 74 cm Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 41 cm Approach area: front 90 cm Basin: Height of bathroom fittings: 96 cm Tap: mixer tap	Adapted room	No. of adapted rooms: 3
(diameter): Ø 150 cm Height of bed: 57 cm Space for access to the bed: right hand side 61 cm, left hand side 81 cm Wardrobe doors: With knobs, difficult to open Bathroom in adapted room Door: inward opening with a width of 74.5 cm Tollet: Seat height: 40 cm Approach area: side 138 cm Height of bathroom fittings: Basin: Height of bathroom fittings: Basin: Height of the lower edge of the mirror: 102 cm Transfer bench: no Mixer tap at 50 cm on narrow wall Adapted bathroom Mixer tap at 50 cm on narrow wall Clear turning circle inside (diameter): Ø 150 cm Number of adapted toilets: 1 Number of adapted toilets: 1 Number of adapted toilets: 1 Height of flush mechanism: 80 cm Number of adapted toilets: 1 Number of adapted toilets: 1 Height of flush mechanism: 80 cm Height of flush mechanism: 80 cm Height of flush mechanism: 80 cm Toilet: Seat height: 41 cm Approach area: front 90 cm Folding grab bar on both sides Basin: Height of bathroom fittings: 96 cm Tap: mixer tap	Accessible via lift	Width of door: 77 cm
(diameter): Ø 150 cm Height of bed: 57 cm Space for access to the bed: right hand side 61 cm, left hand side 81 cm Wardrobe doors: With knobs, difficult to open Bathroom in adapted room Door: inward opening with a width of 74.5 cm Tollet: Seat height: 40 cm Approach area: side 138 cm Height of bathroom fittings: Basin: Height of bathroom fittings: Basin: Height of the lower edge of the mirror: 102 cm Transfer bench: no Mixer tap at 50 cm on narrow wall Adapted bathroom Mixer tap at 50 cm on narrow wall Clear turning circle inside (diameter): Ø 150 cm Number of adapted toilets: 1 Number of adapted toilets: 1 Number of adapted toilets: 1 Height of flush mechanism: 80 cm Number of adapted toilets: 1 Number of adapted toilets: 1 Height of flush mechanism: 80 cm Height of flush mechanism: 80 cm Height of flush mechanism: 80 cm Toilet: Seat height: 41 cm Approach area: front 90 cm Folding grab bar on both sides Basin: Height of bathroom fittings: 96 cm Tap: mixer tap	Clear turning circle inside	Height of climate control: 144 cm
right hand side 61 cm, left hand side 81 cm Wardrobe doors: With knobs, difficult to open Bathroom lin adapted room Door: inward opening with a width of 74.5 cm Tollet: Seat height: 40 cm Approach area: side 138 cm Basln: Height of bathroom fittings: 80-100 cm Height of the lower edge of the mirror: 102 cm Shower: Height of bath: 47 cm Transfer bench: no Mixer tap at 50 cm on narrow wall Adapted bathroom inside (diameter): Ø 150 cm Tollet: Clear turning circle inside (diameter): Ø 150 cm No horizontal grab bar Transfer bench: no Mixer tap at 50 cm on narrow wall Adapted bathroom in communal areas On first floor, accessible Clear turning circle inside (diameter): Ø 150 cm Tollet: Seat height: 41 cm Approach area: front 90 cm Basin: Height of bathroom fittings: 96 cm Tap: mixer tap		•
Wardrobe doors: With knobs, difficult to open Bathroom In adapted room Door: inward opening with a width of 74.5 cm Tollet: Seat height: 40 cm Approach area: side 138 cm Height of flush mechanism: 80 cm Fixed grab bar: 66 cm Basin: Height of bathroom fittings: Beat height of bath: 47 cm Transfer bench: no Mixer tap at 50 cm on narrow wall Adapted bathroom in communal areas On first floor, accessible Clear turning circle inside (diameter): Ø 150 cm Tollet: Seat height: 41 cm Approach area: front 90 cm Basin: Height of bathroom fittings: Side 81 cm Height of hanger rail: 174 cm Clear turning circle inside Clear turning circle inside (diameter): Ø 150 cm Tollet: Seat height: 41 cm Approach area: front 90 cm Basin: Height of bathroom fittings: 96 cm Tap: mixer tap	Height of bed: 57 cm	Space for access to the bed:
Wardrobe doors: With knobs, difficult to open Bathroom In adapted room Door: inward opening with a width of 74.5 cm Tollet: Seat height: 40 cm Approach area: side 138 cm Basln: Height of bathroom fittings: Height of the lower edge of the mirror: 102 cm Shower: Height of bath: 47 cm Transfer bench: no Mixer tap at 50 cm on narrow wall Adapted bathroom in communal areas On first floor, accessible Clear turning circle inside (diameter): Ø 150 cm Tollet: Seat height: 41 cm Approach area: front 90 cm Bashi: Height of bathroom fittings: Height of bathroom fittings: 174 cm Clear turning circle inside (diameter): Ø 150 cm Tollet: Seat height: 41 cm Approach area: front 90 cm Bashi: Height of bathroom fittings: 96 cm Tap: mixer tap Clear turning circle inside (diameter): Ø 150 cm Tap: mixer tap Clear turning circle inside (diameter): Ø 150 cm Tap: mixer tap		right hand side 61 cm , left hand
difficult to open Bathroom in adapted room Door: inward opening with a width of 74.5 cm Tollet: Seat height: 40 cm Approach area: side 138 cm Basin: Height of bathroom fittings: 80-100 cm Height of the lower edge of the mirror: 102 cm Shower: Height of bath: 47 cm Transfer bench: no Mixer tap at 50 cm on narrow wall Adapted bathroom In communal areas On first floor, accessible Clear turning circle inside (diameter): Ø 150 cm Tollet: Seat height: 41 cm Approach area: front 90 cm Basin: Height of bathroom fittings: 81-145 cm Clear turning circle inside (diameter): Ø 150 cm Tollet: Seat height: 41 cm Approach area: front 90 cm Basin: Height of bathroom fittings: 96 cm Tap: mixer tap Clear turning circle inside (diameter): Ø 150 cm Tollet: Tap: mixer tap Tap: mixer tap		
Bathroom in adapted room Door: inward opening with a width of 74.5 cm Toilet: Seat height: 40 cm Approach area: side 138 cm Basin: Height of bathroom fittings: Beight of the lower edge of the mirror: 102 cm Transfer bench: no Mixer tap at 50 cm on narrow wall Adapted bathroom In communal areas On first floor, accessible Clear turning circle inside (diameter): Ø 150 cm Height of flush mechanism: 80 cm Fixed grab bar: 66 cm Fixed grab grab bar: 66 cm Fixed grab grab bar: 66 cm Fixed grab grab and grab grab grab grab grab grab grab grab	Wardrobe doors: With knobs,	Height of hanger rail: 174 cm
Door: inward opening with a width of 74.5 cm Toilet: Seat height: 40 cm Approach area: side 138 cm Basin: Height of bathroom fittings: 80-100 cm Height of the lower edge of the mirror: 102 cm Shower: Height of bath: 47 cm Transfer bench: no Mixer tap at 50 cm on narrow wall Adapted bathroom In communal areas On first floor, accessible Clear turning circle inside (diameter): Ø 150 cm Tap: mixer tap Height of flush mechanism: 80 cm Fixed grab bar: 66 cm Fixed grab bar: 66 cm Fixed grab bar: 66 cm Fixed grab bar: 66 cm Fixed grab bar: 66 cm Fixed grab bar: 66 cm Fixed grab bar: 66 cm Fixed grab bar: 66 cm Fixed grab bar: 66 cm Fixed grab bar: 66 cm Fixed grab bar: 66 cm No horizontal grab bar Vertical grab bar: 73-84 cm Number of adapted toilets: 1 Door: outward opening with a width of 74 cm Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 41 cm Approach area: front 90 cm Folding grab bar on both sides Basin: Height of bathroom fittings: 96 cm Tap: mixer tap		•
a width of 74.5 cm Toilet: Seat height: 40 cm Approach area: side 138 cm Basin: Height of bathroom fittings: 80-100 cm Height of the lower edge of the mirror: 102 cm Shower: Height of bath: 47 cm Transfer bench: no Mixer tap at 50 cm on narrow wall Adapted bathroom in communal areas On first floor, accessible Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 41 cm Approach area: front 90 cm Height of flush mechanism: 80 cm Fixed grab bar: 66 cm Fixed grab bar: 66 cm Height of bathroom fittings: Tap: mixer tap No horizontal grab bar Vertical grab bar: 73-84 cm Number of adapted toilets: 1 Door: outward opening with a width of 74 cm Height of flush mechanism: 80 cm Folding grab bar on both sides Basin: Height of bathroom fittings: 96 cm Tap: mixer tap	Bathroom in adapted room	•
Toilet: Seat height: 40 cm Approach area: side 138 cm Basin: Height of bathroom fittings: Beat height of the lower edge of the mirror: 102 cm Shower: Height of bath: 47 cm Transfer bench: no Mixer tap at 50 cm on narrow wall Adapted bathroom In communal areas On first floor, accessible Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 41 cm Approach area: front 90 cm Basin: Height of flush mechanism: 80 cm Fixed grab bar: 66 cm	Door: inward opening with	
Seat height: 40 cm Approach area: side 138 cm Fixed grab bar: 66 cm	a width of 74.5 cm	(diameter): Ø 150 cm
Approach area: side 138 cm Basin: Height of bathroom fittings: 80-100 cm Height of the lower edge of the mirror: 102 cm Shower: Height of bath: 47 cm Transfer bench: no Mixer tap at 50 cm on narrow wall Adapted bathroom In communal areas On first floor, accessible Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 41 cm Approach area: front 90 cm Basin: Height of bathroom fittings: 96 cm Tap: mixer tap Fixed grab bar: 66 cm Fap: mixer tap Tap: mixer tap Fixed grab bar: 66 cm Fap: mixer tap Fixed grab bar: 66 cm Fap: mixer tap	Toilet:	•
Basin: Height of bathroom fittings: 80-100 cm Height of the lower edge of the mirror: 102 cm Shower: Height of bath: 47 cm Transfer bench: no Mixer tap at 50 cm on narrow wall Adapted bathroom In communal areas On first floor, accessible Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 41 cm Approach area: front 90 cm Basin: Height of bathroom fittings: 96 cm Tap: mixer tap Height of bathroom fittings: Tap: mixer tap Height of bathroom fittings: Tap: mixer tap		
Height of bathroom fittings: 80-100 cm Height of the lower edge of the mirror: 102 cm Shower: Height of bath: 47 cm Transfer bench: no Mixer tap at 50 cm on narrow wall Adapted bathroom In communal areas On first floor, accessible Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 41 cm Approach area: front 90 cm Height of bathroom fittings: 96 cm Height of bathroom fittings: 96 cm Tap: mixer tap Height of bathroom fittings: 96 cm Tap: mixer tap	Approach area: side 138 cm	Fixed grab bar: 66 cm
Height of the lower edge of the mirror: 102 cm Shower: Height of bath: 47 cm Transfer bench: no Mixer tap at 50 cm on narrow wall Adapted bathroom In communal areas On first floor, accessible Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 41 cm Approach area: front 90 cm Height of bathroom fittings: 96 cm Height of bathroom fittings: 96 cm Height of bathroom fittings: 96 cm Height of bathroom fittings: 96 cm Height of bathroom fittings: 96 cm Height of bathroom fittings: 96 cm Height of bathroom fittings: 96 cm Height of bathroom fittings: 96 cm Tap: mixer tap	Basin:	•
Height of the lower edge of the mirror: 102 cm Shower: Height of bath: 47 cm Transfer bench: no Mixer tap at 50 cm on narrow wall Adapted bathroom In communal areas On first floor, accessible Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 41 cm Approach area: front 90 cm Height of bathroom fittings: 96 cm Tap: mixer tap	Height of bathroom fittings:	Tap: mixer tap
of the mirror: 102 cm Shower: Height of bath: 47 cm Transfer bench: no Mixer tap at 50 cm on narrow wall Adapted bathroom In communal areas On first floor, accessible Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 41 cm Approach area: front 90 cm Basin: Height of bathroom fittings: 96 cm Number of adapted toilets: 1 Door: outward opening with a width of 74 cm Height of flush mechanism: 80 cm Folding grab bar on both sides		0
Shower: Height of bath: 47 cm Transfer bench: no Mixer tap at 50 cm on narrow wall Adapted bathroom In communal areas On first floor, accessible Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 41 cm Approach area: front 90 cm Basin: Height of bathroom fittings: 96 cm No horizontal grab bar Vertical grab bar: 73-84 cm Number of adapted toilets: 1 Door: outward opening with a width of 74 cm Height of flush mechanism: 80 cm Folding grab bar on both sides	Height of the lower edge	Height of bathroom fittings:
Height of bath: 47 cm Transfer bench: no Wixer tap at 50 cm on narrow wall Adapted bathroom In communal areas On first floor, accessible Clear turning circle inside (diameter): Ø 150 cm Tollet: Seat height: 41 cm Approach area: front 90 cm Basin: Height of bathroom fittings: 96 cm Number of adapted toilets: 1 Door: outward opening with a width of 74 cm Height of flush mechanism: 80 cm Folding grab bar on both sides	of the mirror: 102 cm	:81-145 cm
Transfer bench: no Mixer tap at 50 cm on narrow wall Adapted bathroom In communal areas On first floor, accessible Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 41 cm Approach area: front 90 cm Basin: Height of bathroom fittings: 96 cm Vertical grab bar: 73-84 cm Number of adapted toilets: 1 Door: outward opening with a width of 74 cm Height of flush mechanism: 80 cm Folding grab bar on both sides		
Mixer tap at 50 cm on narrow wall Adapted bathroom In communal areas On first floor, accessible Of 74 cm Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 41 cm Approach area: front 90 cm Basin: Height of bathroom fittings: 96 cm Tap: mixer tap		
Adapted bathroom in communal areas On first floor, accessible Door: outward opening with a width of 74 cm Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 41 cm Height of flush mechanism: 80 cm Approach area: front 90 cm Folding grab bar on both sides Basin: Height of bathroom fittings: 96 cm Tap: mixer tap		Vertical grab bar: 73-84 cm
In communal areas On first floor, accessible Of 74 cm Clear turning circle inside (diameter): Ø 150 cm Tollet: Seat height: 41 cm Approach area: front 90 cm Height of flush mechanism: 80 cm Folding grab bar on both sides Basin: Height of bathroom fittings: 96 cm Tap: mixer tap		•
On first floor , accessible Of 74 cm Clear turning circle inside (diameter): Ø 150 cm Tollet: Seat height: 41 cm Approach area: front 90 cm Basin: Height of bathroom fittings: 96 cm Tap: mixer tap	Adapted bathroom	Number of adapted toilets: 1
of 74 cm Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 41 cm Approach area: front 90 cm Folding grab bar on both sides Basin: Height of bathroom fittings: 96 cm Tap: mixer tap	in communal areas	•
Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 41 cm Approach area: front 90 cm Basin: Height of bathroom fittings: 96 cm Tap: mixer tap	On first floor, accessible	
Toilet: Seat height: 41 cm Approach area: front 90 cm Basin: Height of flush mechanism: 80 cm Folding grab bar on both sides Tap: mixer tap		of 74 cm
Seat height: 41 cm Approach area: front 90 cm Folding grab bar on both sides Basin: Height of flush mechanism: 80 cm Folding grab bar on both sides Tap: mixer tap		r): Ø 150 cm
Approach area: front 90 cm Folding grab bar on both sides Basin: Height of bathroom fittings: 96 cm Tap: mixer tap	1011011	•
Basin: Height of bathroom fittings: 96 cm Tap: mixer tap		
Height of bathroom fittings: 96 cm Tap: mixer tap		Folding grab bar on both sides
		•
Height of the lower edge of the mirror: 93 cm		
rieignit et ane letter eage et ale timiteit ee em	Height of the lower edge of the mir	ror: 93 cm

	4 STAR HOTELS	Abba	Avda.	América
AAAA	TOIAILIIGIEEG	ADDA	Avua.	AIIICIIC

Lifts	Number of lifts: 3
Accessible up to the door	Width and depth of cab:
	117 and 132 cm
Width of door: 80 cm	0

(/Ľ)
	_

			•
Other	Location	Access	Main
amenities			characteristics
Reception	Ground floor	Accessible	Height of reception desk: 110 cm
Cafeteria	Ground floor	Accessible via ramp with a length of 3.19 m and an incline of 10%	Height of bar: 106 cm Height of table: 46 cm
Restaurant / Breakfast buffet	Ground floor	via ramp with a length	Height of buffet bar: 90 cm Height of table: 76 cm Height beneath table: 73 cm Width beneath table: 31 cm Depth beneath table: 10 cm
Meeting rooms (5)	First floor	Accessible via lift	Height of table: 73 cm Height beneath table: 67 cm Width beneath table: 160 cm Depth beneath table: 50 cm
Parking	0 0 0 0 0 0	Accessible	There is 1 unmarked parking space for people with limited mobility (PRM)





ACCESSIBILITY - VISUALLY IMPAIRED

Signs					
	Signs the same size: yes , average height of 126-156 cm and a font size				
of ≥ 1.5 cm					
Lettering in a colour which	Text and symbols: not in relief				
contrasts with the background: yes	and not in Braille				
Main stairs	•				
Edge of stairs marked with a	Side protection skirting board of				
non-slip strip in a contrasting	≥ 12 cm on both sides: yes				
colour: no	•				
Steps have a riser: yes	All steps are the same height: yes				
Steps have nosing: yes	•				
The space under the stairs is	Handrail on either side: yes				
blocked off: no	•				
Continuous handrails on	:Handrail extends at top and bottom				
half-landings: yes	of stairs: no				
Strip of surface of a different texture	e and contrasting colour at the top				
and bottom of the stairs: no					
Lifts	•				
Cab with audio signals: no	Control buttons in contrasting				
	colour: yes				
Keypad with numbers in relief:	Keypad with numbers in Braille:				
yes	yes				









* 4 STAR HOTELS



AC AITANA HOTEL

Paseo de la Castellana, 152 28046 Madrid

Telephone: 91 548 49 70 **Fax:** 91 458 49 71

Web: www.ac-hoteles.com

Metro without lift: Santiago Bernabeu

Bus: 5, 27, 40, 126 and 147

ACCESS

- The main entrance is accessible by way of a ramp which avoids having to negotiate 2 steps. The ramp is 1.5 m long, and has an incline of 16%.
- The automatic sliding glass door is **1.5 m** wide, and is not marked with horizontal strips or a logo in a contrasting colour.

ACCESSIBILITY - HEARING IMPAIRED

Room	0 0 0
Internet connection: yes	TV which communicates with
	reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert:
	no
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	0 0 0
Door lock with visual aid to indicate	Cubicle doors with a gap
either free or occupied: no	underneath to see if there is
	someone inside: no
Lifts	•
Visual signs indicating the floor	Emergency button with a light
and direction of movement, both	to show that the emergency call
inside and outside the cab: yes	has been received: no
Emergency system	v 0 0
Emergency alarm systems with visi	åal alerts: no









ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 109)	No. of adapted rooms: 1
On 4th floor, accessible.	Width of door: 78.5 cm
Clear turning circle inside	Height of climate control: 137 cm
(diameter): Ø 150 cm	• • •
Height of bed: 50 cm	Space for access to the bed: right
	hand side 98 cm , left hand side
	123 cm
Wardrobe doors: sliding, with	Height of hanger rail: 174 cm ,
knobs, difficult to open	hangers suitable for long-sleeved
,	clothes
Height of wardrobe shelves and dra	
Bathroom in adapted room	
Door: sliding with a width of 80 cm	Clear turning circle inside
	(diameter): Ø 150 cm
Toilet:	•
Seat height: 42 cm	Height of flush mechanism: 78 cm
Approach area: left hand side	Folding grab bar on the left hand
129 cm , front 130 cm	side: 85 cm
No grab bar on the right hand side	· clast co citi
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 80.5 cm and 29 cm	. 136
Height of the lower edge	Height of bathroom fittings: 134 cm
of the mirror: 60 cm	ino.g.n. o. baam oom maniger 101 om
Bath:	0
Height of bath: 51 cm	Height and location of horizontal
g	grab bar: 70-80 cm
Transfer platform: there is none	Has no vertical grab bar
Mixer tap at 60 cm on narrow wall	Shower head at 142-198 cm.
	Adjustable
Folding screen	0
Adapted bathroom	Number of adapted toilets: 1 cubicle
in communal areas	•
On ground floor, accessible	Door: indoor swinging with a width
3	of 77 cm
Clear turning circle inside (diamete	
Toilet:	•
Seat height: 40 cm	Height of flush mechanism: 80 cm
Approach area: right hand side	Fixed grab bar on right hand side:
40 cm, left hand side 40 cm	88 cm
No grab bar on left hand side	0
Basin:	0
Height and clearance beneath	Tap: mixer tap
the basin: 72 cm and 30 cm	0 0
Height of the lower edge	Height of bathroom fittings:
of the mirror: 91 cm	136 cm

MADRID FOR ALL

Lifts	
Accessible up to the door	Height of call buttons: 92 cm
Width of door: 78 cm	Width and depth of cab:
	112 and 140 cm
Height of lift buttons: 99-121 cm	0



Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 111 cm
Cafeteria	Ground floor	Accessible	Height of bar: 100 cm Height of table: 76 cm Height beneath table: 72 cm Width beneath table: 51 cm Depth beneath table: 70 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 95 cm Height of table: 76 cm Height beneath table: 72 cm Width beneath table: 51 cm Depth beneath table: 70 cm
Meeting rooms (1)	Ground floor	Accessible	Height of table: 71 cm Height beneath table: 71 cm
Parking	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Accessible	There is 1 parking space for people with limited mobility (PRM)
Gym	First floor	Accessible via lift	No specially adapted changing rooms or toilets





ACCESSIBILITY - VISUALLY IMPAIRED

Signs	
	height of 155-175 cm and a font size
of ≥ 1.5 cm	
Lettering in a colour which	Text and symbols: not in relief
contrasts with the background: yes	and not in Braille
Main stairs	•
Edge of stairs marked with a	Side protection skirting board of
non-slip strip in a contrasting	≥ 12 cm on both sides: yes
colour: no	0
Steps have a riser: yes	All steps are the same height: yes
Steps have nosing: yes	•
The space under the stairs is	Handrail on either side: no
blocked off: yes	•
Continuous handrails on	: Handrail extends at top and bottom
half-landings: yes	of stairs: no
Strip of surface of a different texture	re and contrasting colour at the top
and bottom of the stairs: no	
Lifts	•
Cab with audio signals: yes	Control buttons in contrasting
	colour: yes
Keypad with numbers in relief:	Keypad with numbers in Braille:
yes	no










★★★ 4 STAR HOTELS



AC ARAVACA HOTEL

Camino de la Zarzuela, 3 28023 Madrid

Telephone: 91 740 06 80 **Fax**: 91 740 06 81

Web: www.ac-hoteles.com

Bus: 161,162

ACCESS

- The main entrance of the hotel has a ramp 1.05 m wide, 5.70 m long and with a steep incline of 14%. The ramp avoids having to negotiate 5 steps.
- The automatic sliding glass doors are 1.75 m wide. They are not marked with horizontal strips or a logo in a contrasting colour.

ACCESSIBILITY - HEARING IMPAIRED __

Room	0 0
	TV which communicates with reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert:
Bedside plug socket: yes	Entrance door with peephole: no
	Light signals to indicate a knock at the door: no
Communal WCs	0 0
	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	0
and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no
Emergency system	• •
Emergency alarm systems with visi	ial alerts: no









ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room	No. of adapted rooms: 1
On ground floor, accessible.	Width of door: 76 cm
Clear turning circle inside	Height of climate control: 158 cm
(diameter): Ø 150 cm	0 0 0
Height of bed: 60 cm	Space for access to the bed: right
	hand side 60 cm , left hand side
	150 cm
Wardrobe doors: sliding, with	Height of hanger rail: 180 cm
knobs, difficult to open Height of wardrobe shelves and dra	nwore: 20-100 cm
Bathroom in adapted room	awers. 20-190 Cili
Door: sliding with a width of 81 cm	Clear turning circle inside
Doon onding war a main or cr cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 41 cm	Height of flush mechanism: 80 cm
Approach area: front	Folding grab bar on the right hand
	side
Folding grab bar on the left hand si	de
Basin:	•
Height and clearance beneath the	Tap: mixer tap
basin: 73 cm and 23 cm	* * * * * * * * * * * * * * * * * * *
Height of the lower edge	Height of bathroom fittings: 130 cm
of the mirror: 90 cm	• •
Bath:	Height and location of harizantal
Height of bath: 51 cm	Height and location of horizontal grab bar: 58-72 cm
Transfer platform: there is none	Has no vertical grab bar
Mixer tap on narrow wall	• • • • • • • • • • • • • • • • • • •
Adapted bathroom	Number of adapted toilets: 1
in communal areas	•
Accessible	Door: indoor opening with a width of
	77 cm
Clear turning circle inside (diameter	r): Ø 1 <mark>50 cm</mark>
Toilet:	
Seat height: 41 cm	Height of flush mechanism: 80 cm
Approach area: neither > 80 cm	Fixed grab bar on opposite wall to
No such hou on organish side	approach: 72-100 cm
No grab bar on approach side	0 0
Basin: Height and clearance beneath	tap: mixer tap
the basin: 77 cm and 31 cm	iap. iiikei tap
Height of the lower edge	Height of bathroom fittings: 116 cm
of the mirror: 85 cm	Troight of bathroom fittings. 110 cm
Lifts	0
Accessible up to the door	Width and depth of cab:
	106 and 133 cm
Width of door: 82 cm	0

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	,	Height of reception desk: 105 cm
Cafeteria	Ground floor		Height of bar: 90-150 cm Height of table: 74 cm Height beneath table: 68 cm Width beneath table: 130 cm Depth beneath table: 90 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of table: 76 cm Height beneath table: 72 cm Width beneath table: 51 cm Depth beneath table: 70 cm
Parking	Basement -1	Accessible via lift	There is 1 parking space for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)

★★★★ 4 STAR HOTELS



ACCESSIBILITY - VISUALLY IMPAIRED -

Signs				
Signs the same size: yes , average height of 165 cm and a font size				
of ≥ 1.5 cm				
Lettering in a colour which	Text and symbols: not in relief			
contrasts with the background: yes	s: and not in Braille			
Main stairs	•			
Edge of stairs marked with a	Side protection skirting board of			
non-slip strip in a contrasting	≥ 12 cm on both sides: yes			
colour: no	•			
Steps have a riser: yes	All steps are the same height: yes			
Steps have nosing: yes	•			
The space under the stairs is	Handrail on either side: yes			
blocked off: yes	•			
Continuous handrails on	Handrail extends at top and bottom			
half-landings: yes	of stairs: no			
Strip of surface of a different texture and contrasting colour at the top				
and bottom of the stairs: no				
Lifts				
Cab with audio signals: no	Control buttons in contrasting			
	colour: yes			
Keypad with numbers in relief:	Keypad with numbers in Braille:			
yes	yes			
·	·			







AC ATOCHA HOTEL

Calle Delicias, 42 28045 Madrid

Telephone: 91 506 22 21 Fax: 91 506 22 22

Web: www.hotelacatocha.com

Metro with lift: Atocha Renfe

Bus: 19 and 27



- The entrance to the hotel is level with the street. It has a clearance width of 2.00 m.
- The main entranceway has a central **15 cm** high step followed by a non-accessible revolving glass door. The clearance width is **1.30 m**. There is a control to stop and reduce the speed of the revolving door both inside and outside at a height of **1 m**.
- On either side of the revolving door are two PRM accessible doors. They can be reached via a 1 m wide ramp with a 6.9% incline. These are single, manual, outward opening glass doors with a clearance width of 1 m. They are marked with double horizontal stripes but not in contrasting colours.
- The door has a video intercom located at a height of **1.20 m**. Video intercom is operated using a single button but is not accessible via the alternative PRM entranceway.
- Doormats are securely affixed to the floor in front of the alternative doors as well as within the revolving door.
- There is an accessible route that takes guests straight to the reception and help desk.







ACCESSIBILITY - HEARING IMPAIRED

Room	
Internet connection: yes	Written information on available
	services: yes
TV which communicates with	TV has alarm clock with visual alert:
reception: no	no
Bedside plug socket: yes	Entrance door with peephole: no
Light signals to indicate a knock	Emergency alarms with visual
at the door: no	alerts: no
Communal WCs	
Door lock with visual aid to indicate	Cubicle doors with a gap
either free or occupied: no	underneath to see if there is
	someone inside: no
Lifts	
Visual signs indicating the floor	Emergency button with a light to
and direction of movement, both	show that the emergency call has
inside and outside the cab: yes	been received: yes
Emergency system	
Emergency alarm systems with visu	ual alerts: no



ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (D116)	Number of adapted rooms: 1
On the 1st floor, accessible via lift	Width of door: 74 cm
Clear turning circle inside	: Height of climate control: 130 cm
(diameter): Ø 150 cm	•
Height of bed: 52 cm	Space for access to the bed: right hand side ≥ 120 cm left hand side 76 cm
Wardrobe doors: none	Height of hanger rail: 190 cm – with long sleeve hangers available from reception
Min. and max. height of wardrobe s	helves and drawers: 50 cm and 160 cm
Bathroom in adapted room	
Door: Sliding door with a width of	Clear turning circle inside
93 cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 44 cm	Height of flush mechanism: 78 cm
Approach area: right hand side 120 cm, front 83 cm	Folding grab bar on the right hand side: 78 cm
Fixed horizontal grab bar on the left hand side: 79 cm	Distance between bars: 66 cm

164 <u>MADRID FOR ALL</u> <u>ACCESSIBLE TOURISM GUIDE</u> 165











Basin:			
Height and clearance beneath the basin: 72 cm and 50 cm	•		
Height of the lower edge of the mirror: 115 cm	Min. and max. height of bathroom fittings: 86 cm		
Shower:	0		
78 cm and 177 cm	Shower base: level with the floor		
Shower floor: non-slip	Shower chair or seat: no, but detachable 43 cm stool		
Height and location of horizontal grab bar: 75 cm on the same wall as the tap and on wall next to tap	Height and location of vertical grab bar: none		
Tap: mixer tap easy to use	Height of the tap: 90 cm		
Adjustable height shower head: 90 - 100 cm	Shower screen: none		
Adapted toilets in communal areas	Total number of adapted toilets: 1		
Location: next to restaurant	Basement - accessible via lift		
and buffet	a decessible via int		
Bathroom door: no door	Cubicle door: inward opening with a width of 84 cm		
Clear turning circle inside (diamete	r): Ø 150 cm		
Toilet			
Seat height: 44 cm	Height of flush mechanism: 77 cm		
Approach area: right hand side 60 cm and front 90 cm	Folding grab bar on the right hand side: none		
Folding grab bar on the left hand si	de: 70 and 84 cm		
Basin			
Height and clearance beneath the basin: 70 cm and 50 cm	Tap: mixer tap easy to use		
Height of the lower edge of the mirror: 100 cm	Min. and max. height of bathroom fittings: 130 cm		
Lifts	Total number of lifts: 3 – with similar characteristics, 2 in the Delicias building, 1 in the Laci building		
Floors served: all floors	Accessible up to the door		
Height of call buttons: 96 cm and 102 cm	Width of door: 80 cm		
Width and depth of cab: 105 and 136 cm	Min. and max. height of the call buttons: 90 cm and 120 cm		
Height of handrail: 94 cm	Mirror opposite the door: yes		

Other amenities	Location	Access	Main characteristics
Reception	Ground floor		Height of reception desk:
Cafeteria lobby	Ground floor,	Accessible	Height of bar: 110 cm Height of table: 56 cm Height beneath table 55 cm Width beneath table: 70 cm - diameter Depth beneath table: 34 cm
Restaurant / Breakfast buffet	Basement	Accessible via lift	Height of buffet bar: 87 cm Height of table: 74 cm Height beneath table 70 cm Width beneath table: 75 cm Depth beneath table: 34 cm
Meeting rooms (2)	Basement	Accessible via lift	Furniture depends on the event
Gym	Basement -1 Laci building		No specially adapted changing rooms or toilets. A single standard changing cubicle
Parking	Basement floors -1, -2 and -3	Accessible via lift from the Delicias building	There are 5 parking spaces reserved for people with reduced mobility (PRM), indicated by the disabled parking sign (ISA). The reserved parking spaces have a lateral approach area of 120 cm



167





ACCESSIBILITY - VISUALLY IMPAIRED

:Information about hotel services
available in Braille: no and in large
print: no
TV remote control with large
numbers: yes and in contrasting
colours: yes
Audible signals to indicate
emergency alarm: yes
height of 175 cm and a font size of
•
Text and symbols: not in relief and
not in Braille
•
Side protection skirting board of
:: > 12 cm on both sides: yes
•
•
: All steps are the same height: yes
Handrail on either side: yes , just
on one side
Handrail extends past the top and
bottom of stairs: no
gly coloured strip at the top and bottom
•
Control buttons in contrasting
colours: yes
Keypad with numbers in Braille: yes
e and contrasting colour at entrance
e and contrasting colour at entrance
e and contrasting colour at entrance

Audible alarm system in place in case of emergency: yes











AC CARLTON MADRID HOTEL

Paseo de las Delicias, 26 28045, Madrid

Telephone: 91 539 71 00 Fax: 91 527 85 10

Web: www.hotelaccarltonmadrid.com

Metro with lift: Atocha Renfe

Bus: 19 and 2

ACCESO

- The entrance to the hotel is level with the street in the form of a ramp with a **6.9%** incline and a clearance width of **2 m**.
- The main entranceway has a **13 cm** step. There is a revolving glass main door with a clearance width of **1.50 m**. Within the revolving door is a doormat securely affixed to the floor.
- The alternative entranceway is located along the main façade and doubles as the emergency exit. As the road is on a slight incline, there is a ramp to access it. To open the door, a video intercom must be used and this is located in the non-accessible main entrance, requires a single button to be pressed, and is located at a height of 1.24 m. The double, outward opening manual glass door has a clearance width of 65 cm per door.
- The ramp to the alternative door is feasible, measuring 1.55 m in length with a 12.2% incline. It has a clearance width of 2.55 m but has no handrail. Neither ends of the ramp have a distinctively textured and contrastingly coloured strip to warn of the change in gradient.
- There is an accessible route that takes guests straight to the reception and help desk via the alternative entranceway, but via the main door, guest must first navigate three **18 cm** steps.









Madrid



ACCESSIBILITY - HEARING IMPAIRED

Room	0 0	
	Written information on available services: yes	
	TV has alarm clock with visual alert: no	
Bedside plug socket: yes	Entrance door with peephole: no	
	Emergency alarms with visual alerts: no	
Communal WCs	0 0	
	Cubicle doors with a gap underneath to see if there is someone inside: no	
Lifts	•	
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no	
Emergency system		
Emergency alarm systems with visual alerts: no		



ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room	Number of adapted rooms: 3		
On the 1st floor, accessible via lift	Width of door: 90 cm		
Clear turning circle inside	Height of climate control: 160 cm		
(diameter): Ø 150 cm	•		
Height of bed: 50 cm	Space for access to the bed: right hand side 130 cm left hand side 110 cm		
Wardrobe doors: easy to open sliding doors with a knob	Height of hanger rail: 190 cm – with long sleeve hangers		
Min. and max. height of wardrobe shelves and drawers: 30 cm and			
80 cm			
Bathroom in adapted room			
Door: Sliding door with a width of 97 cm	Clear turning circle inside (diameter): Ø 150 cm		
Toilet:	0		
Seat height: 40 cm	Height of flush mechanism: 75 cm		
Approach area: left hand side	Fixed horizontal grab bar on the right		
60 cm , front 160 cm	hand side: 80 cm		
Folding grab bar on the left hand side: 73 - 88 cm	Distance between bars: 55 cm		

Basin:	
Height and clearance beneath the	Tap: mixer tap easy to use
basin: 79 cm and 43 cm	0 0 0
Height of the lower edge of the	Min. and max. height of bathroom
mirror: 85 cm	fittings: 67 cm and 85 cm
Shower:	•
Width and depth of approach area:	Shower base: level with the floor
80 cm and 150 cm	• •
Shower floor: non-slip	Shower chair or seat: fixed and
	folding seats
Height and location of horizontal	Height and location of vertical grab
grab bar: 78 cm on the same wall	bar: none
as the tap	•
Tap: mixer tap easy to use	Height of the tap: 120 cm on the wall
	perpendicular to the fixed seat
Adjustable height shower head:	Shower screen: sliding
120 - 210 cm	• •
Adapted toilets in communal	Total number of adapted toilets: 1
areas	0 0
Location: next to reception	Ground floor - accessible
Bathroom door: no door, clearance	Cubicle door: inward opening with a
width of 113 cm	width of 80 cm
Clear turning circle inside (diameter)): Ø 150 cm
Toilet	
Seat height: 40 cm	Height of flush mechanism: 74 cm
Approach area: left hand side	Folding grab bar on the right hand
120 cm and front 80 cm	side: none
Folding grab bar on the left hand sid	le: 54 - 71 cm
Basin	
Height and clearance beneath	Tap: mixer tap easy to use
the basin: 70 cm and 54 cm	* * * * * * * * * * * * * * * * * * *
Height of the lower edge of the	Min. and max. height of bathroom
mirror: 110 cm	fittings: 107 cm
Lifts	Total number of lifts: 2 – with the
	same characteristics
Floors served: all floors except	Accessible up to the door
basement -1	NACAUL of door 00
Height of call buttons: 107 cm	Width of door: 69 cm
Width and depth of cab:	Min. and max. height of the call
84 and 94 cm	buttons: 120 cm and 142 cm
Height of handrail: none	Mirror opposite the door: yes









Other amenities	Location	Access	: Main characteristics
Reception	Ground floor	Accessible	Height of reception desk:
Cafeteria	Ground floor, lobby	Accessible	Height of bar: 111 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 87 cm Height of table: 77 cm Height beneath table 73 cm Width beneath table: 75 cm Depth beneath table: 33 cm
Meeting rooms (4)	Ground floor (2), mezzanine (1), basement -1 (1)	except the	Height of table: 77 cm Height beneath table 73 cm Width beneath table: 75 cm Depth beneath table: 33 cm
Gym	8th floor	Not accessible – eighth floor only accessible from 7th floor via	No specially adapted changing rooms or toilets







ACCESSIBILITY - VISUALLY IMPAIRED -

Bedrooms	
Colour of door contrasts with adjacent walls: yes	Information about hotel services available in Braille: no and in large print: no
Room lighting with dimmer switch: no	TV remote control with large numbers: yes and in contrasting colours: yes
Room free of projecting elements: yes	
Signs Signs	
Signs the same size: yes , average 3 cm	height of 165 cm and a font size of
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille
Main stairs	•
Edge of stairs marked with a non-slip strip in a contrasting colour	Side protection skirting board of : 12 cm on both sides: yes
no	•
Steps have a riser: yes	All steps are the same height: yes
Steps have nosing: yes yes – from floor although it is carpeted, secure	floors 1-8 but not from reception to 1st ly affixed and in good condition
The space under the stairs is blocked off: yes	Handrail on either side: yes , just on one side
Continuous handrails on half-landings: yes	Handrail extends past the top and bottom of stairs: no
	gly coloured strip at the top and bottom
Lift	•
Cab with audio signals: no	Control buttons in contrasting colours: yes
Keypad with numbers in relief: no	Keypad with numbers in Braille: no
	e and contrasting colour at entrance
Emergency System	
Audible alarm system in place in ca	ase of emergency: yes











AC CUZCO HOTEL

Paseo de la Castellana, 133 Paseo de la Ca 28046 Madrid

Telephone: 91 556 06 00 **Fax:** 91 556 03 72

Web: www.ac-hoteles.com

Metro without lift: Cuzco

Bus: 5, 127 and 134

ACCESS

- The main entrance is accessible and and has a level surface.
- The automatic revolving glass door has an opening of 1 m.
- There are 2 alternative glass swing doors, both of which are > 90 cm wide, next to the revolving door.



ACCESSIBILITY - HEARING IMPAIRED

Room	• 0 0	
	TV which communicates with reception: no	
, , , , , , , , , , , , , , , , , , , ,	TV has alarm clock with visual alert: no	
Bedside plug socket: yes	Entrance door with peephole: no	
Written information on available	Light signals to indicate a knock	
services: yes	at the door: no	
Communal WCs	0	
	Cubicle doors with a gap underneath to see if there is someone inside: no	
Lifts	0 0 a	
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no	
Emergency system		
Emergency alarm systems with visual alerts: no		



ACCESSIBILITY – PHYSICALLY DISABLED -

Adapted room (202)	No. of adapted rooms: 7
On 2 nd floor , accessible via lift	Width of door: 79 cm
Clear turning circle inside	Height of climate control: 175 cm
(diameter): Ø 150 cm	0
Height of bed: 50 cm	Space for access to the bed: right
	and left hand side > 90 cm
Wardrobe doors: sliding,	Height of hanger rail: 130 cm
difficult to open	
Height of wardrobe shelves and dra	awers: 32 cm
Bathroom in adapted room	
Door: inward opening with	Clear turning circle inside
a width of 80 cm	(diameter): Ø 150 cm
Toilet:	
Seat height: 40 cm	Height of flush mechanism: 78 cm
Approach area: neither ≥ 80 cm	No grab bars
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 62 cm and 31 cm	•
Height of the lower edge	Height of bathroom fittings: 120 cm
of the mirror: 92 cm	•
Bath:	
Height of bath: 43 cm	Height and location of horizontal
	grab bar: 70-75 cm
Transfer platform: there is none	Has no vertical grab bar
Mixer tap at a height of 100 cm	Shower head at 100 cm.
on long wall	Not adjustable.
Adapted bathroom	Number of adapted toilets: 2
in communal areas	
Floors 1 and -1, accessible via lift	Door: indoor opening with a width of
Clear turning single incide (diamete	:85 cm
Clear turning circle inside (diamete	r): @ 150 cm
	Height of flush machanism; 70 cm
Seat height: 41 cm Approach area: left hand side	Height of flush mechanism: 78 cm No grab bars
and front 140 cm	ino grab bars
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 49 cm and 25 cm	rap. Illi xer tap
Height of the lower edge	Height of bathroom fittings: 74 cm
of the mirror: 90 cm	•
Lifts	•
Accessible up to the door	Height of call buttons: 105 cm
Width of door: 80 cm	Width and depth of cab:
	80 and 148 cm
Height of lift buttons: 80-140 cm	•





ACCOMMODATION



Other	Location	Access	: Main
amenities	•		characteristics
Reception	Ground floor	Accessible	Height of reception desk: 110 cm
Cafeteria	Ground floor	Not accessible, route includes 4 steps	Height of bar: 110 cm Height of table: 74 cm Height beneath table: 70 cm Width beneath table: 76 cm Depth beneath table: 90 cm
Meeting rooms (13)	First floor and basement -1	Accesible via lift	Height of table: 73 cm Height beneath table: 63 cm Width beneath table: 157 cm Depth beneath table: 50 cm
Parking	Outdoor Basement -2	Accessible	Outside, there is 1 parking space for people with limited mobility (PRM), indicated by the disabled parking sign (ISA). Inside, there are no parking spaces for people with limited mobility (PRM)



176

ACCESSIBILITY - VISUALLY IMPAIRED

Signs		
Signs the same size: yes , average height of 145-180 cm and a font size of ≥ 1.5 cm		
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille	
Main stairs		
Edge of stairs marked with a non-slip strip in a contrasting colour: no	Side protection skirting board of ≥ 12 cm on both sides: no	
Steps have a riser: yes Steps have nosing: yes	All steps are the same height: yes	
The space under the stairs is blocked off: no	Handrail on either side: no	
	Handrail extends at top and bottom of stairs: no	
Strip of surface of a different texture and bottom of the stairs: no	e and contrasting colour at the top	
Lifts		
Cab with audio signals: no	Control buttons in contrasting colour: yes	
Keypad with numbers in relief: ves	Keypad with numbers in Braille:	









† 4 STAR HOTELS



AC LOS VASCOS HOTEL

Calle de Los Vascos, 27 28040 Madrid

Telephone: 91 598 62 20 Fax: 91 598 62 21

Web: www.ac-hoteles.com

Metro with lift: Guzmán el Bueno

Bus: 44, 45 and 127

ACCESS

- The main entrance has a ramp **2** m long, with a non-recommended incline of **16%**, which avoids having to negotiate one step. There is no handrail.
- The automatic sliding glass door is **1.31 m** wide. It is not marked with horizontal strips or a logo in a contrasting colour.



ACCESSIBILITY - HEARING IMPAIRED

Room	0 0
· · · · · · · · · · · · · · · · · · ·	TV which communicates with reception: no
-	TV has alarm clock with visual alert:
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available services: yes	Light signals to indicate a knock at the door: no
Communal WCs	•
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	•
and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no
Emergency system	•
Emergency alarm systems with visi	åal alerts: no











ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (271)	No. of adapted rooms: 3
On 2 nd floor , accessible via lift	Width of door: 79 cm
Clear turning circle inside	Height of climate control: 151 cm
(diameter): Ø 150 cm	
Height of bed: 55 cm	Space for access to the bed: right
S .	and left hand side > 90 cm
Wardrobe doors: sliding, with	Height of hanger rail: 166 cm
knob, difficult to open	
Height of wardrobe shelves and dra	awers: 53-166 cm
Bathroom in adapted room	
Door: inward opening with	Clear turning circle inside
a width of 77 cm	(diameter): Ø 150 cm
Toilet:	0
Seat height: 42 cm	Height of flush mechanism: 80 cm
Approach area: side 70 cm	Folding grab bar on approach side
Fixed grab bar on opposite side	Distance between bars: 97 cm
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: side 77 cm and 24 cm	•
Height of the lower edge	Height of bathroom fittings: 124 cm
of the mirror: 97 cm	in organism seems governous
Bath:	0 0
Height of bath: 52 cm	Height and location of horizontal
3	grab bar: 71 cm
Transfer platform: there is none	Has no vertical grab bar
Mixer tap at a height of 96 cm	•
Adapted bathroom	Number of adapted toilets: 1
in communal areas	•
On floor -1, accessible via lift	Door: indoor opening with a width of
,	77 cm
Clear turning circle inside (diamete	
Toilet:	*
Seat height: 41 cm	Height of flush mechanism: 78 cm
Approach area: side ≥ 80 cm	Folding grab bar on approach side
Basin:	
Height and clearance beneath	Tap: mixer tap
the basin: 70 cm and 35 cm	•
Height of the lower edge	Height of bathroom fittings: 124 cm
of the mirror: 88 cm	
Lifts	•
Accessible up to the door	Width and depth of cab:
	140 and 108 cm
Width of door: 80 cm	0

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 113 cm
Cafeteria	Ground floor	Accessible	Height of table: 61 cm Height beneath table: 55 cm Width beneath table: 39 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of table: 74 cm Height beneath table: 69 cm Width beneath table: 80 cm
Parking	Basement -1	Accessible	There are no parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)



ACCESSIBILITY - VISUALLY IMPAIRED -----

Signs			
Signs the same size: yes, average height of 103-166 cm and a font size			
of ≥ 1.5 cm			
Lettering in a colour which	Text and symbols: not in relief		
contrasts with the background: yes	and not in Braille		
Main stairs	•		
Edge of stairs marked with a	Side protection skirting board of		
non-slip strip in a contrasting	≥ 12 cm on both sides: no		
colour: no			
Steps have a riser: yes	All steps are the same height: yes		
Steps have nosing: yes	•		
The space under the stairs is	Handrail on either side: yes		
blocked off: yes	•		
Continuous handrails on	Handrail extends at top and bottom		
half-landings: yes	of stairs: no		
Strip of surface of a different texture and contrasting colour at the top			
and bottom of the stairs: no			
Lifts	•		
Cab with audio signals: yes	Control buttons in contrasting		
	colour: yes		
Keypad with numbers in relief:	Keypad with numbers in Braille:		
yes	yes		

178











AC Madrid Feria



AC MADRID FERIA

AC MADRID FERIA HOTEL

Vía de los Poblados, 3 28033 Madrid

Telephone: 91 382 47 81 Fax: 91 382 47 82

Web: www.ac-hoteles.com

Metro with lift: San Lorenzo

Bus: T-11



- The main entrance is accessible and and has a level surface.
- The main automatic revolving glass door has an opening of **1.40 m**.
- There are 2 alternative glass swing doors next to the revolving door, both of which are ≥ 90 cm wide.
- They are marked with the hotel's logo in a contrasting colour.



ACCESSIBILITY - HEARING IMPAIRED

Room	0 0 0
	TV which communicates with reception: no
,	TV has alarm clock with visual alert:
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available services: yes	Light signals to indicate a knock at the door: no
Communal WCs	• •
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	•
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visi	ual alerts: no



ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 217)	No. of adapted rooms: 2
On 2 nd floor , accessible via lift.	Width of door: 77 cm
Clear turning circle inside	Height of climate control: 150 cm
(diameter): Ø 150 cm	•
Height of bed: 58 cm	Space for access to the bed: right
C .	hand side 130 cm
Wardrobe doors: Easy to open	Height of hanger rail: 190 cm
Height of wardrobe shelves and dra	awers: 120 cm
Bathroom in adapted room	
Door: opens both ways with	Clear turning circle inside
a width of 77 cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 40 cm	Height of flush mechanism: 78 cm
Approach area: right hand side	Folding grab bar on the right hand
165 cm	side: 82 cm
Fixed grab bar on the left hand	Distance between the bars: 80 cm
side: 82 cm	•
Basin:	•
Height and clearance beneath the	Tap: mixer tap
basin: 79 cm and 58 cm	•
Height of the lower edge	Height of bathroom fittings: 80 cm
of the mirror: 100 cm	•
Shower:	•
Width of approach to shower:	Shower base: level with floor
150 cm	•
Shower floor: non-slip	Shower stool: fixed and folding
Height of horizontal grab bar:	Height of vertical grab bar:
80 cm	80-120 cm
Tap: mixer tap	Height of tap: 110 cm
Adjustable shower-head height: ye	s
Adapted bathroom	Number of adapted toilets: 1
in communal areas	•
On ground floor, accessible	Door: width of 77 cm
Clear turning circle inside (diamete	r): Ø 150 cm
Toilet:	•
Seat height: 40 cm	Height of flush mechanism: 79 cm
Approach area: left hand side	Folding grab bar on right hand side:
200 cm, front 140 cm	84 cm
Fixed grab bar on left hand side:	Distance between bars: 80 cm
84 cm	•
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 79 cm and 56 cm	•
Height of the lower edge	Height of bathroom fittings:
of the mirror: 100 cm	110 cm









Lifts	
Accessible up to the door	Height of call buttons: 100 cm
Width of door: 80 cm	Width and depth of cab:
	108 and 140 cm
Height of lift buttons: 90-120 cm	There is no handrail

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk:
Cafeteria	Ground floor	Accessible	Height of bar: 113 cm Height of table: 56 cm Height beneath table: 47 cm Width beneath table: 70 cm Depth beneath table: 70 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 92 and 73 cm Height of table: 75 cm Height beneath table: 70 cm Width beneath table: 75 cm Depth beneath table: 90 cm
Meeting rooms (6)	Ground floor	Accessible	Height of table: 73 cm Height beneath table: 70 cm Width beneath table: 240 cm Depth beneath table: 150 cm
Gym	Basement -1	Accessible via lift	There are no toilets or changing rooms
Parking	Basement -1	Accessible via lift	There is 3 parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA). Parking spaces have a width of 3.35 m and a length of 4.60 m



ACCESSIBILITY - VISUALLY IMPAIRED -

Signs			
Signs the same size: yes , average height of 150-175 cm and a font size of ≥ 1.5 cm			
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille		
Main stairs	0		
Edge of stairs marked with a non-slip strip in a contrasting colour: no	Side protection skirting board of ≥ 12 cm on both sides: yes		
Steps have a riser: yes Steps have nosing: no	All steps are the same height: yes		
The space under the stairs is blocked off: yes	Handrail on either side: yes		
Continuous handrails on half-landings: yes	Handrail extends at top and bottom of stairs: no		
Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no			
Lifts	•		
Cab with audio signals: yes	Control buttons in contrasting colour: no		
Keypad with numbers in relief: yes	Keypad with numbers in Braille: no		







Monte Real





HOTEL AC MONTE REAL

Calle de Arroyo del Fresno, 17 28035 Madrid

Telephone: 91 736 52 73 Fax: 91 736 52 74

Web: www.ac-hotels.com

Metro without lift: Fuencarral

Bus: 83 and 133

ACCESS

- Access from the street is on a very steep slope.
- The main entranceway has a set of ten 19 cm steps as well as an alternative ramp, which is divided into three separate lengths with two landings.
- The ramp has a width of **1.60 m** and has an overall length of **12 m**; and between a **7%** and a **14%** incline. There is a handrail at a height of **90 cm**. Neither ends of the ramp have a distinctively textured and contrastingly coloured strip.



ACCESSIBILITY - HEARING IMPAIRED

	•
Room	•
,	TV which communicates with
	reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert:
	no
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock at
services: yes	the door: no
Communal WCs	•
Door lock with visual aid to indicate	Cubicle doors with a gap
either free or occupied: no	underneath to see if there is
	someone inside: no
Lifts	0
Visual signs indicating the floor	Emergency button with a light to
and direction of movement, both	show that the emergency call has
inside and outside the cab: yes	been received: no
Emergency system	•
Emergency alarm systems with visi	ual alerts: no



ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 213)	Number of adapted rooms: 2
On the 2nd floor, feasible using a stair lift to get to the lift	Width of door: 76 cm
Clear turning circle inside (diameter): Ø 150 cm	Height of climate control: 160 cm
Height of bed: 55 cm	Space for access to the bed: right hand side > 90 cm
Height of hanger rail: 185 cm	•
Bathroom in adapted room	
Clear turning circle inside (diamete	r): Ø 150 cm
Toilet:	
Seat height: 42 cm	Height of flush mechanism: 74 cm
Approach area from both sides: 70 cm and 86 cm	Folding grab bar on the right hand side: 64 - 82 cm
Folding grab bar on the left hand side: 64 - 82 cm	Distance between bars: 78 cm
Basin:	
Height and clearance beneath the basin: 76 cm and 45 cm	Tap: mixer tap easy to use
Height of the lower edge of the mirror: 125 cm	Height of bathroom fittings: 55 – 85 cm
Shower:	
Shower floor: non-slip	Shower base: level with floor
Height of tap: 110 cm on accessible wall	Shower chair or seat: fixed and folding seats
Tap: mixer tap easy to use	No grab bars
Adapted toilets in communal areas	Total number of adapted toilets: 1
On mezzanine floor, feasible via two sets of stair lifts	Door width: 89 cm
Clear turning circle inside (diameter):	Ø 150 cm
Toilet:	
Seat height: 42 cm	Height of flush mechanism: 73 cm
Approach area: right hand side ≥ 80 cm	Folding grab bar on the right hand side: 64 – 84 cm
Folding grab bar on the left hand si	ide: none
Basin:	
Height and clearance beneath the basin: 74 cm and 40 cm	Tap: mixer tap
No mirror	Height of bathroom fittings: 110 - 120 cm









Total number of lifts: 2 Accessible via stair lifts to Height of handrail: 90 cm navigate the three steps
Width of door: 81 cm Width and depth of cab: 95 and 137 cm

Other amenities	Location	Access	Main characteristics
Reception (located in a room with one entrance and one exit)	Mezzanine	Feasible via stair lift to navigate the three steps	Width of the doors: 77 cm Height of reception desk: 114 cm
Cafeteria	Mezzanine	Feasible via stair lift to navigate the three steps	Height of table: 55 cm
Restaurant / Breakfast buffet	Mezzanine	Feasible via 2 stair lifts to navigate the two sets of steps	Height of buffet bar: 96 cm Height of table: 74 cm Height beneath table 70 cm Width beneath table: 90 cm Depth beneath table: 34 cm Tables with a central leg
Meeting Rooms (5)	Mezzanine	2 stair lifts to	Height of table: 73 cm Height beneath table 71 cm Width beneath table: 180 cm Depth beneath table: 180 cm
Spa and Gym	Basement level -1	Not accessible as there are stairs	No hoist to get into the pool. No specially adapted changing rooms or toilets
Parking	Basement level -1	Accessible via lift, stair lift and via a 7.2 m long ramp with an unsuitable incline of 19.4%	There are 3 parking spaces for people with reduced mobility (PRM), indicated by the disabled parking sign (ISA)





Signs			
Signs the same size: yes , with an average height of 165 - 192 cm and a			
font size of ≥ 1.5 cm			
Lettering in a colour which	Text and symbols: not in relief and		
contrasts with the background: yes			
Main stairs	, not in Braine		
	a with the meeting rooms, restaurant		
and communal toilets	a with the meeting rooms, restaurant		
	lin [®] Cide must stien shiuting be and of		
Edge of stairs marked with a non-sl			
strip in a contrasting colour: no	≥ 12 cm on both sides: no		
Steps have a riser: yes	All steps are the same height: yes		
Steps have nosing: no	•		
The space under the stairs is	Handrail on either side: yes		
blocked off: none	•		
Continuous handrails on	Handrail extends past top and		
half-landings: yes	bottom of stairs: no		
	ngly coloured strip at top and bottom of		
stairs: no			
Stairway 2. Linking the cafeteria	a with the upper floors		
Edge of stairs marked with a non-sl	ip Side protection skirting board of		
strip in a contrasting colour: no	≥ 12 cm on both sides: no		
Steps have a riser: yes	All steps are the same height: yes		
Steps have nosing: yes			
The space under the stairs is	Handrail on either side: yes		
blocked off: none	•		
Continuous handrails on	Handrail extends past top and		
half-landings: yes	bottom of stairs: no		
Distinctively textured and contrastir	ngly coloured strip at top and bottom of		
stairs: no	.g.y coloured carp at top and bottom of		
Stairway 3. Linking the reception	on with the parking area		
Edge of stairs marked with a non-sl			
strip in a contrasting colour: no	≥ 12 cm on both sides: no		
Steps have a riser: yes	All steps are the same height: yes		
Steps have nosing: no	the otopo are the same neight. yes		
The space under the stairs is	Handrail on either side: yes		
blocked off: none	i idildidii Oli Gililgi Side. yes		
Continuous handrails on	Handrail extends past top and		
half-landings: yes	bottom of stairs: no		
	ngly coloured strip at top and bottom of		
•	igly coloured strip at top and bottom of		
stairs: no			
Lifts	Karmad with month on to Decille		
Cab with audio signals: no	Keypad with numbers in Braille: no		
Keypad with numbers in relief: ye	S •		













Calle de Record 28001 Madrid Calle de Recoletos, 18

Telephone: 91 436 13 82 Fax: 91 436 13 83

Web: www.ac-hoteles.com

Metro without lift: Banco de España and Retiro

Bus: 2, 51, 74 and 202

ACCESS

- The main entrance is accessible and and has a level surface.
- There are double, sliding glass doors with an opening of **1.60 m**.
- Both panes are marked with both horizontal strips and the logo of the hotel, but not in a contrasting colour.
- A doormat is fixed to the floor in front of the door.

ACCESSIBILITY - HEARING IMPAIRED

Room	o o
	TV which communicates with reception: no
•	TV has alarm clock with visual alert: yes
Bedside plug socket: yes	Entrance door with peephole: no
	Light signals to indicate a knock at the door: no
Communal WCs	
	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	0
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visu	ual alerts: no



ACCESSIBILITY - PHYSICALLY DISABLED —

Adapted room (No. 315)	No. of adapted rooms: 2
On 3 rd floor, accessible via lift	Width of door: 77 cm
Clear turning circle inside	Height of climate control: 150 cm
(diameter): Ø 150 cm	•
Height of bed: 55 cm	Space for access to the bed: right
	hand side 40 cm , left hand side
	140 cm
Wardrobe doors: Sliding,	: Height of hanger rail: 190 cm
difficult to open	o 6
Height of wardrobe shelves and dra	awers: 40 cm
Bathroom in adapted room	
Door: opens both ways with	Clear turning circle inside
a width of 80 cm	(diameter): Ø 150 cm
Toilet:	
Seat height: 40 cm	Height of flush mechanism: 78 cm
Approach area: right hand side	No grab bars
130 cm, front 98 cm	•
Basin:	0 0
Height and clearance beneath	Tap: mixer tap
the basin: 62 cm and 55 cm	•
Height of the lower edge	Height of bathroom fittings: 80 cm
of the mirror: 100 cm	•
Shower:	
Width of approach to shower:	Shower base: a 6 cm step
140 cm	• •
Shower floor: non-slip	Shower stool: mobile
Height of horizontal grab bar:	Has a vertical grab bar which is
83 cm, on wall next to tap	used for adjusting the height of the
T	shower head
Tap: mixer tap	Height of tap: 60-160 cm on
A divistable aboves beard baimble	accessible wall
Adjustable shower-head height:	Has a folding shower screen
yes	Number of adopted toilete.
Adapted bathroom	Number of adapted toilets: 2
in communal areas	Door inward aparing width
On ground floor and in reception	Door: inward opening, width of 73 cm
rooms, accessible	
Clear turning circle inside (diamete	1). ש 150 CIII
	Hoight of flush machanism: 00 am
Seat height: 45 cm Approach area: right hand side	Height of flush mechanism: 98 cm Folding grab bar on right hand side:
40 cm , left hand side 50 cm ,	*70-86 cm
front 150 cm	: 10-00 CIII
Folding grab bar on left hand side:	Distance hetween hars: 71 cm
70-86 cm	Distance between bars. 7 1 CIII
7 U-UU CIII	<u> </u>







Other	Location	Access	Main
amenities	•		characteristics
Reception	Ground floor	Accessible	Height of reception desk: 112 cm
Snack Bar	Ground floor	Not accessible, route includes 4 steps	Height of bar: 106 cm Height of table: 56 cm Height beneath table: 54 cm Width beneath table: 70 cm Depth beneath table: 32 cm
Breakfast buffet	First floor	Accessible	Height of buffet bar: 80-90 cm Height of table: 74 cm Height beneath table: 70 cm Width beneath table: 75 cm Depth beneath table: 44 cm
Meeting rooms (1)	Basement -1	Accessible via lift	Height of table: 72 cm Height beneath table: 68 cm Width beneath table: 180 cm Depth beneath table: 50 cm
Gym	Basement -1	Accessible via lift	There are no specially adapted toilets or changing rooms
Parking	Basement -3	Accessible via lift	There is 1 parking space for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)







ACCESSIBILITY - VISUALLY IMPAIRED

Signs			
Signs the same size: yes , average height of 160-170 cm and a font size of ≥ 1.5 cm			
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille		
Main stairs	o o		
Edge of stairs marked with a non-slip strip in a contrasting colour: no	Side protection skirting board of ≥ 12 cm on both sides: no		
Steps have a riser: yes Steps have nosing: yes	All steps are the same height: yes		
The space under the stairs is blocked off: yes	Handrail on either side: yes		
Continuous handrails on half-landings: no	Handrail extends at top and bottom of stairs: no		
Strip of surface of a different texturand bottom of the stairs: no	e and contrasting colour at the top		
Lifts	• • •		
Cab with audio signals: no	Control buttons in contrasting colour: yes		
Keypad with numbers in relief: yes	Keypad with numbers in Braille: yes		





ADA PALACE HOTEL

Calle Gran Vía. 2 **28013**, Madrid

Telephone: 91 701 19 19

Fax: 91 521 82 83

Web: www.chh.es

Metro without lift: Gran Vía and Banco de España

Bus: 1, 2, 3, 5, 6, 9, 10, 14, 15, 19, 20 26, 27, 34, 44, 45, 46, 50, 54, 50, 50, 400 27, 34, 44, 45, 46, 50, 51, 52, 53, 133, 146, 147, 148, 203, M1 and M2

ACCESS

- The entranceway to the hotel is level with the street. It has a clearance width of 1.50 m.
- The main entranceway is not accessible due to the eleven 17 cm high steps. The entranceway and alternative accessible door is off Calle Reina, 19 with a 20 cm high ramp with a 21.2% incline.
- The alternative double doors are outward opening and are part glass. Each door has a clearance width of 60 cm. Neither door is marked with double horizontal stripes or the hotel logo in contrasting colours.
- The door has a video intercom at a height of 120 130 cm. The video intercom is operated using a single button.
- Behind the alternative door is a doormat that is securely affixed to the floor.
- Access to the help desk is not feasible due to the steps but in the main lobby next to the alternative entranceway, staff attends to quests at another counter.







ACCESSIBILITY - HEARING IMPAIRED

Room	• •
Internet connection: yes	TV which communicates with reception: yes
TV with teletext decoder: yes	TV has alarm clock with visual alert: yes
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: no	at the door: no
Communal WCs	•
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	0
Visual signs indicating the floor and direction of movement, both inside and outside the cab: no	Emergency button with a light to show that the emergency call has been received: yes
Emergency system	
Emergency alarm systems with vis	ual alerts: no



ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 602)	Number of adapted rooms: 1
On the 6th floor accessible via lift	Width of door: 74 cm
Clear turning circle inside	Height of climate control: 160 cm
(diameter): Ø 150 cm	and controlled from reception
Height of bed: 50 cm	Space for access to the bed: left hand side ≥ 120 cm
Wardrobe doors: swing door	Height of hanger rail: 178 cm
opening to 90° with doorknob	0
Min. and max. height of wardrobe and 60 cm	shelves and drawers: 20 cm
Bathroom in adapted room	0
Door: Sliding door with a width of	Clear turning circle inside
75 cm	(diameter): Ø 150 cm
Toilet:	0
Seat height: 40 cm	Height of flush mechanism: 78 cm
Approach area: right hand side	Folding grab bar on the right hand
70 cm , front 180 cm	side: 68 - 82 cm
Fixed horizontal grab bar on the left hand side: 81 cm	Distance between bars: 77 cm









Basin:	
Height and clearance beneath the	Tap: mixer tap easy to use
basin: 66 cm and 60 cm	•
Height of the lower edge of the	Min. and max. height of bathroom
mirror: 85 cm	fittings: 80 cm and 140 cm
Shower:	• Thurings: OU Cill aria 140 Cill
	Chawar basa with a 2 am stan
Width and depth of approach area:	Shower base. With a 2 cm step
98 cm and 120 cm	•
Shower floor: non-slip	Shower chair or seat: fixed
	and folding seats
Height and location of horizontal	Height and location of vertical grab
grab bar: 80 cm on wall to the side	bar: 80 - 130 cm on wall to the side
of the tap	of the tap
Tap: requires a twisting action of	Height of the tap: 130 cm on the
the wrist, difficult to use	same wall as the fixed seat
Non-adjustable height shower	Shower screen: outward opening
head: 130 cm	•
	made of glass
Adapted toilets in communal	Total number of adapted toilets: 1
areas	
Location: next to cafeteria and	On sixth floor – accessible via lift
restaurant	v 6 ^
Bathroom door: none	Cubicle door: inward opening door
	with a width of 75 cm
Clear turning circle inside (diameter	r): Ø 150 cm
Toilet	,
	Height of flush mechanism: 76 cm
Approach area: right hand side	Grab bar on the right hand side:
120 cm and frontal 112 cm	65 – 84 cm
	A
Folding grab bar on the left hand si	ue. none
Basin	• —
Height and clearance beneath	Tap: mixer tap easy to use
the basin: 71 cm and 37 cm	• •
Height of the lower edge of the	Min. and max. height of bathroom
mirror: 120 cm	fittings: 100 cm
Lifts	Total number of lifts: 4, each with
	similar characteristics. Two with a
	width of 70 cm , two with a width of
	80 cm
Floors comind, all floors covered	•
Floors served: all floors covered	Accessible up to the door from the
by lifts	alternative entranceway to the
	70 cm wide lift. The 80 cm wide lifts
	are not accessible from the ground
	floor level.
Height of call buttons: 100 cm	Width of door: 70 cm (2)
<u> </u>	and 80 cm (2)
Width and depth of cab: 80	Min. and max. height of the call
and 122 cm	buttons: 80 cm and 110 cm
Loight of bandrail: nana	Mirror apposite the deer no but

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	No alternative access given the steps and the size of the lifts	Height of reception desk: 110 cm
Cafeteria	6th floor	Accessible via lift	Height of bar: 110 cm Height of table: 68 cm Height beneath table 60 cm Width beneath table: 90 cm diameter
Restaurant / Breakfast buffet	6th floor	Accessible via lift	Height of buffet bar: 72 - 85 cm Height of table: 72 cm Height beneath table 71 cm Width beneath table: 90 cm Depth beneath table: 33 cm

Height of handrail: none

Mirror opposite the door: no, but there is one on the side wall





ACCESSIBILITY - VISUALLY IMPAIRED

Bedrooms		
Colour of door contrasts with	Information about hotel services	
adjacent walls: yes	available in Braille: no and in large	
	print: no	
Room lighting with dimmer switch:		
no	numbers: yes and in contrasting	
Doom from of projecting elements:	colours: yes	
Room free of projecting elements:	Audible signals to indicate emergency alarm: yes	
Signs	emergency alarm. yes	
	height of 170 cm and a font size of	
2 cm	noight of 110 oil and a font oile of	
Lettering in a colour which con-	Text and symbols: not in relief and	
trasts with the background: yes	not in Braille	
Main stairs	•	
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting colour		
no	only on one side	
Steps have a riser: yes		
Steps have nosing: no	All steps are the same height: yes	
The space under the stairs is	Handrail on either side: no ,	
blocked off: yes Continuous handrails on	just on one side Handrail extends past the top and	
half-landings: yes	bottom of stairs: no	
Distinctively textured and contrasting	gly coloured strip at the top and bottom	
of the stairs: no	gry coloured strip at the top and bottom	
Lifts	•	
Cab with audio signals: no	Control buttons in contrasting	
	colours: yes	
	Keypad with numbers in Braille: yes	
Strip of surface of a different texture and contrasting colour at entrance		
to lift: no		
Emergency System		

Audible alarm system in place in case of emergency: yes













Calle Juan de Austria, 5 28010 Madrid

AGORA JUAN DE AUSTRIA

Telephone: 91 448 00 14 Fax: 91 445 08 83

Web: www.hoteljuandeaustria.es

Metro without lift: Bilbao

Bus: 21

ACCESS

- The entrance to the hotel is level with the street with a 3.5% incline. It has a clearance width of 2 m.
- The main entranceway has three **15 cm** high steps with an alternative ramp located to the right of the doorway.
- The ramp is feasible, 3.40 m long with a 10.5 % incline. It has a clearance width of 1.16 m with a handrail on one side that extends past either end. Neither end of the ramp has a distinctively textured and contrastingly coloured strip to warn of the change in gradient.
- The main entrance comprises a revolving glass door, which is inaccessible due to the three steps but it has a clearance width of **90 cm**. There is a control to stop and reduce the speed of the revolving door both inside and outside at a height of **1 m**. On either side of the revolving door is a manually opened swing door.
- People with reduced mobility (PRM) enter through the alternative inward opening single glass doors. Each is **93 cm** wide. Neither door is marked with double horizontal stripes or the hotel logo in contrasting colours.
- There is neither a doorbell nor a video intercom.
- There is an accessible route that takes guests straight to the reception and help desk.





Basin:





Juan de Austria




ACCESSIBILITY - HEARING IMPAIRED

Room	•	
Internet connection: yes	Written information on available services: yes	
TV which communicates with reception: no	TV has alarm clock with visual alert:	
Bedside plug socket: yes	Entrance door with peephole: no	
Light signals to indicate a knock	Emergency alarms with visual	
at the door: no	alerts: no	
Communal WCs	•	
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no	
Lifts	•	
Visual signs indicating the floor and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: yes	
Emergency system		
Emergency alarm systems with visual alerts: no		



ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 203)	Number of adapted rooms: 1	
On the 2nd floor accessible via lift	Width of door: 77 cm	
Clear turning circle inside	Height of climate control: 160 cm	
(diameter): Ø 150 cm	•	
Height of bed: 50 cm	Space for access to the bed: left hand side ≥ 120 cm	
Wardrobe doors: easy to open	Height of hanger rail: 180 cm , with a	
sliding doors without handles	removable handle for the rail	
Min. and max. height of wardrobe s	shelves and drawers: 40 cm	
and 70 cm		
Bathroom in adapted room	•	
Door: Sliding door with a width	Clear turning circle inside (diameter):	
of 77 cm	Ø 150 cm	
Toilet:	•	
Seat height: 40 cm	Height of flush mechanism: 70 cm	
Approach area: right hand side	Folding grab bar on the right hand	
110 cm, front 110 cm	side: 57 - 77 cm	
Fixed horizontal grab bar on the left hand side: none		



Height and clearance beneath the basin: 73 cm and 50 cm	Tap: requires a twisting action of the wrist, difficult to use
Height of the lower edge of the mirror: 100 cm	Min. and max. height of bathroom fittings: 87 cm and 132 cm
Shower:	
Width and depth of approach area: 90 cm and 130 cm	Shower base: level with the floor
Shower floor: non-slip	Shower chair or seat: fixed and folding seats
Height and location of horizontal grab bar: none	Height and location of vertical grab bar: none
Tap: mixer tap easy to use	Height of the tap: 120 cm on the same wall as the fixed seat
Non-adjustable height shower head: 120 - 170 cm	Shower screen: none
Adapted toilets in communal areas	Total number of adapted toilets: 1
Location: next to reception and cafeteria	On ground floor - accessible
Bathroom door: no door, clearance width of 82 cm	with a width of 76 cm
Clear turning circle inside (diameter	r): Ø 150 cm
Toilet	
Seat height: 40 cm	Height of flush mechanism: 70 cm
Approach area: left hand side 160 cm and frontal 75 cm	Grab bar on the right hand side: none
Folding grab bar on the left hand sid	de at height of 52 – 72 cm
Basin	
Height and clearance beneath the basin: 74 cm and 53 cm	Tap: requires a twisting action of the wrist, difficult to use
Height of the lower edge of the mirror: 105 cm	Min. and max. height of bathroom fittings: 100 cm and 140 cm
Lifts	Total number of lifts: 2 , each with similar characteristics
Floors served: all floors	Accessible up to the door
Height of call buttons: 95 - 100 cm	Width of door: 80 cm
Width and depth of cab:	Min. and max. height of the call
97 and 125 cm	buttons: 90 cm and 115 cm
Height of handrail: 97 cm	Mirror opposite the door: no, but there is one on the side wall







Other	Location	Access	: Main
amenities			characteristics
Reception	Ground floor	Accessible	Height of reception desk: 115 cm
Cafeteria	Ground floor	Accessible	Height of bar: 116 cm Height of table: 76 cm Height beneath table 67 cm Width beneath table: 86 cm Depth beneath table: 90 cm
Restaurant / Breakfast buffet	1st floor	Accessible via lift	Height of buffet bar: 75 cm Height of table: 76 cm Height beneath table 67 cm Width beneath table: 86 cm Depth beneath table: 90 cm
Meeting rooms (1)	Ground floor – in restaurant area	Accessible via lift	Furniture depending on the event
Spa & Gym	Basement floor -1	Accessible via lift	No hoist to enter the spa, eight steps to navigate and no specially adapted changing rooms and toilets. To access the Turkish Baths and Sauna, there is a 10 cm step, with a 20 cm step to access the showers and water jets.
Parking	Basement floor -2		There are 9 non-reserved parking spaces reserved for people with reduced mobility (PRM), indicated by the disabled parking sign (ISA). The reserved parking spaces do not have a lateral approach area of 120 cm.







Juan de Austria



ACCESSIBILITY - VISUALLY IMPAIRED

Bedrooms		
Colour of door contrasts with adjacent walls: yes	Information about hotel services available in Braille: no and in large	
D P 1 0 20 P 21 1	print: no	
Room lighting with dimmer switch: no	TV remote control with large numbers: yes and in contrasting colours: yes	
Room free of projecting elements:	Audible signals to indicate	
no	emergency alarm: yes	
Signs		
Signs the same size: yes , average 3 cm	height of 180 cm and a font size of	
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille	
Main stairs	•	
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting colour	: 12 cm on both sides: yes,	
yes	•	
Steps have a riser: yes		
Steps have nosing: no	All steps are the same height: yes	
The space under the stairs is	Handrail on either side: no ,	
blocked off: yes	just on one side	
Continuous handrails on	Handrail extends past the top and	
half-landings: no	bottom of stairs: no	
of the stairs: yes	gly coloured strip at the top and bottom	
Lifts	•	
Cab with audio signals: yes	Control buttons in contrasting colours: yes	
Keypad with numbers in relief: no	Keypad with numbers in Braille: yes	
Strip of surface of a different texture and contrasting colour at entrance to lift: no		
Emergency System		
Audible alarm system in place in case of emergency: yes		











ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (325)	No. of adapted rooms: 4
On 3 rd floor, accessible via lift	Width of door: 77 cm
Clear turning circle inside	Height of climate control: 147 cm
(diameter): Ø 150 cm	•
Height of bed: 50 cm	Space for access to the bed: right hand side 105 cm
Wardrobe doors: sliding	Height of hanger rail: 167 cm
Bathroom in adapted room	•
Door: sliding with a width of 82 cm	Clear turning circle inside (diameter): Ø 150 cm
Toilet:	•
Seat height: 42 cm	Height of flush mechanism: 91 cm
Approach area: left hand side	No grab bar on right hand side
116 cm	0 0 0
Folding grab bar on left hand side:	68-85 cm
Basin:	0 0
Height and clearance beneath	Tap: mixer tap
the basin: side 70 cm and 40 cm	• •
Height of the lower edge	Height of bathroom fittings:
of the mirror: 100 cm	100-170 cm
Bath:	•
Height of bath: 48 cm	Height and location of horizontal grab bar: 72-90 cm
Transfer platform: yes	No vertical grab bar
	Adjustable shower-head height: yes
No folding shower screen	•
Lifts	No. of lifts: 2
Accessible up to the door	Width and depth of cab:
	114 and 108 cm
Width of door: 69 cm	•



AGUMAR HOTEL

Paseo de la Reina Cristina, 7 Paseo de la Re 28014 Madrid

Telephone: 91 552 69 00 **Fax:** 91 433 60 95

Web: www.hotelmadridagumar.com

Metro with lift: Atocha RENFE

Bus: 10, 14, 26, 32, C1 and C2

ACCESS

- The main entrance of the hotel is accessible and and has a level surface.
- The main entrance has an automatic revolving glass door.
- There are 2 alternative doors, which are glazed and swing open, next to the revolving door. They are both > 77 cm wide.
- The doors are marked with the hotel's logo in a contrasting colour.



ACCESSIBILITY - HEARING IMPAIRED

Room	0 0	
,	TV which communicates with	
	reception: no	
TV with teletext decoder: yes	TV has alarm clock with visual alert:	
	no	
Bedside plug socket: yes	Entrance door with peephole: no	
Written information on available	Light signals to indicate a knock	
services: yes	at the door: no	
Lifts	•	
Visual signs indicating the floor	Emergency button with a light	
	to show that the emergency call	
	has been received: no	
Emergency system	•	
Emergency alarm systems with visual alerts: no		











Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 110 cm
Cafeteria	Mezzanine	accessible via service lift: width of	Height of bar: 108 cm Height of table: 74 cm Height beneath table: 71 cm Width beneath table: 74 cm Depth beneath table: 36 cm
Restaurant / Breakfast buffet	Mezzanine	accessible	Height of table: 75 cm Height beneath table: 72 cm Width beneath table: 81 cm Depth beneath table: 40 cm
Meeting rooms (5)	Mezzanine	Only accessible via service lift	Height of table: 74 cm Height beneath table: 68 cm Width beneath table: 219 cm Depth beneath table: 44 cm
Parking	Basement -1	Only accessible via service lift	There are no parking spaces for people with limited mobility (PRM)



ACCESSIBILITY - VISUALLY IMPAIRED -


Signs		
Signs the same size: yes , average	height of 175-200 cm and a font size	
of ≥ 1.5 cm		
Lettering in a colour which	Text and symbols: not in relief	
contrasts with the background: yes	•	
Main stairs	tana not in Braine	
	O'de and testion eliations because of	
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting	≥ 12 cm on both sides: yes	
colour: yes	• •	
Steps have a riser: yes	All steps are the same height: yes	
Steps have nosing: no		
The space under the stairs is	Handrail on either side: no	
blocked off: yes	• Transfall on Olaror olac. 110	
Continuous handrails on	Handrail autanda at tan and hattam	
	Handrail extends at top and bottom	
	of stairs: no	
Strip of surface of a different texture and contrasting colour at the top		
and bottom of the stairs: no		
Lifts	• •	
Cab with audio signals: no	Control buttons in contrasting	
	colour: yes	
Keypad with numbers in relief:	Keypad with numbers in Braille:	
yes	no	











Telephone: 91 522 64 80 Fax: 91 531 02 10

Web: www.hotelatlantico.es

Metro with lift: Callao Metro without lift: Gran Vía

NITICO B Bus: 1, 2, 46, 75, 133, 147 and 202



ACCESS

- The main entrance has a step **11 cm** high.
- The hotel has a portable ramp **1.20 m** wide to facilitate access.
- The main automatic sliding glass door is 1.75 m wide. It is not marked with horizontal strips or a logo in a contrasting colour.

ACCESSIBILITY - HEARING IMPAIRED

Room	• •	
Internet connection: yes	TV which communicates with	
	reception: no	
TV with teletext decoder: yes	TV has alarm clock with visual alert:	
	no	
	Entrance door with peephole: yes	
Written information on available	Light signals to indicate a knock at	
services: yes, and in Braille	the door: yes	
Communal WCs	•	
Door lock with visual aid to indicate		
either free or occupied: 9th floor	underneath to see if there is	
no, 1st floor yes	someone inside: no	
Lifts	♥ 0 0	
Visual signs indicating the floor	Emergency button with a light to	
	show that the emergency call has	
inside and outside the cab: yes	been received: yes	
Emergency system		
Emergency alarm systems with visual alerts: ves		







ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No 601)	Number of adapted rooms: 2
On the 6th floor, feasible using a lift	Width of door: 84 cm
Clear turning circle inside (diameter): Ø 150 cm	Height of climate control: 120 cm
Height of bed: 50 cm	Space for access to the bed: > 80 cm, both sides
Wardrobe doors: difficult to open	Height of hanger rail: 175 cm
Height of wardrobe shelves and dra	
Bathroom in adapted room	
Door: inward opening with a width of 77 cm	Clear turning circle inside (diameter): Ø 150 cm
Toilet:	•
Seat height: 50 cm	Height of flush mechanism: 100 cm
Approach area: right hand side 140 cm	Folding grab bar on the right hand side: 59 – 74 cm
Fixed grab bar on the left hand side	Distance between bars: 77 cm
Basin:	•
Height and clearance beneath the basin: 70 cm and 30 cm	Tap: mixer tap
Height of the lower edge of the mirror: 90 cm	Height of bathroom fittings: 80 cm
Shower:	•
Width of approach to shower: 140 cm	Shower base: level with floor
Shower floor: non-slip	Shower chair or seat: fixed and folding seat
Height and location of horizontal grab bar: 75 cm	Height and location of vertical grab bar: 80-140 cm
Tap: mixer tap	Height of tap: 100-140 cm
Adjustable shower-head height: ye	s
Lifts	Total number of lifts: 2
Accessible up to the door	Height of call buttons: 105 cm
Width of door: 79 cm	Width and depth of cab: 109 and 125 cm





Auditorium Madrid







0.11			
Other amenities	Location	Access	: Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 106 cm
Cafeteria	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Accessible	Height of buffet bar: 112 cm Height of table: 71 cm Height beneath table 61 cm Width beneath table: 51 cm Depth beneath table: 57 cm
Bar / Breakfast buffet	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Accessible via lift	Height of buffet bar: 72-93 cm Height of table: 71 cm Height beneath table: 61 cm Width beneath table: 51 cm Depth beneath table: 57 cm
Meeting Room (1)	9th floor	Accessible via lift	Height of table: 115 cm Height beneath table 74 cm Width beneath table: 210 cm Depth beneath table: 40 cm



ACCESSIBILITY - VISUALLY IMPAIRED

Signs		
Signs the same size: yes , average height of 162 cm and a font size of ≥ 1.5 cm		
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille	
Main stairs	•	
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting	≥ 12 cm on both sides: no	
colour: no	0 0	
Steps have a riser: no	All steps are the same height: yes	
Steps have nosing: yes	•	
The space under the stairs is blocked off: no	Handrail on either side: yes	
Continuous handrails on half-landings: no	Handrail extends at top and bottom of stairs: no	
Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no		
Lifts	0 0	
Cab with audio signals: yes	Control buttons in contrasting colour: yes	
Keypad with numbers in relief: yes	Keypad with numbers in Braille: yes	
,		



AUDITORIUM MADRID HOTEL

Avenida de Aragón, 400 28022 Madrid

Telephone. 91 ... Fax: 91 400 44 09 **Telephone:** 91 400 44 00

Web: www.hoteleauditorium.com

Bus: 222, 223, 224, 225, 226, 227, 281, 282, 283, 284 and 285



ACCESS

- The main entrance of the hotel is accessible via a ramp with a length of 1.5 m and a suitable incline of 9%. There is no handrail, and neither ends of the ramp have a distinctively textured and contrastingly coloured strip.
- The automatic revolving glass door has width of **1.13 m**. There are 2 glass swing doors on either side of the revolving door, which give an overall clearance width of 1.67 m.
- None of the doors are marked with horizontal strips or a logo in a contrasting colour.

ACCESSIBILITY - HEARING IMPAIRED

Room	• •	
	TV which communicates with reception: no	
TV with teletext decoder: yes	TV has alarm clock with visual alert:	
Bedside plug socket: yes	Entrance door with peephole: yes	
Written information on available services: yes	Light signals to indicate a knock at the door: no	
Communal WCs	• •	
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no	
Lifts	•	
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no	
Emergency system		
Emergency alarm systems with visual alerts: no		











ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room	No. of adapted rooms: 10
On first floor, accessible via lift	Width of door: 90 cm
Clear turning circle inside (diameter): Ø 150 cm	Height of climate control: 90 cm
Height of bed: 55 cm	Space for access to the bed: right hand side 75 cm , left hand side 100 cm
Wardrobe doors: sliding, with knob, difficult to open	Height of hanger rail: 140 cm
Height of wardrobe shelves and dr	awers: 36-175 cm
Bathroom in adapted room	
Door: inward opening with	Clear turning circle inside
a width of 90 cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 41 cm	Height of flush mechanism: 74 cm
Approach area: right hand	Folding grab bar on right hand side:
side 52 cm, front 62 cm	: 65-82 cm
No grab bar on left hand side	0
Basin:	
Height and clearance beneath	Tap: mixer tap
the basin: side 70 cm and 30 cm	•
Height of the lower edge	Height of bathroom fittings:
of the mirror: 98 cm	100-105 cm
Bath:	•
Height of bath: 45 cm	Height and location of horizontal grab bar: 35-56 cm
Transfer platform: there is none	Has no vertical grab bar
Mixer tap at a height of	Adjustable shower-head height:
60 cm on short wall	yes, 100 cm
Removable shower screen	0
Adapted bathroom	Number of adapted toilets:
in communal areas	1 cubicle
On floor -1, accessible via lift	Door: outward opening with a width of 80 cm
Clear turning circle inside (diamete	er): Ø 150 cm
Toilet:	•
Seat height: 41 cm	Height of flush mechanism: 74 cm
Approach area: right hand side > 80 cm	Folding grab bar on right hand side: 64-81 cm
Fixed grab bar on left hand side: 6	4-81 cm
Basin:	
Height and clearance beneath the basin: 70 cm and 37cm	Tap: mixer tap
Height of the lower edge of the mirror: 97 cm	Height of bathroom fittings: 100-135 cm

Lifts	No. of lifts: 10 (2 panoramic)
Lift 1	Connects reception with rooms
Accessible up to the door	Height of call buttons: 90 cm
Width of door: 90 cm	Width and depth of cab:
	110 and 210 cm
Lift 2	No. of lifts: 1. Connects recep-
	tion with parking area
Accessible up to the door	Height of call buttons: 90 cm
Width of door: 80 cm	Width and depth of cab:
	110 and 138 cm
Lift 3	No. of lifts: 2. Panoramic,
	connects reception with rooms
Accessible up to the door	Height of call buttons: 90 cm
Width of door: 90 cm	Width and depth of cab:
	120 and 185 cm

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 110 cm
Cafeteria	Ground floor	Not accessible, route includes 4 steps	Height of bar: 112 cm Height of table: 66 cm Height beneath table: 57 cm Width beneath table: 75 cm Depth beneath table: 40 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 88 cm Height of table: 76 cm Height beneath table: 74 cm Width beneath table: 90 cm Depth beneath table: 60 cm
Meeting rooms (57)	Ground floor	Accessible	Height of table: 73 cm Height beneath table: 67 cm Width beneath table: 180 cm Depth beneath table: 45 cm
Parking	Basement -1	Accessible via lift	There are 7 parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA). Parking spaces have a width of 3.7 m and a length of 5.68 m





Keypad with numbers in relief:









ACCESSIBILITY - VISUALLY IMPAIRED

0	_		_
-51	(0)	m	S.
_		_	$\overline{}$

yes

<u></u>				
Signs the same size: yes , average of ≥ 1.5 cm	height of 155-180 cm and a font size			
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief			
Main stairs				
Edge of stairs marked with a non-slip strip in a contrasting colour: no	Side protection skirting board of ≥ 12 cm on both sides: no			
Steps have a riser: yes Steps have nosing: yes	All steps are the same height: yes			
blocked off: yes	Handrail on either side: yes , except in the parking area where there is a handrail on one side only			
	Handrail extends at top and bottom of stairs: no			
Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no				
Lifts	•			
Cab with audio signals: yes	Control buttons in contrasting colour: yes			

: no

Keypad with numbers in Braille:



AXOR BARAJAS HOTEL

Calle Campezo, 4 28022 Madrid

Telephone: 91 312 19 60 **Fax:** 91 312 17 93

Web: www.axorhoteles.com

Metro without lift: Canillejas

Bus: 77

ACCESS

- The main entrance is accessible and with no slope.
- The automatic sliding glass door is **1.70 m** wide. It is marked with horizontal strips and a logo in a contrasting colour.



ACCESSIBILITY - HEARING IMPAIRED

Room	0 0 0		
Internet connection: yes	TV which communicates with		
	reception: no		
TV with teletext decoder: yes	TV has alarm clock with visual alert:		
	yes		
Bedside plug socket: yes	Entrance door with peephole: no		
Written information on available	Light signals to indicate a knock		
services: yes	at the door: no		
Communal WCs	•		
Door lock with visual aid to indicate	Cubicle doors with a gap		
either free or occupied: yes	underneath to see if there is		
	someone inside: no		
Lifts	0		
Visual signs indicating the floor	Emergency button with a light		
and direction of movement, both	to show that the emergency call		
inside and outside the cab: yes	has been received: yes		
Emergency system	•		
Emergency alarm systems with visual alerts: no			









Axor Barajas



Adapted room (No. 344)	No. of adapted rooms: 6
On 3 rd floor, accessible via lift	Width of door: 77 cm
Clear turning circle inside	Height of climate control: 160 cm
(diameter): Ø 150 cm	•
Height of bed: 60 cm	Space for access to the bed: right
ŭ	hand side 95 cm , left hand side
	135 cm
Wardrobe doors: Pull to open,	Height of hanger rail: 190 cm
easy to open	(hangers for long sleeved clothes)
Height of wardrobe shelves and dra	awers: 40-60 cm
Bathroom in adapted room	
Door: opens both ways with	Clear turning circle inside
a width of 84 cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 40 cm	Height of flush mechanism: 87 cm
Approach area: right hand side	Folding grab bar on right hand side:
78 cm , front 140 cm	60 and 80 cm
Folding grab bar on left hand side:	Distance between bars: 67 cm
60-80 cm	0
Basin:	0
Height and clearance beneath	Tap: mixer tap
the basin: 67 cm and 45 cm	•
Height of the lower edge	Height of bathroom fittings: 87 cm
of the mirror: 120 cm	
Shower:	•
Width of approach to shower:	Shower base: level with floor
140 cm	•
Shower floor: non-slip	Shower stool: mobile
Height and location of horizontal	Height of location of vertical grab
grab bar: 80 cm , on same wall	bar: 80 cm-190 cm on wall next to
as tap, and on wall next to tap	tap
Tap: mixer tap	Height of tap: 130 cm on accessible
·	wall
Adjustable shower-head height: no	
Adapted bathroom	Number of adapted toilets: 1
in communal areas	0
On ground floor, accessible	Door: inward opening, width of
,	91 cm
Clear turning circle inside (diamete	
Toilet:	
Seat height: 40 cm	Height of flush mechanism: 100 cm
Approach area: left hand side	Fixed grab bar on right hand side:
80 cm, front 150 cm	75 cm
Folding grab bar on left hand side:	Distance between bars: 70 cm
75 cm	•

Basin:	•
Height and clearance beneath the basin: 72 cm and 50 cm	Tap: mixer tap
Height of the lower edge of the mirror: 80 cm	Height of bathroom fittings: 85 cm
Lifts	No. of lifts: 3. Connecting all floors
Accessible up to the door	Height of call buttons: 103-110 cm
Width of door: 90 cm	Width and depth of cab:
	133 and 140 cm
Height of lift buttons: 90-110 cm	Height of handrail: 92 cm

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 115 cm
Cafeteria	Ground floor	Accessible	Height of bar: 121 cm Height of table: 40 cm Height beneath table: 38 cm Width beneath table: 70 cm Depth beneath table: 20 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 70 and 92 cm Height of table: 73 cm Height beneath table: 70 cm Width beneath table: 70 cm Depth beneath table: 40 cm
Meeting rooms (3)	Ground floor	Accessible	Height of table: 74 cm Height beneath table: 71 cm Width beneath table: 170 cm Depth beneath table: 45 cm





Keypad with numbers in relief:









ACCESSIBILITY - VISUALLY IMPAIRED

yes

Signs the same size: yes , average	height of 170-180 cm and a font size
of ≥ 1.5 cm	
Lettering in a colour which	Text and symbols: not in relief
contrasts with the background: yes	and not in Braille
Main stairs	o o
Edge of stairs marked with a	Side protection skirting board of
non-slip strip in a contrasting	≥ 12 cm on both sides: yes
colour: yes	0
Steps have a riser: yes	All steps are the same height: yes
Steps have nosing: no	0
The space under the stairs is	Handrail on either side: yes
blocked off: yes	•
Continuous handrails on	Handrail extends at top and bottom
half-landings: no	of stairs: no
Strip of surface of a different texture	e and contrasting colour at the top
and bottom of the stairs: no	
Lifts	0 0
Cab with audio signals: yes	Control buttons in contrasting
, , , , , , , , , , , , , , , , , , ,	colour: yes

: no

Keypad with numbers in Braille:



AXOR FERIA HOTEL

Calle Campezo, 4 28022 Madrid

Telephone: 91 312 23 79 **Fax:** 91 312 23 86

Web: www.hoteles.com
E-mail: reservas.feria@axorhoteles.com

ACCESS

- The main entrance is accessible. There are 2 sets of automatic glass doors, both of which are marked with horizontal strips in a contrasting colour.
- The 2 doors have a clearance width of 1.70 m, and between the two there is a mat correctly fixed to the floor.



ACCESSIBILITY - HEARING IMPAIRED

Room	0
Internet connection: yes	TV which communicates with reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert: no
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: no	at the door: no
Communal WCs	0
Door lock with visual aid to indicate either free or occupied: yes	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	•
Visual signs indicating the floor and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: yes
Emergency system	
Emergency alarm systems with vis	sual alerts: ves









Adapted room (No. 257)	No. of adapted rooms: 6
On 2 nd floor , accessible via lift	Width of door: 80 cm
Clear turning circle inside	Height of climate control: 110 cm
(diameter): Ø 150 cm	
Height of bed: 55 cm	Space for access to the bed: right
ŭ	hand side 130 cm , left hand side
	65 cm
Wardrobe doors: Sliding doors,	Height of hanger rail: 144 cm
easy to open	Troight of hangor rail. 144 offi
Height of wardrobe shelves and dra	ewers: 30-155 cm
Bathroom in adapted room	awo.o. oo 100 cm
Door: opens both ways with	Clear turning circle inside
a width of 87 cm	(diameter): Ø 140 cm
Toilet:	(diameter). 9 140 cm
Seat height: 40 cm	Height of flush mechanism: 88 cm
Approach area: left hand side	Folding grab bar on right hand side:
50 cm , front 150 cm	78 cm
Folding grab bar on left hand side:	
78 cm	Distance between bars. 66 cm
Basin:	0
	Ton: wives ton
Height and clearance beneath	Tap: mixer tap
the basin: 84-46 cm	* I laight of hathus are fittings.
Height of the lower edge	Height of bathroom fittings:
of the mirror: 113 cm	:69-79 cm
Shower:	Observed by a second social of the second section
Width of approach to shower:	Shower base: level with floor but
> 150 cm	there is a slight lip from the
01 "	shower screen
Shower floor: non-slip	Shower stool or chair: mobile chair
Height and location of horizontal	Height of location of vertical grab
grab bar: 75 cm , on same wall	bar: 75-190 cm on wall next to tap
as tap, and on wall next to tap	*
Tap: mixer tap	Height of tap: 120 cm on accessible
	wall
Adjustable shower-head height:	Has a sliding, glass shower screen
yes	•
Adapted bathroom	Number of adapted toilets: 1
in communal areas	•
On ground floor, accessible width	Door: swings both ways with a
of 91 cm	width of 95 cm
Cubicle door inward swinging of	Clear turning circle inside
95 cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 40 cm	Height of flush mechanism: 100 cm

4	S	STA	١F	•	НОТ	ELS	•



	Fixed grab bar on right hand side: 77 cm
Folding grab bar on left hand side:	Distance between bars: 60 cm
77 cm	• •
Basin:	•
Height and clearance beneath the basin: 75 cm and 52 cm	Tap: mixer tap
Height of the lower edge of the mirror: 120 cm	Height of bathroom fittings: 90 cm
Lifts	No. of lifts: 3
	Height of call buttons: 109 cm
	Width and depth of cab:
Height of lift buttons: 90-110 cm	Height of handrail: 90 cm

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 110 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 74 cm Height of table: 72 cm Height beneath table: 70 cm Width beneath table: 80 cm Depth beneath table: 25 cm
Parking	Basement -1 and -2	Accessible via lift	There are 4 parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)











yes

ACCESSIBILITY - VISUALLY IMPAIRED

Signs	
	height of 120-160 cm and a font size
of 2 cm	
Lettering in a colour which	Text and symbols: not in relief
contrasts with the background: yes	and not in Braille
Main stairs	0 0
Edge of stairs marked with a	Side protection skirting board of
non-slip strip in a contrasting	≥ 12 cm on both sides: yes
colour: yes, but without	• •
contrasting colour	•
Steps have a riser: yes	All steps are the same height: yes
Steps have nosing: no	0
The space under the stairs is	Handrail on either side: yes
blocked off: yes	•
Continuous handrails on	Handrail extends at top and bottom
half-landings: no	of stairs: no
Strip of surface of a different texture	e and contrasting colour at the top
and bottom of the stairs: no	
Lifts	
Cab with audio signals: yes	Control buttons in contrasting
	colour: yes
Keypad with numbers in relief:	Keypad with numbers in Braille:

÷no



AYRE GRAN HOTEL COLÓN

Calle del Pez volador, 1-11 28007 Madrid

Telephone: 91 573 59 00 **Fax:** 91 573 08 09

Web: www.ayrehoteles.com

Metro with lift: Conde de Casal

Bus: 20, 30, 32, 56, 102 and 143



ACCESS

- The main entrance at Calle del Pez Volador 1 is inaccessible, as it has a number of stairs and no alternative ramp.
- The entrances at Calle del Pez Volador 11 and Calle del Doctor Esquerdo 117 are accessible and are level.
- The main automatic glass door is **80 cm** wide.
- There is another alternative glass swing door next to the main automatic door on Calle del Doctor Esquerdo. It is 75 cm wide.
- None of the doors are marked with horizontal strips or a logo in a contrasting colour.

ACCESSIBILITY - HEARING IMPAIRED

Room	0 0 0
Internet connection: yes	TV which communicates with reception: no
, , , , , , , , , , , , , , , , , , , ,	TV has alarm clock with visual alert: no
Bedside plug socket: yes	Entrance door with peephole: no
	Light signals to indicate a knock at the door: no
Communal WCs	v 0 0
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	0 0 0
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visu	ual alerts: no











ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room	No. of adapted rooms: 8
Accessible via lift	Width of door: 81 cm
Clear turning circle inside	Height of climate control: 145 cm
(diameter): Ø 150 cm	•
Height of bed: 53 cm	Space for access to the bed: right
	hand side 130 cm, left hand side
	85 cm
Wardrobe doors: sliding doors	Height of hanger rail: 120 cm
Height of wardrobe shelves and dr	rawers: 45-150 cm
Bathroom in adapted room	
Door: opens both ways with	Clear turning circle inside
a width of 87 cm	(diameter): Ø 150 cm
Toilet:	
Seat height: 45 cm	Height of flush mechanism: 100 cm
Approach area: left hand side	Fixed grab bar on right hand side:
78 cm	65-80 cm
No grab bar on left hand side	
Basin:	•
Width and clearance beneath	Tap: adapter mixer tap
the basin: 95 cm and 50 cm	
Height of the lower edge	Height of bathroom fittings:
of the mirror: 110 cm	80-100 cm
Shower:	
Width of approach to shower:	Shower base: level with floor
150 cm	Charren eta al an abaim
Shower floor: non-slip	Shower stool or chair:
Height and location of havingstal	fixed and folding
Height and location of horizontal	Height of location of vertical grab
Tap: mixer tap	p bar: 90-140 cm on wall next to tap Height of tap: 90-140 cm on
iap. iiixei tap	accessible wall
Adjustable shower-head height: ye	•
Lifts	No. of lifts: 3
Accessible up to the door	Height of call buttons: 105 cm
Width of door: 79 cm; "A" 80 cm	Width and depth of cab:
Width of door. 13 cm, A 00 cm	107 and 160 cm: "A" 96 x 160 cm
	. 107 dila 100 dili. A 30 x 100 dili

Other amenities	Location	Access	: Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 120 cm "A"
Cafeteria	0 0 0 0	via ramp with a length of 1.1 m ,	Height of bar: 110 cm Height of table: 77 cm Height beneath table: 73 cm Width beneath table: 90 cm Depth beneath table: 35 cm

	0 0 0 0 0 0 0	6% and without a handrail	
Restaurant / Breakfast buffet	Ground floor	via ramp with a length of 1.1 m ,	Height of buffet bar: 90-94 cm Height of table: 90 cm Height beneath table: 69 cm Width beneath table: 75 cm Depth beneath table: 90 cm
Meeting rooms (3)	Basement -1	Accessible	Height of table: 74 cm Height beneath table: 69 cm Width beneath table: 155 cm Depth beneath table: 45 cm
Parking	Basement -1	Accessible	There are no parking spaces for people with limited mobility (PRM)



ACCESSIBILITY - VISUALLY IMPAIRED ----

Signs			
Signs the same size: yes, average height of 140-160 cm and a font size			
of ≥ 1,5 cm	•		
	Text and symbols: not in relief		
contrasts with the background: yes	and not in Braille		
Main stairs	•		
Edge of stairs marked with a	Side protection skirting board of		
non-slip strip in a contrasting	≥ 12 cm on both sides: no		
colour: no	•		
Steps have a riser: no	All steps are the same height: yes		
Steps have nosing: yes	•		
The space under the stairs is	Handrail on either side: no		
blocked off: no	0		
Continuous handrails on	Handrail extends at top and bottom		
half-landings: no	of stairs: no		
Strip of surface of a different texture	e and contrasting colour at the top		
and bottom of the stairs: no	•		
Lifts	•		
Cab with audio signals: no	Control buttons in contrasting		
	colour: yes		
Keypad with numbers in relief:	Keypad with numbers in Braille:		
yes	yes		









BARCELÓ CASTELLANA NORTE HOTEL

Avenida de Manoteras, 20 28050 Madrid

Telephone: 91 383 09 50 **Fax:** 91 383 09 82

Web: www.barcelo.com

Light rail station with lift: Virgen del Cortijo

Bus: 150 and 174

ACCESS

- The main entrance of the hotel is accessible and has a level surface.
- There is a double automatic sliding glass door that is **1.90 m** wide.



ACCESSIBILITY - HEARING IMPAIRED

Room	0 0	
,	TV which communicates with reception: no	
•	TV has alarm clock with visual alert:	
Bedside plug socket: yes	Entrance door with peephole: no	
	Light signals to indicate a knock at the door: no	
Communal WCs		
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no	
Lifts		
and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no	
Emergency system		
Emergency alarm systems with visual alerts: no		









ACCESSIBILITY - PHYSICALLY DISABLED

★★★ 4 STAR HOTELS

Adapted room (No. 112)	No. of adapted rooms: 3
On 1 st floor, accessible via lift	Width of door: 78 cm
Clear turning circle inside	Height of climate control: 120 cm
(diameter): Ø 150 cm	• •
Height of bed: 55 cm	Space for access to the bed: right
	hand side 20 cm , left hand side ≥
Wenderlands and Older	90 cm
Wardrobe doors: Sliding	Height of hanger rail: 120 and
with knobs, easy to open Height of wardrobe shelves and dra	180 cm
Bathroom in adapted room	awers. 10-76 CIII
Door: opens both ways with	Clear turning circle inside
a width of 80 cm	(diameter): Ø 150 cm
Toilet:	diameter). D 130 cm
Seat height: 44 cm	Height of flush mechanism: 100 cm
Approach area: right hand side	Folding grab bar on right hand side:
82 cm, front 130 cm	80 cm
Fixed grab bar on left hand side:	Distance between bars: 63 cm
80 cm	0
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 78 cm and 50 cm	0
Height of the lower edge	Height of bathroom fittings: 90 cm
of the mirror: 110 cm	
Shower:	Shower base: level with floor
Width of approach to shower:	Shower base: level with floor
130 cm	Shower stool: mobile
Shower floor: non-slip Height and location of horizontal	Height of location of vertical grab
grab bar: 80 cm , on wall next	bar: 80 cm-130 cm on wall next
to tap	to tap
Tap: mixer tap	Height of tap: 120-170 cm on
	accessible wall
Adjustable shower-head height:	Has a folding shower screen
yes	•
Adapted bathroom	Number of adapted toilets: 1
in communal areas	0 0
On ground floor, accessible	Door: inward opening, width of
	87 cm
Clear turning circle inside (diameter	r): Ø 150 cm
Toilet: the fixed grab bar is 60 cm	
Seat height: 42 cm	Height of flush mechanism:
	100 cm







Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 114 cm
Snack Bar	Ground floor	Accessible	Height of bar: 118 cm Height of table: 76 cm Height beneath table: 73 cm Width beneath table: 70 cm Depth beneath table: 90 cm Table with central leg
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 50-90 cm Height of table: 76 cm Height beneath table: 73 cm Width beneath table: 70 cm Depth beneath table: 90 cm Table with central leg
Meeting rooms (3)	Ground floor	Accessible	Height of table: 71 cm Height beneath table: 69 cm Width beneath table: 240 cm Depth beneath table: 50 cm
Parking	Basement -1	Accessible via lift	There are 2 parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)









ACCESSIBILITY - VISUALLY IMPAIRED -

Signs	
	e height of 160-180 cm and a font size
of ≥ 1,5 cm	
Lettering in a colour which	Text and symbols: not in relief
contrasts with the background: yes	s and not in Braille
Main stairs	•
Edge of stairs marked with a	Side protection skirting board of
non-slip strip in a contrasting	≥ 12 cm on both sides: only on
colour: no	one side
Steps have a riser: yes	All steps are the same height: yes
Steps have nosing: no	•
The space under the stairs is	Handrail on either side: no
blocked off: yes	0
Continuous handrails on	Handrail extends at top and bottom
half-landings: no	of stairs: no
Strip of surface of a different texture	re and contrasting colour at the top
and bottom of the stairs: no	
Lifts	0
Cab with audio signals: no	Control buttons in contrasting
	colour: yes
Keypad with numbers in relief:	Keypad with numbers in Braille:
yes	no

226 MADRID FOR ALL ACCESSIBLE TOURISM GUIDE 227





BARCELÓ TORRE ARIAS HOTEL

Calle de Julián Camarillo, 19-21 28037 Madrid

Telephone: 91 387 94 00 **Fax:** 91 387 94 01

Web: www.barcelotorrearias.com

Bus: 105

ACCESS

- The main entrance has a step 8 cm high and an alternative ramp 44 cm long, 1.30 m wide and with a non-recommended incline of 21%. There is a handrail, but the ends of the ramp are not indicated by a distinctively textured or contrastingly coloured floor surface.
- The main automatic glass door is 1.75 m wide. It is marked with horizontal strips or a logo in a contrasting colour.



ACCESSIBILITY - HEARING IMPAIRED

Room		
	TV which communicates with reception: no	
,	TV has alarm clock with visual alert:	
Bedside plug socket: yes	Entrance door with peephole: no	
Written information on available	Light signals to indicate a knock	
	at the door: no	
Communal WCs		
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no	
Lifts		
and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no	
Emergency system		
Emergency alarm systems with visual alerts: no		







Adapted room (No. 127)	No. of adapted rooms: 4
On 1st floor, accessible via lift	Width of door: 85 cm
Clear turning circle inside	Height of climate control: 80 cm
(diameter): Ø 150 cm	•
Height of bed: 60 cm	Space for access to the bed: left
	hand side 120 cm
Wardrobe doors: Swinging door,	Height of hanger rail: 140 cm
easy to open	0 0
Height of wardrobe shelves and dra	awers: 150 cm
Bathroom in adapted room	
Door: sliding door with a width of	Clear turning circle inside
81 cm	(diameter): Ø 150 cm
Tollet:	•
Seat height: 42 cm	Height of flush mechanism: 100 cm
Approach area: neither ≥ 80 cm	Fixed grab bar on right hand side: 65-77 cm
No grab bar on left hand side	, 00 11 0
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 65 cm and 55 cm	· · · · · · · · · · · · · · · · · · ·
Height of the lower edge	Height of bathroom fittings:
of the mirror: 100 cm	70-74 cm
Shower:	:
Width of approach to shower:	Shower base: level with floor
150 cm	•
Shower floor: non-slip	Shower stool: fixed and folding
Height and location of horizontal	Height of location of vertical grab
grab bar: 83-102 cm, on wall	bar: 90-140 cm on wall next to tap
next to tap	•
Tap: mixer tap	Height of tap: 117 cm on
	accessible wall
Adjustable shower-head height: ye	
Adapted bathroom	Number of adapted toilets: 1
in communal areas	
On ground floor, accessible via lift	Door: outward opening, width of 75 cm
Clear turning circle inside (diamete	r): Ø 150 cm
Toilet:	
Seat height: 41 cm	Height of flush mechanism:
	90-108 cm
Approach area: right hand side	Folding grab bar on right hand side:
135 cm	64-78 cm
No grab bar on left hand side	•
	-









Basin:	•
Height and clearance beneath the basin: 60 cm and 82 cm	Tap: mixer tap
Height of the lower edge of the mirror: 90 cm	Height of bathroom fittings: 96 cm
Lifts	•
Accessible up to the door	Height of call buttons: 105 cm
Width of door: 80 cm	Width and depth of cab: 95 and 120 cm
Height of lift buttons: 110-120 cm	Height of handrail: 90 cm

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 76-132 cm
Cafeteria	Ground floor	Accessible	Height of bar: 107 cm Height of table: 75 cm Height beneath table: 74 cm Width beneath table: 70 cm Depth beneath table: 40 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 90 cm Height of table: 75 cm Height beneath table: 74 cm Width beneath table: 70 cm Depth beneath table: 40 cm
Meeting rooms (2)	Ground floor	Accessible	Height of table: 75 cm Height beneath table: 72 cm Width beneath table: 45 cm Depth beneath table: 45 cm
Parking	Basement -1	Accessible	There is 1 parking space for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)





Signs			
Signs the same size: yes, average height of 150-175 cm and a font size			
of ≥ 1,5 cm			
	Text and symbols: not in relief		
contrasts with the background: yes	and not in Braille		
Main stairs	6 6 A		
•	Side protection skirting board of		
	≥ 12 cm on both sides: only on		
colour: no	one side		
Steps have a riser: no	All steps are the same height: yes		
Steps have nosing: yes	0		
•	Handrail on either side: yes		
blocked off: no	•		
	Handrail extends at top and bottom		
	of stairs: no		
Strip of surface of a different texture	e and contrasting colour at the top		
and bottom of the stairs: no			
Lifts	•		
•	Control buttons in contrasting		
	colour: yes		
	Keypad with numbers in Braille:		
yes	yes		

230 MADRID FOR ALL ACCESSIBLE TOURISM GUIDE 231





CATALONIA ATOCHA HOTEL

Calle Atocha, 81 28012 Madrid

Telephone: 91 420 37 70 Fax: 91 420 37 71

Web: www.hoteles-catalonia.com

Metro with lift: Atocha Renfe

Bus: 10, 14, 19, 24, 26, 32, 37, 54, 57, 102, 141 and C

ACCESS

- The entrance to the hotel is level with the street. It has a clearance width of **2 m**.
- There is a revolving glass door with a clearance width of **1.40 m**. There is a control to stop and reduce the speed of the revolving door both inside and outside at a height of **1 m**.
- There is an alternative manual outward opening glass door to the left of the revolving door with a clearance width of **85 cm**. The door has the hotel logo on it but there is not sufficient contrast and there are no double horizontal stripes.
- There is a doorbell at a height of **1.37 m**. As they are glass doors, and are next to the reception area, there is no need for a video intercom
- Within the revolving door is a doormat securely affixed to the floor.
- There is an accessible route that takes guests straight to the reception and help desk.







ACCESSIBILITY - HEARING IMPAIRED

Room	• • •	
	TV which communicates with reception: yes	
TV with teletext decoder: no	TV has alarm clock with visual alert: no	
Bedside plug socket: no	Entrance door with peephole: no	
Written information on available services: no	Light signals to indicate a knock at the door: no	
Communal WCs	9 0 0	
	Cubicle doors with a gap underneath to see if there is someone inside: no	
Lifts	0	
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: yes	
Emergency system		
Emergency alarm systems with visual alerts: no		



ACCESSIBILITY - PHYSICALLY DISABLED

On the ground floor, accessible Clear turning circle inside (diameter): Ø 150 cm Height of bed: 57 cm Space for access to the bed: right hand side 177 cm left hand side 68 cm Wardrobe doors: swing door opening to 90° with doorknob Min. and max. height of wardrobe shelves and drawers: 50 cm and 180 cm Bathroom in adapted room Door: Inward opening with a width of 77 cm Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 41 cm Approach area: right hand side 150 cm, left hand side 105 cm, Width of door: 74 cm Height of climate control: 170 cm Space for access to the bed: right hand side 170 cm Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 41 cm Adjustable folding grab bar on the right hand side: 72 cm	Adapted room (No. 006)	Number of adapted rooms: 4
(diameter): Ø 150 cm Height of bed: 57 cm Space for access to the bed: right hand side 177 cm left hand side 68 cm Wardrobe doors: swing door opening to 90° with doorknob Min. and max. height of wardrobe shelves and drawers: 50 cm and 180 cm Bathroom in adapted room Door: Inward opening with a width of 77 cm Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 41 cm Approach area: right hand side 150 cm, left hand side 105 cm,	On the ground floor, accessible	Width of door: 74 cm
Height of bed: 57 cm Space for access to the bed: right hand side 177 cm left hand side 68 cm Wardrobe doors: swing door opening to 90° with doorknob Min. and max. height of wardrobe shelves and drawers: 50 cm and 180 cm Bathroom in adapted room Door: Inward opening with a width of 77 cm Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 41 cm Approach area: right hand side 150 cm, left hand side 105 cm,	Clear turning circle inside	Height of climate control: 170 cm
hand side 177 cm left hand side 68 cm Wardrobe doors: swing door opening to 90° with doorknob Min. and max. height of wardrobe shelves and drawers: 50 cm and 180 cm Bathroom in adapted room Door: Inward opening with a width of 77 cm Toilet: Seat height: 41 cm Approach area: right hand side 150 cm, left hand side 105 cm, hand side 177 cm left hand side 68 cm Height of hanger rail: 180 cm Clear turning circle inside (diameter): Ø 150 cm Height of flush mechanism: 78 cm Adjustable folding grab bar on the right hand side: 72 cm	(diameter): Ø 150 cm	0
Wardrobe doors: swing door opening to 90° with doorknob Min. and max. height of wardrobe shelves and drawers: 50 cm and 180 cm Bathroom in adapted room Door: Inward opening with a width of 77 cm Toilet: Seat height: 41 cm Approach area: right hand side 150 cm, left hand side 105 cm,	Height of bed: 57 cm	Space for access to the bed: right
opening to 90° with doorknob Min. and max. height of wardrobe shelves and drawers: 50 cm and 180 cm Bathroom in adapted room Door: Inward opening with a width of 77 cm Toilet: Seat height: 41 cm Approach area: right hand side 150 cm, left hand side 105 cm,	•	•
Min. and max. height of wardrobe shelves and drawers: 50 cm and 180 cm Bathroom in adapted room Door: Inward opening with a width of 77 cm Toilet: Seat height: 41 cm Approach area: right hand side 150 cm, left hand side 105 cm,	Wardrobe doors: swing door	Height of hanger rail: 180 cm
and 180 cm Bathroom in adapted room Door: Inward opening with a width of 77 cm Toilet: Seat height: 41 cm Approach area: right hand side 150 cm, left hand side 105 cm,	opening to 90° with doorknob	•
Bathroom in adapted room Door: Inward opening with a width of 77 cm Toilet: Seat height: 41 cm Approach area: right hand side 150 cm, left hand side 105 cm,	Min. and max. height of wardrobe s	shelves and drawers: 50 cm
Door: Inward opening with a width of 77 cm (diameter): Ø 150 cm Toilet: Seat height: 41 cm Approach area: right hand side 150 cm, left hand side 105 cm,	and 180 cm	
of 77 cm Toilet: Seat height: 41 cm Approach area: right hand side 150 cm, left hand side 105 cm, (diameter): Ø 150 cm Height of flush mechanism: 78 cm Adjustable folding grab bar on the right hand side: 72 cm	Bathroom in adapted room	0
Toilet: Seat height: 41 cm Approach area: right hand side 150 cm, left hand side 105 cm, Height of flush mechanism: 78 cm Adjustable folding grab bar on the right hand side: 72 cm	Door: Inward opening with a width	Clear turning circle inside
Seat height: 41 cm Approach area: right hand side 150 cm, left hand side 105 cm, Height of flush mechanism: 78 cm Adjustable folding grab bar on the right hand side: 72 cm	of 77 cm	(diameter): Ø 150 cm
Approach area: right hand side 150 cm, left hand side 105 cm, Adjustable folding grab bar on the right hand side: 72 cm	Toilet:	0 a
150 cm, left hand side 105 cm, right hand side: 72 cm	Seat height: 41 cm	Height of flush mechanism: 78 cm
	Approach area: right hand side	Adjustable folding grab bar on the
	150 cm, left hand side 105 cm,	right hand side: 72 cm
front 114 cm	front 114 cm	0

232 _______ACCESSIBLE TOURISM GUIDE 235















Height of the lower edge of the mirror: 105 cm	Min. and max. height of bathroom fittings: 100 cm and 110 cm
Lifts	Total number of lifts: 3 – with the same characteristics
Floors served: all floors	Accessible up to the door
Height of call buttons: 104 - 110 cm	Width of door: 90 cm
Width and depth of cab: 116 and 138 cm	Min. and max. height of the call buttons: 90 cm and 110 cm
Height of handrail: 90 cm	Mirror opposite the door: yes

Other	Location	· Access	• Main
amenities	Location	Access	: Maiii : characteristics
Reception	Ground floor	Accessible	Height of reception desk: 86 cm and 118 cm – two levels
Cafeteria	Ground floor	Accessible via ramp. 100 cm wide, 285 cm long with a 6.9% incline. Accessible from the street level. To the side of the main entranceway, there is direct access without having to pass by the reception / lobby	Height of bar: 110 cm Height of table: 73 cm Height beneath table 71 cm Width beneath table: 78 cm Depth beneath table: 37 cm



Adjustable folding grab bar on the	Distance between bars: 58 cm
left hand side: 72 cm	•
Basin:	*Tana asia asia asia asia asia
Height and clearance beneath the basin: 70 cm and 10 cm	Tap: mixer tap easy to use
Height of the lower edge of the	Min and may beight of bothroom
mirror: 90 cm	Min. and max. height of bathroom fittings: 87 cm and 120 cm
Shower:	intungs. 67 cm and 120 cm
Width and depth of approach area:	Shower base: level with the floor
115 cm and ≥ 120 cm	Onower base, level with the hoof
Shower floor: non-slip	Shower chair or seat: fixed
Chewer hoor. Horr slip	and folding seats
Height and location of horizontal	Height and location of vertical grab
grab bar: 78 cm on wall to the	bar: none
side of the tap	•
Tap: mixer tap easy to use	Height of the tap: 130 cm on the
, , ,	same wall as the fixed seat
Adjustable height shower head:	Shower screen: no
130 - 185 cm	•
Adapted toilets in communal	Total number of adapted toilets: 1
areas	0
	Basement -1 - accessible via lift
and meeting rooms	•
Bathroom door: none	Cubicle door: outward opening with
	a width of 76 cm
Clear turning circle inside (diamete	r): Ø 150 cm
Toilet	* Height of fluid machanisms 400 am
Seat height: 44 cm	Height of flush mechanism: 100 cm
Approach area: right hand side 71 cm , left hand side 83 cm	Adjustable folding grab bar on the
and front 210 cm	right hand side: 72 cm
Adjustable folding grab bar on the	Distance hetween hars: 50 cm
left hand side: 72 cm	Distance between bars. 33 cm
Basin	0
Height and clearance beneath the	Tap: mixer tap easy to use
basin: 88 cm and 0 cm	tap sasy to ass
	A

234

MADRID FOR ALL





Other amenities	Location	Access	Main characteristics
Restaurant / Breakfast buffet	Basement floor -1	Accessible via lift	Height of buffet bar: 92 cm Height of table: 74 cm Height beneath table 72 cm Width beneath table: 70 cm Depth beneath table: 31 cm
Meeting rooms (2)	Basement floor -1	Accessible via lift	Height of table: 75 cm Height beneath table 70 cm Width beneath table: 180 cm Depth beneath table: 44 cm
Solarium & Jacuzzi	7th floor	Accessible via lift to 7th floor but to access solarium and Jacuzzi, four steps must first be negotiated, one with a height of 30 cm followed by a small landing, then three others with a height of 19 cm	No hoist to get into Jacuzzi and no specially adapted changing rooms or toilets









ACCESSIBILITY - VISUALLY IMPAIRED

Bedrooms		
Colour of door contrasts with adjacent walls: yes	Information about hotel services available in Braille: no and in large print: no	
Room lighting with dimmer switch: no	TV remote control with large numbers: yes and in contrasting colours: yes	
Room free of projecting elements: yes	Audible signals to indicate emergency alarm: yes	
Signs		
Signs the same size: yes , average 3 cm	height of 170 cm and a font size of	
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille	
Main stairs	•	
Edge of stairs marked with a non-slip strip in a contrasting colour	Side protection skirting board of 12 cm on both sides: no	
no	0	
Steps have a riser: yes		
Steps have nosing: yes	All steps are the same height: yes	
The space under the stairs is blocked off: yes	Handrail on either side: no , just on one side	
Continuous handrails on half- landings: yes , but just on one side	Handrail extends past the top and bottom of stairs: no	
Distinctively textured and contrastin of the stairs: no	gly coloured strip at the top and bottom	
Lifts		
Cab with audio signals: no	Control buttons in contrasting colours: yes	
Keypad with numbers in relief: yes Keypad with numbers in Braille: yes		
Strip of surface of a different texture and contrasting colour at entrance to lift: no		
Emergency System		
Audible alarm system in place in case of emergency: yes		

236 237 MADRID FOR ALL ACCESSIBLE TOURISM GUIDE







4



CATALONIA CENTRO HOTEL

Calle de Goya, 49 28001 Madrid

Telephone: 91 781 49 49 Fax: 91 781 49 48

Web: www.hoteles-catalonia.com

Metro without lift: Goya

Bus: 1, 9, 19, 21, 51, 53 and 74

ACCESS

- The main entrance is accessible by way of a ramp 1.92 m wide, 6.9 m long and with a recommended incline of 8,7%. A handrail is fixed at a height of 1 m from the floor of the ramp.
- The automatic sliding glass door is **80 cm** wide. It is not marked with horizontal strips or a logo in a contrasting colour.

9

ACCESSIBILITY - HEARING IMPAIRED

Room	0 0 0	
•	TV which communicates with	
	reception: no	
TV with teletext decoder: yes	TV has alarm clock with visual alert:	
	no	
	Entrance door with peephole: no	
Written information on available	Light signals to indicate a knock	
	at the door: no	
Communal WCs	• •	
Door lock with visual aid to indicate		
•	underneath to see if there is	
	someone inside: no	
Lifts	0 0	
Visual signs indicating the floor	Emergency button with a light	
and direction of movement, both	to show that the emergency call	
inside and outside the cab: yes	has been received: no	
Emergency system	-	
Emergency alarm systems with visual alerts: no		



Adapted room (No. 201)	No. of adapted rooms: 2
On 2 nd floor , accessible via lift	Width of door: 82 cm
Clear turning circle inside (diameter): Ø 150 cm	Height of climate control: 150 cm
Height of bed: 54 cm	Space for access to the bed: right hand side 80 cm , left hand side 80 cm
Wardrobe doors: sliding, with kno	b, easy to open
Bathroom in adapted room	•
Door: inward opening with a	Clear turning circle inside
width of 79 cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 43 cm	Height of flush mechanism: 74 cm
Approach area: left hand side 80 cm	No grab bar on right hand side
Folding grab bar on left hand side:	72-85 cm
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 80 cm and 56 cm	0
Height of the lower edge	Height of bathroom fittings: 140 cm
of the mirror: 110 cm	•
Bath:	*
Height of bath: 50 cm	No grab bars
Transfer platform: yes (no backrest)	Mixer tap at a height of 60 cm on short wall
Adapted bathroom	Number of adapted toilets:
in communal areas	2 cubicles, one for each sex
On first floor, accessible	Door: indoor opening with a width of 77 cm
Clear turning circle inside (diamete	r): Ø 150 cm
Toilet:	
Seat height: 40 cm	Height of flush mechanism: 79 cm
Approach area: right hand side 170 cm	Folding grab bar on right hand side: 80-85 cm
Fixed grab bar on left hand side: 80 cm	Distance between bars: 61 cm
Basin:	•
Height and clearance beneath the basin: 84 cm and 40 cm	Tap: mixer tap
Height of the lower edge of the mir	ror: 92 cm









	•
Lifts	No. of lifts: 2
Lift 1	No. of lifts 1. Connects reception with the upper rooms of building 1, adapted toilets, meeting rooms and cafeteria
Accessible up to the door	Width and depth of cab: 107 and 169 cm
Width of door: 80 cm	Height of handrail: 88 cm
Lift 2	No. of lifts 1. Connects reception with the upper rooms of building 2, and adapted rooms
Width of door: 100 cm	Width and depth of cab: 160 and 144 cm

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 115 cm
Cafeteria	First floor Building 1	Accessible via lift	Height of bar: 115 cm Height of table: 76 cm Height beneath table: 72 cm Width beneath table: 64 cm Depth beneath table: 50 cm
Restaurant / Breakfast buffet	First floor Building 1	Accessible via lift	Height of buffet bar: 90-137 cm Height of table: 76 cm Height beneath table: 72 cm Width beneath table: 64 cm Depth beneath table: 50 cm
Meeting rooms (4)	First floor Building 1	Accessible	





A 1		
Signs		
Signs the same size: yes , average	height of 70-190 cm and a font size	
of ≥ 1,5 cm		
Lettering in a colour which	Text and symbols: not in relief	
contrasts with the background: yes		
Main stairs	tana not in Braino	
	Olds and testing about a beside of	
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting	≥ 12 cm on both sides: yes	
colour: no	•	
Steps have a riser: yes	All steps are the same height: yes	
Steps have nosing: yes		
The space under the stairs is	Handrail on either side: no	
blocked off: yes	•	
Continuous handrails on	Handrail extends at top and bottom	
	of stairs: no	
half-landings: yes		
Strip of surface of a different texture and contrasting colour at the top		
and bottom of the stairs: no		
Lifts	•	
Cab with audio signals: yes	Control buttons in contrasting	
ů ,	colour: yes	
Keypad with numbers in relief:	Keypad with numbers in Braille:	
ves	ves	
yes	i Aea	

240 MADRID FOR ALL ACCESSIBLE TOURISM GUIDE 241







Catalonia Gran Vía



CATALONIA GRAN VÍA HOTEL

Gran Vía, 9 28013 Madrid

Telephone: 91 531 22 22 Fax: 91 531 54 69

Web: www.hoteles-catalonia.es

Metro without lift: Gran Vía Metro with lift: Callao



ACCESS

- The main entrance has a small ramp to navigate the **6 cm** step.
- Main entry is via an automatic, revolving glass door.
- There is an alternative accessible door it comprises a set of manually opened double glass doors with a clearance width of 88 cm.
- The main door is marked with the hotel logo.

ESSIBILITY - HEARING IMPAIRED

Room	o o o
	TV which communicates with reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert: no
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available services: yes	Light signals to indicate a knock at the door: yes
Communal WCs	0 0 0
	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	•
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visu	ual alerts: no



Adapted room (No. 132)	No. of adapted rooms: 3
On 1st floor, accessible	Width of door: 84 cm
Clear turning circle inside	Height of climate control: 150 cm
(diameter): Ø 150 cm	•
Height of bed: 50 cm	Space for access to the bed: right
3	hand side 90 cm , left hand side
	90 cm
Wardrobe doors: Sliding doors	Height of hanger rail: 167 cm
Height of wardrobe shelves and dra	
Bathroom in adapted room	
Door: inward opening with a width	Clear turning circle inside
of 84 cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 42 cm	Height of flush mechanism: 80 cm
Approach area: front 89 cm	Folding grab bar on right hand side:
• •	66 cm
Folding grab bar on left hand side:	Distance between bars: 71 cm
66 cm	•
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: side 66 cm and 34 cm	• • •
Height of the lower edge of the	Height of bathroom fittings:
mirror: 106 cm	86-160 cm
Bath:	•
Height of bath: 44 cm	Height of horizontal grab bar:
	40 cm
Transfer platform: no	No vertical grab bar
Mixer tap at a height of 54 cm	Height adjustable shower head: yes
There is a shower curtain	0
Adapted bathroom	Number of adapted toilets: 1
in communal areas	0
On basement floor -1, accessible	Door: outward opening with a
via lift	width of 85 cm
Clear turning circle inside (diamete	r): Ø 150 cm
Toilet:	
Seat height: 41 cm	Height of flush mechanism: 80 cm
Approach area: left hand side	Fixed grab bar on right hand side:
> 90 cm	57-74 cm
Fixed grab bar on left hand side:	Distance between bars: 71 cm
57-74 cm	0
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 80 cm and 20 cm	•
Height of the lower edge of	Height of bathroom fittings:
the mirror: 93 cm	80-120 cm







Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 112 cm
Cafeteria	Ground floor		Height of bar: 110 cm Height of table: 55 cm
Restaurant / Breakfast buffet	Ground floor	via a ramp – 160 cm wide, 133 cm in	Height of buffet bar: 90 cm Height of table: 76 cm Height beneath table: 69 cm Width beneath table: 61 cm Depth beneath table: 90 cm
Meeting rooms (5)	Basement -1	via lift	Height of table: 73 cm Height beneath table: 67 cm Width beneath table: 160 cm Depth beneath table: 50 cm



ACCESSIBILITY - VISUALLY IMPAIRED

Signs	
Signs the same size: yes, average	e height of 70-190 cm and a font size
of ≥ 1,5 cm	•
Lettering in a colour which	
contrasts with the background: ye	s and not in Braille
Main stairs	0
Edge of stairs marked with a	Side protection skirting board of
non-slip strip in a contrasting	≥ 12 cm on both sides: yes
colour: no	0
Steps have a riser: yes	All steps are the same height: yes
Steps have nosing: yes	•
The space under the stairs is	Handrail on either side: no
blocked off: no	•
Continuous handrails on	Handrail extends at top and bottom
half-landings: no	of stairs: no
	re and contrasting colour at the top
and bottom of the stairs: no	
Lifts	•
Cab with audio signals: yes	Control buttons in contrasting
	colour: yes
Keypad with numbers in relief:	Keypad with numbers in Braille:
yes	yes













Calle del Prado, 6 28014 Madrid

Telephone: 91 389 60 51 **Fax:** 91 389 60 52

Web: www.hoteles-catalonia.com

Metro without lift: Sevilla and Antón Martín

Bus: 10, 14, 27, 30, 32, 34 and 50

ACCESS

- The main entrance is accessible and and has a level surface.
- The automatic sliding glass door is **1.70 m** wide. It is not marked with horizontal strips or a logo in a contrasting colour.
- The reception area is reached from the entrance by way of a ramp 1.27 m wide, 2.70 m long, and with a non-recommended incline of 7%. There is no handrail, and the ramp's beginning and end are not indicated by either a distinctively textured or contrastingly coloured floor surface.

CCESSIBILITY - HEARING IMPAIRED

Room	• •
Internet connection: yes	TV which communicates with
	reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert:
	no
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes, and in braille	at the door: no
Communal WCs	•
Door lock with visual aid to indicate	Cubicle doors with a gap
either free or occupied: no	underneath to see if there is
	someone inside: no
Lifts	• •
Visual signs indicating the floor	Emergency button with a light
and direction of movement, both	to show that the emergency call
inside and outside the cab: yes	has been received: yes
Emergency system	
Emergency alarm systems with vis	ual alerts: ves











Adapted room (No. 002)	No. of adapted rooms: 2
On ground floor, accessible	Width of door: 76 cm
Clear turning circle inside	Height of climate control: 150 cm
(diameter): Ø 150 cm	
Height of bed: 50 cm	Space for access to the bed: right
3	hand side 127 cm , left hand side
	140 cm
Wardrobe doors: Outward	Height of hanger rail: 160 cm
opening with knobs, easy	
to open	0
Height of wardrobe shelves and dr	awers: 20-90 cm
Bathroom in adapted room	
Door: sliding door with a width of	Clear turning circle inside
75 cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 40 cm	Height of flush mechanism: 80 cm
Approach area: right hand side	Folding grab bar on right hand
95 cm, frontal 130 cm	side: 70-80 cm
Fixed grab bar on left hand side:	Distance between bars: 55 cm
70-80 cm	Dictarios between bare. Co cin
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 74 cm and 55 cm	ing. maer tap
Height of the lower edge	Height of bathroom fittings: 90 cm
of the mirror: 130 cm	rioigni or baumoom mango. co c m
Shower:	•
Width of approach to shower:	Shower base: level with floor
85 cm	
Shower floor: non-slip	Shower stool: mobile
No horizontal grab bar	No vertical grab bar
Tap: mixer tap	Height of tap: 120-145 cm on
rap. mixer tap	accessible wall
Adjustable shower-head height:	Folding shower screen
no	or ording onewer coreon
	•
Adapted bathroom	Number of adapted toilets: 2
Adapted bathroom in communal areas	Number of adapted toilets: 2 , integrated into the men's and
Adapted bathroom in communal areas	integrated into the men's and
in communal areas	integrated into the men's and women's toilets
	integrated into the men's and women's toilets Door: inward opening, width of
In communal areas On ground floor, accessible	integrated into the men's and women's toilets Door: inward opening, width of 75 cm
On ground floor, accessible Clear turning circle inside (diameter	integrated into the men's and women's toilets Door: inward opening, width of 75 cm
On ground floor, accessible Clear turning circle inside (diameter Toilet:.	integrated into the men's and women's toilets Door: inward opening, width of 75 cm er): Ø 150 cm
In communal areas On ground floor, accessible Clear turning circle inside (diameter	integrated into the men's and women's toilets Door: inward opening, width of 75 cm er): Ø 150 cm Height of flush mechanism:
On ground floor, accessible Clear turning circle inside (diameter Toilet:.	integrated into the men's and women's toilets Door: inward opening, width of 75 cm er): Ø 150 cm





80 cm , frontal 130 cm	69 cm
Folding grab bar on left hand side:	Distance between the bars: 77 cm
69 cm	• •
Basin:	0
Height and clearance beneath	Tap: mixer tap
the basin: 70 cm and 40 cm	• • • • • • • • • • • • • • • • • • •
Height of the lower edge	Height of bathroom fittings:
of the mirror: 110 cm	90-110 cm
Lifts	No. of lifts: 2, connecting all floors
Accessible up to the door	Height of call buttons: 106 cm
Width of door: 80 cm	Width and depth of cab:
	108 and 140 cm
Height of lift buttons: 107-120 cm	No handrail
	•

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 115 cm
Cafeteria	Ground floor	Accessible	Height of bar: 106 cm Height of table: 55 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 91 cm Height of table: 75 cm Height beneath table: 67 cm Width beneath table: 70 cm Depth beneath table: 90 cm Table with four legs
Meeting rooms (2)	Second floor	Accessible via lift	Height of table: 73 cm Height beneath table: 66 cm Width beneath table: 180 cm Depth beneath table: 45 cm







ACCESSIBILITY - VISUALLY IMPAIRED

Signs		
Signs the same size: yes, average	height of 170-190 cm and a font size	
of ≥ 1,5 cm		
Lettering in a colour which	Text and symbols: not in relief	
contrasts with the background: yes	and not in Braille	
Main stairs	•	
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting	≥ 12 cm on both sides: yes	
colour: no	0	
Steps have a riser: yes	All steps are the same height: yes	
Steps have nosing: yes	0	
The space under the stairs is	Handrail on either side: no	
blocked off: yes	•	
	Handrail extends at top and bottom	
	of stairs: no	
Strip of surface of a different texture	e and contrasting colour at the top	
and bottom of the stairs: no		
Lifts	•	
Cab with audio signals: no	Control buttons in contrasting	
	colour: yes	
Keypad with numbers in relief:	Keypad with numbers in Braille:	
ves	no	













CATALONIA MORATÍN HOTEL

Calle de Atocha, 23 28012 Madrid

Telephone: 91 369 71 71 **Fax:** 91 360 12 31

Web: www.hoteles-catalonia.es

Metro without lift: Tirso de Molina and Antón Martín

ACCESS

- The main entrance has a step of between 10 cm and 15 cm high, and no alternative ramp.
- There are 2 sets of automatic glass doors that measure 1.35 m wide. They are not marked with horizontal strips or a logo in a contrasting colour.

ACCESSIBILITY - HEARING IMPAIRED ____

Room	• •
Internet connection: yes	TV which communicates with reception: no
•	TV has alarm clock with visual alert:
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	• • •
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	•
and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visi	ual alerts: no









★★★★ 4 STAR HOTELS Catalonia Moratín

Lifts	•
Accessible up to the door	Height of call buttons: 97 cm
Width of door: 80 cm	Width and depth of cab:
Height of lift buttons: 98-121 cm	Height of handrail: 106 cm

(ii-

-	ACCESSIBILITY -	PHYSICALLY DISABLED
	Adapted room (No. 101)	No. of adapted rooms: 2
	On 1st floor, accessible via lift	Width of door: 73 cm
	Clear turning circle inside	Height of climate control: 125 cm
	(diameter): Ø 150 cm	rioignic or omniate control. 120 cm
	Height of bed: 48 cm	Space for access to the bed: right
	3	hand side 70 cm , left hand side
		100 cm
	Wardrobe doors: Difficult to open	Height of hanger rail: 163 cm
	Height of wardrobe shelves and dra	
	Bathroom in adapted room	
	Door: inward opening with	Clear turning circle inside
	a width of 78.5 cm	(diameter): Ø 150 cm
	Toilet:	
	Seat height: 41 cm	Height of flush mechanism: 78 cm
	Approach area: side > 80 cm	Folding grab bar on right hand side:
		81-126 cm
	Folding grab bar on left hand side:	81-126 cm
	Basin:	0
	Height and clearance beneath the	Tap: mixer tap
	basin: side 70.5 cm and 29 cm	
	Height of the lower edge	Height of bathroom fittings:
	of the mirror: 106 cm	81-126 cm
	Bath:	N
	Height of bath: 42 cm	No grab bars
	Transfer platform: no	Mixer tap at a height of 54 cm on
	Adopted bothsoon in communal	narrow wall
	Adapted bathroom in communal	
ŀ	On ground floor , accessible Clear turning circle inside (diameter	Door: width of 75 cm
٠	Toilet:). Ø 150 cm
	Seat height: 41 cm	Height of flush mechanism: 78 cm
	Approach area: side > 80 cm	Folding grab bar on right hand side:
	Approach area. Side > 00 cm	92-108 cm
	Folding grab bar on left hand side:	
	Basin:	
	Height and clearance beneath	Tap: mixer tap
		Height of bathroom fittings:
	of the mirror: 103 cm	92-108 cm
	the basin: 85 cm and 30 cm Height of the lower edge	Height of bathroom fittings:

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 108 cm
Cafeteria	Ground floor	Accessible via ramp with a length of 204 cm, a width of 119 cm, and an adequate incline of 10%. No handrail	Height of bar: 110 cm Height of table: 55 cm
Restaurant Breakfast buffet	t / Ground floor	Accessible via ramp described above	Height of table: 75 cm Height beneath table: 67 cm Width beneath table: 70 cm Depth beneath table: 90 cm
Meeting rooms (1)	Ground floor	Accessible	• • •

250





ACCESSIBILITY - VISUALLY IMPAIRED

Signs	
Signs the same size: yes , average of ≥ 1,5 cm	height of 200 cm and a font size
Lettering in a colour which	Text and symbols: not in relief
contrasts with the background: yes	and not in Braille
Main stairs	6 6
Edge of stairs marked with a	Side protection skirting board of
non-slip strip in a contrasting	≥ 12 cm on both sides: yes
colour: no	•
Steps have a riser: yes	All steps are the same height: yes
Steps have nosing: yes	
The space under the stairs is	Handrail on either side: no
blocked off: there is none) 0
Continuous handrails on	Handrail extends at top and bottom
half-landings: no	of stairs: no
Lifts	
Cab with audio signals: no	Control buttons in contrasting
<u> </u>	colour: yes
Keypad with numbers in relief:	Keypad with numbers in Braille:
	yes













Calle Atocha, 36 28012 Madrid

Telephone: 91 369 44 09 Fax: 91 429 65 34

Web: www.hoteles-catalonia.com

Metro with lift: Sol

Bus: 10, 14, 19, 24, 26, 32, 37, 54, 57, 102, 141 and C

ACCESS

- The entrance to the hotel is level with the street. It has a clearance width of 2 m.
- The main entranceway is level. There is a revolving glass main door with a clearance width of 1.20 m. There is a control to stop and reduce the speed of the revolving door both inside and outside at a height of 1 m.
- There is an alternative outward opening glass door to the left of the revolving door with a clearance width of 80 cm.
- Within the revolving door is a doormat securely affixed to the floor.
- There is an accessible route that takes guests straight to the reception and help desk.



ACCESSIBILITY - HEARING IMPAIRED

Room	0 0 0
	TV which communicates with reception: yes
	TV has alarm clock with visual alert: no
Bedside plug socket: yes	Entrance door with peephole: no
	Light signals to indicate a knock at the door: yes
Communal WCs	• • •
Door lock with visual aid to indicate either free or occupied: yes	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	0 0
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: yes
Emergency system	•
Emergency alarm systems with visu	ual alerts: no









Plaza Mayor







Other amenities	Location	Access	: Main : characteristics
Reception	Ground floor	Accessible	Height of reception desk: 86 cm and 116 cm – two levels
Cafeteria	Ground floor	Accessible	Height of bar: 108 cm Height of table: 76 cm Height beneath table 74 cm Width beneath table: 70 cm Depth beneath table: 31 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 92 cm Height of table: 76 cm Height beneath table 74 cm Width beneath table: 70 cm Depth beneath table: 31 cm
Meeting rooms (1)	Basement floor -1	Accessible via lift	Furniture different depending on the event
Jacuzzi & Gym	Basement floor -1	Accessible via lift	Jacuzzi with fixed chair and grab bar to facilitate transfer

|--|

Adapted room (No. 002)	Number of adapted rooms: 2
On the ground floor, accessible	Width of door: 75 cm
Clear turning circle inside	Height of climate control: 120 cm
(diameter): Ø 150 cm	•
Height of bed: 57 cm	Space for access to the bed: right
	hand side 140 cm left hand side
	108 cm
Wardrobe doors: swing door	Height of hanger rail: 178 cm
opening to 90° with doorknob	•
	elves and drawers: 50 cm and 190 cm
Bathroom in adapted room	
Door: Sliding door with a width of	Clear turning circle inside (diameter):
77 cm	Ø 150 cm
Toilet:	*
Seat height: 44 cm	Height of flush mechanism: 102 cm
Approach area: right hand side	Adjustable folding grab bar on the
92 cm, left hand side 90 cm, front	right hand side: 83 cm
122 cm	•
Adjustable folding grab bar on the	Distance between bars: 57 cm
left hand side: 83 cm	9 9 9
Basin:	• • - • • • • • • • • • • • • • • • • • • •
Height and clearance beneath the	Tap: mixer tap easy to use
basin: 71 cm and 15 cm	* NA:
Height of the lower edge of the	Min. and max. height of bathroom
mirror: 90 cm Shower:	fittings: 90 cm and 120 cm
Width and depth of approach area:	Shower base: level with the floor
122 cm and ≥ 120 cm	Shower base, lever with the hoor
Shower floor: non-slip	Shower chair or seat: fixed and
Shower hoor. Horr-slip	folding seats
Height and location of horizontal	Height and location of vertical grab
grab bar: 77 cm on wall to the side	bar: none
of the tap	, bail nois
Tap: mixer tap easy to use	Height of the tap: 100 cm and
rap miner tap sasy to use	124 cm on the same wall as the
	fixed seat
Non-adjustable height shower	Shower screen: just a shower
head: 124 cm	curtain
Adapted toilets in communal	Total number of adapted toilets: 2
areas	•
Location: next to reception and	On ground floor – accessible cafete-
ria	•
Bathroom door: inward opening	Cubicle door: outward opening with
with a width of 94 cm	a width of 73 cm
Clear turning circle inside (diameter): Ø 150 cm





ACCESSIBILITY - VISUALLY IMPAIRED

Bedrooms	
Colour of door contrasts with adjacent walls: yes	Information about hotel services available in Braille: no and in large
	print: no
Room lighting with dimmer switch:	
no	numbers: yes and in contrasting colours: yes
Room free of projecting elements:	Audible signals to indicate
no	emergency alarm: yes
Signs	
Signs the same size: yes , average 3 cm	height of 170 cm and a font size of
Lettering in a colour which con-	Text and symbols: not in relief and
trasts with the background: yes	not in Braille
Main stairs	•
Edge of stairs marked with a	Side protection skirting board of
non-slip strip in a contrasting colour	: 12 cm on both sides: yes
no	0
Steps have a riser: yes	•
Steps have nosing: yes	All steps are the same height: yes
The space under the stairs is blocked off: yes	Handrail on either side: no, just on one side
Continuous handrails on half- landings: no	Handrail extends past the top and bottom of stairs: no
	gly coloured strip at the top and bottom
Lifts	0
Cab with audio signals: no	Control buttons in contrasting colours: yes
Keypad with numbers in relief: yes	Keypad with numbers in Braille: yes
	e and contrasting colour at entrance
Emergency System	









CLARIÓN PRECIADOS HOTEL



Calle de Preciados, 37 28013 Madrid

Telephone: 91 454 44 00 Fax: 91 454 44 01

Web: www.preciadoshotel.com

Metro with lift: Callao

Bus: 133, 147 and 148

ACCESS

- The road accessing the hotel is broad, level and free of obstacles.
- The main entrance is accessible, with no steps or narrow corridors to impede access.
- The main automatic sliding glass door is **1.17 m** wide. It is not marked with horizontal strips or a logo in a contrasting colour.

9

ACCESSIBILITY - HEARING IMPAIRED _____

Room	0 0
	TV which communicates with reception: no
	TV has alarm clock with visual alert: yes
Bedside plug socket: yes	Entrance door with peephole: no
services: yes	Light signals to indicate a knock at the door: no
Communal WCs	• •
· •	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	0 0 0
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emorgonov alarm evetome with view	ial alarte: no

Emergency alarm systems with visual alerts: **no**

Audible alarm system in place in case of emergency: yes











ACCESSIBILITY - PHYSICALLY DISABLED

	•
Adapted room (No. 001)	No. of adapted rooms: 1
On ground floor, accessible via two	Width of door: 77 cm
portable ramps two navigate two	•
sets of steps. They are not usually	• •
in position so must be requested	•
beforehand	0
Clear turning circle inside	Height of climate control: 147 cm
(diameter): Ø 150 cm	•
Height of bed: 54 cm	Space for access to the bed: right
	hand side 60 cm , left hand side
	75 cm
Wardrobe doors: Sliding doors	Height of hanger rail: 157 cm
Bathroom in adapted room	• •
Door: inward opening with	Clear turning circle inside
a width of 65 cm	(diameter): Ø 150 cm
Toilet:	• •
Seat height: 42 cm	Height of flush mechanism: 78 cm
Approach area: front	No grab bars
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 74 cm and 20 cm	• •
Height of the lower edge	Height of bathroom fittings:
of the mirror: 80 cm	75-110 cm
Bath:	•
Height of bath: 49 cm	Height of horizontal grab bar:
	74-92 cm
Transfer platform: yes	Adjustable shower-head height: yes
Mixer tap at a height of 54 cm	Shower curtain
on narrow wall	•
Lifts	•
Accessible up to the door	No handrail
Width of door: 80 cm	Width and depth of cab:
	102 and 138 cm



Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 116 cm
Cafeteria	Ground floor	Accessible	Height of table: 74 cm Height beneath table: 70 cm Width beneath table: 61 cm Depth beneath table: 35 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 73-84 cm Height of table: 64 cm Height beneath table: 61 cm Width beneath table: 51 cm Depth beneath table: 67 cm
Meeting rooms (3)	Ground floor	Accessible via lift	Height of table: 72 cm Height beneath table: 66 cm Width beneath table: 117 cm Depth beneath table: 33 cm
Parking	Basement -1	Accessible	There are no parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)



ACCESSIBILITY - VISUALLY IMPAIRED ____

Signs		
- 0	height of 164-200 cm and a font size	
of ≥ 1,5 cm		
Lettering in a colour which	Text and symbols: not in relief	
contrasts with the background: yes	and not in Braille	
Main stairs	•	
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting	≥ 12 cm on both sides: yes	
colour: no		
Steps have a riser: yes	All steps are the same height: yes	
Steps have nosing: no	* 11 1 1 1 1 1 1 1	
The space under the stairs is	Handrail on either side: only on	
blocked off: there is none	left hand side	
Continuous handrails on	Handrail extends at top and bottom	
half-landings: yes	of stairs: no	
Strip of surface of a different texture and contrasting colour at the top		
and bottom of the stairs: no	•	
Lifts	•	
Cab with audio signals: no	Control buttons in contrasting	
	:colour: yes	
Keypad with numbers in relief:	Keypad with numbers in Braille:	
yes	yes	











Clement Barajas



CLEMENT BARAJAS HOTEL

Avenida General, 43 28042 Madrid

Telephone: 91 746 03 30 **Fax:** 91 312 11 73

Web: www.clementhoteles.com

Metro with lift: Barajas

Bus: 105 and 115

ACCESS

- The main entrance is accessible and and has a level surface.
- The main automatic sliding glass door is 1.90 m wide. It is not marked with horizontal strips or a logo in a contrasting colour.



ACCESSIBILITY - HEARING IMPAIRED

Room	0 0 0	
	TV which communicates with reception: no	
•	TV has alarm clock with visual alert: no	
Bedside plug socket: yes	Entrance door with peephole: no	
	Light signals to indicate a knock at the door: no	
Communal WCs	0	
• • • • • • • • • • • • • • • • • • •	Cubicle doors with a gap underneath to see if there is someone inside: no	
Lifts	0 0 a	
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no	
Emergency system		
Emergency alarm systems with visual alerts: no		



Adapted room (No. 505)	No. of adapted rooms: 2
On 5 th floor, accessible via lift	Width of door: 75 cm
Clear turning circle inside	Height of climate control: 120 cm
(diameter): Ø 150 cm	•
Height of bed: 50 cm	Space for access to the bed: right
	hand side 100 cm , left hand side
	110 cm
Wardrobe doors: knobs, difficult	Height of hanger rail: 180 cm
to open	•
Height of wardrobe shelves and dra	awers: 60-170 cm
Bathroom in adapted room	
Door: inward opening with a	Clear turning circle inside
width of 76 cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 40 cm	Height of flush mechanism: 80 cm
Approach area: front 60 cm	Fix grab bar on right hand side:
• •	77 cm
No grab bar on left hand side	0
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 70 cm and 50 cm	•
Height of the lower edge of	Height of bathroom fittings: 90 cm
the mirror: 100 cm	
Shower:	0
Width of approach to shower:	Shower base: level with floor
100 cm	•
Shower floor: non-slip	Shower stool: mobile
Height and location of horizontal	No vertical grab bar
grab bar: 83 cm , same wall as	•
the tap	•
Tap: mixer tap	Height of tap: 90-130 cm on
•	accessible wall
Adjustable shower-head height: ye	- S
Adapted bathroom	Number of adapted toilets: 1
in communal areas	•
On ground floor, accessible	Door: inward opening, width of
,	78 cm
Clear turning circle inside (diamete	r): Ø 150 cm
Toilet:	,
Seat height: 48 cm	Height of flush mechanism: 100 cm
Approach area: front 150 cm	Fixed grab bar on left hand side:
	77 cm
	, I I UIII





Clement Barajas





Basin:	0
Height and clearance beneath the basin: 58 cm and 35 cm	Tap: mixer tap
	Height of bathroom fittings: 90-120 cm
Lifts	0
Accessible up to the door	Height of call buttons: 110 cm
	Width and depth of cab: 106 and 137 cm
Height of lift buttons: 106-120 cm	Height of handrail: 90 cm

0.11			
Other	Location	Access	Main
amenities			characteristics
Reception	Ground floor	Accessible	Height of reception desk: 73 cm
Cafeteria	Ground floor	Accessible	Height of bar: 114 cm Height of table: 56 cm Height beneath table: 50 cm Width beneath table: 60 cm Depth beneath table: 25 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 90 cm Height of table: 75 cm Height beneath table: 72 cm Width beneath table: 80 cm Depth beneath table: 40 cm
Meeting rooms (1)	Ground floor	Accessible	Height of table: 76 cm Height beneath table: 72 cm Width beneath table: 70 cm Depth beneath table: 190 cm
Parking	Basement -1 and -2	Accessible via lift	There are 2 parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)





Signs		
Signs the same size: yes, average height of 160-190 cm and a font size		
of ≥ 1,5 cm	o _	
	Text and symbols: not in relief	
contrasts with the background: yes	and not in Braille	
Main stairs	• •	
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting	≥ 12 cm on both sides: yes	
colour: yes	•	
Steps have a riser: yes	All steps are the same height: yes	
Steps have nosing: yes	•	
The space under the stairs is	Handrail on either side: yes	
blocked off: there is none	•	
Continuous handrails on	Handrail extends at top and bottom	
half-landings: yes	of stairs: no	
Strip of surface of a different texture and contrasting colour at the top		
and bottom of the stairs: yes		
Lifts	6 0	
Cab with audio signals: no	Control buttons in contrasting	
ŭ	colour: yes	
Keypad with numbers in relief:	Keypad with numbers in Braille:	
yes	yes	

262 MADRID FOR ALL ACCESSIBLE TOURISM GUIDE 263









CONFORTEL ALCALÁ NORTE HOTEL



Teléfono: 91 754 84 08 Fax: 91 754 84 08

Web: www.confortelhoteles.com

Metro without lift: Suances

Bus: 105



ACCESS

- The path leading to the entrance has an incline of 11%.
- The main automatic sliding glass door is 1.50 m wide. It carries a visual indication stripe in a contrasting colour set between 1.51 m and 1.70 m from the ground.



ACCESSIBILITY - HEARING IMPAIRED

Room	0 0 0	
Internet connection: yes	TV which communicates with	
	reception: no	
TV with teletext decoder: yes	TV has alarm clock with visual alert:	
	no	
Bedside plug socket: yes	Entrance door with peephole: no	
Written information on available	Light signals to indicate a knock	
services: yes	at the door: no	
Communal WCs	•	
Door lock with visual aid to indicate	Cubicle doors with a gap	
	underneath to see if there is	
·	someone inside: no	
Lifts	•	
Visual signs indicating the floor	Emergency button with a light	
	to show that the emergency call	
	has been received: no	
Emergency system	•	
Emergency alarm systems with visual alerts: no		



Adapted room	No. of adapted rooms: 5	
On first floor , accessible via lift	Width of door: 88 cm	
Clear turning circle inside	Height of climate control: 110 cm	
(diameter): Ø 150 cm	Occasion for a constant that had a dealer	
Height of bed: 61 cm	Space for access to the bed: right hand side 161 cm , left hand side	
	65 cm	
Wardrobe doors: Handles, easy	Height of hanger rail: 183 cm , for	
to open	long sleeved clothes	
Height of wardrobe shelves and dra	awers: 37 cm	
Bathroom in adapted room	•	
Door: outward opening with	Clear turning circle inside	
a width of 90 cm	(diameter): Ø 150 cm	
Toilet:		
Seat height: 41 cm, with riser	Height of flush mechanism: 103 cm	
Approach area: left hand side 131 cm	Fix grab bar on right hand side: 70 cm	
Folding grab bar on left hand side:	Distance between bars: 67 cm	
66-84 cm	•	
Basin:		
Height and clearance beneath the basin: 68 cm and 37 cm	Tap: mixer tap	
Height of the lower edge	Height of bathroom fittings:	
of the mirror: 54 cm	83-140 cm	
Shower:	•	
Width of approach to shower:	Shower base: with lip	
100 cm		
Shower floor: non-slip	Shower stool: mobile	
Height and location of horizontal grab bar: 85 cm	Height and location of vertical grab bar: 83-100 cm	
Tap: mixer tap	Height of tap: 57 cm on accessible	
rap. Illixer tap	wall	
Adjustable shower-head height:	Folding shower screen	
yes	•	
Adapted bathroom	Number of adapted toilets: 2, inte-	
in communal areas	grated into the men's and women's	
	toilets	
On ground floor, accessible	Door: outward opening, width of 87 cm	
Clear turning circle inside (diameter): Ø 150 cm		
Toilet:		
Seat height: 41 cm	Approach area: side 93 cm	
Folding grab bar height: 61-80 cm	Fixed grab bar height: 70 cm	
Distance between bars: 74 cm	•	









Basin:	•
Height and clearance beneath the basin: 68 cm and 20 cm	Tap: mixer tap
Height of the lower edge of the mirror: 103 cm	Height of bathroom fittings: 106-114 cm
Lifts	•
Accessible up to the door	Height of call buttons: 107-112 cm
Width of door: 90 cm	Width and depth of cab: 123 and 135 cm
Height of lift buttons: 89-113 cm	Height of handrail: 89.5 cm

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 116 cm
Cafeteria	Ground floor	Accessible	Height of bar: 115 cm Height of table: 74 cm Height beneath table: 67 cm Width beneath table: 70 cm Depth beneath table: 10 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 63-90 cm Height of table: 74 cm Height beneath table: 67 cm Width beneath table: 70 cm Depth beneath table: 10 cm
Parking	Basement -1	Accessible via lift	There are 8 parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)





Signs		
Signs the same size: yes, average	height of 100-200 cm and a font size	
of ≥ 1.5 cm		
Lettering in a colour which	Text and symbols: not in relief	
contrasts with the background: no	and not in Braille	
Main stairs		
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting	≥ 12 cm on both sides: no	
colour: no	•	
Steps have a riser: yes	All steps are the same height: yes	
Steps have nosing: no	•	
The space under the stairs is	Handrail on either side: yes	
blocked off: there is none	•	
Continuous handrails on	:Handrail extends at top and bottom	
half-landings: no	of stairs: no	
Strip of surface of a different texture and contrasting colour at the top		
and bottom of the stairs: no		
Lifts	•	
Cab with audio signals: yes	Control buttons in contrasting	
	colour: no	
Keypad with numbers in relief:	Keypad with numbers in Braille:	
yes	yes	

266 MADRID FOR ALL ACCESSIBLE TOURISM GUIDE 267













Telephone: 91 398 38 70 **Fax:** 91 398 38 71

Web: www.confortelhoteles.com

Metro without lift: Arturo Soria and Avenida de la Paz

Bus: 53 and 122



- The main entrance and has a level surface, and can be accessed normally at one end of the street, and with stairs at the other, given that the street has a slight slope.
- There are 2 sets of double, automatic, sliding, glass doors with a clearance of 1.60 m.
- They are marked with horizontal strips and large letters in a contrasting colour.
- A mat is fixed to the floor between the 2 doors.

ACCESSIBILITY - HEARING IMPAIRED

Room	0
Internet connection: yes	TV which communicates with reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert: yes
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available services: yes	Light signals to indicate a knock at the door: no
Communal WCs	at the door. no
Door lock with visual aid to indicate either free or occupied: no	e Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	•
Visual signs indicating the floor and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with vis	sual alerts: no



Adapted room (No 101)	No. of adapted rooms: 6
On first floor , accessible via lift	Width of door: double door, 78 cm and 45 cm
Clear turning circle inside (diameter): Ø 150 cm	Height of climate control: 65 cm
Height of bed: 50 cm	Space for access to the bed: right hand side ≥ 150 cm, left hand side 95 cm
Wardrobe doors: Sliding with handles, easy to open	Height of hanger rail: 170 cm, for long sleeved clothes
Height of wardrobe shelves and dra	awers: 25-175 cm
Bathroom in adapted room	
Door: outward opening with a width of 77 cm	Clear turning circle inside (diameter): Ø 150 cm
Toilet:	
Seat height: 43 cm	Height of flush mechanism: 100 cm
Approach area: right hand side 100 cm , front 75 cm	Folding and adjustable distance grab bar on right hand side: 71 cm
Folding and adjustable distance grab bar on left hand side: 71 cm	Distance between bars: variable 70 cm
Basin:	•
Height and clearance beneath the basin: 80 cm (adjustable) and 60 cm	Tap: mixer tap
Height of the lower edge of the mirror: 110 cm	Height of bathroom fittings: 90 cm
Shower:	•
Width of approach to shower: 150 cm	Shower base: level with floor
Shower floor: non-slip	Shower stool: fixed and removable, folding armrests which can be used as grab bars
No horizontal grab bar	Has a vertical grab bar on the same wall as the tap which is used for adjusting the height of the shower head
Tap: mixer tap	Height of tap: 100 cm on accessible wall
Adjustable shower-head height: yes	Fixed shower screen that does not hamper shower entry
Adapted bathroom in communal areas	Number of adapted toilets: 2
On ground floor , and in reception rooms, accessible	Sliding, width of 80 cm
Clear turning circle inside (diamete	r): Ø 150 cm
j	











Toilet:	v 0
Seat height: 45 cm	Height of flush mechanism: 100 cm
Approach area: right height side	Folding grab bar on right hand
100 cm , front 100 cm	side: 90 cm
Folding grab bar on left hand side:	Distance between bars: 59 cm
90 cm	0 0 0
Basin:	• •
Height and clearance beneath the	Tap: mixer tap
basin: 80 cm (adjustable)	•
and 60 cm	• •
Height of the lower edge of	Height of bathroom fittings: 90 cm
the mirror: 100 cm	•
Lifts	Total number of lifts: 3
Accessible up to the door	Height of call buttons: 100-107 cm
	Width and depth of cab:
	156 and 121 cm
Height of lift buttons: 90-114 cm	Height of handrail: 90 cm

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 84 and 115 cm. It allows wheel chair users access right up to the desk from the front.
Cafeteria	Ground floor	Accessible	Height of bar: 104 cm Height of table: 78 cm Height beneath table: 76 cm Width beneath table: 98 cm Depth beneath table: 90 cm Table with central leg
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 92 cm Height of table: 73 cm Height beneath table: 69 cm Width beneath table: 70 cm Depth beneath table: 40 cm Table with central leg
Meeting rooms (5)	Mezzanine	Accessible	Height of table: 74 cm Height beneath table: 69 cm Width beneath table: 179 cm Depth beneath table: 48 cm
Gym	Sixth floor	Accessible via lift	No specially adapted changing rooms or toilets
Parking	Basement -2	Accessible via lift	There are 3 parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign



ACCESSIBILITY - VISUALLY IMPAIRED _____

e height of 160-180 cm and a font size		
Text and symbols: not in relief and not in Braille		
•		
Side protection skirting board of ≥ 12 cm on both sides: yes		
All steps are the same height: yes		
Handrail on either side: yes		
Handrail extends at top and bottom of stairs: no		
half-landings: yes of stairs: no Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no		
•		
Control buttons in contrasting colour: yes		
Keypad with numbers in Braille: yes		





CONFORTEL MADRID PÍO XII HOTEL

Avenida de Pío XII, 77 28016 Madrid

Telephone: 91 387 62 00 Fax: 91 302 65 22

Web: www.confortelhoteles.com

Metro without lift: Pío XII and Duque de

Pastrana

Bus: 16 and 150

ACCESS

- The road accessing the hotel is broad, level, obstacle free and has a slight slope with an incline of 10%. Some parts of the slope have a handrail at a height of 75 cm and 96 cm.
- The main door automatic sliding glass door is **80 cm** wide. It is inadequately signed.



ACCESSIBILITY - HEARING IMPAIRED

Room	0 0 0
•	TV which communicates with reception: no
-	TV has alarm clock with visual alert: no
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	• • •
	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	•
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visu	ual alerts: no








Adapted room	No. of adapted rooms: 4
Accessible via lift	Width of door: double door, 87.5 cm
Clear turning circle inside	Height of climate control: 150 cm
(diameter): Ø 150 cm	
Height of bed: 82 cm	Space for access to the bed: right
	hand side 107 cm , left hand side
	119 cm
Wardrobe doors: handles, easy	Height of hanger rail: 183 cm, for
to open	long sleeved clothes
Height of wardrobe shelves and dr	
Bathroom in adapted room	
Door: width of 81 cm	Clear turning circle inside
	(diameter): Ø 150 cm
Toilet:	•
Seat height: 41 cm	Height of flush mechanism: 100 cm
Approach area: side 154 cm	Folding grab bar on approach side
side	
Fixed grab bar on opposite side	Distance between bars: 64 cm
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 71 cm and 30 cm	•
Height of the lower edge of the	Height of bathroom fittings:
mirror: 98 cm, angled	76-134 cm
Shower:	•
Width of approach to shower:	Shower base: level with floor
100 cm	•
Shower floor: non-slip	Shower stool: fixed and mobile
Height and location of horizontal	No vertical grab bar
grab bar: 82 cm	•
Tap: mixer tap on accessible	Adjustable shower-head height: yes
wall	•
Shower curtain	•
Adapted bathroom	Number of adapted toilets: 1
in communal areas	•
On ground floor, accessible	Door: Width of 79 cm
Clear turning circle inside (diamete	er): Ø 150 cm
Toilet:	
Seat height: 41 cm	Height of flush mechanism: 100 cm
Approach area: side 91 cm	Folding grab bar on approach side: 60-75 cm
Fixed grab bar on opposite side:	Distance between bars: 69 cm
65 cm	•
Basin:	•
Height and clearance beneath	Tap: automatic
the basin: 68 cm and 50 cm	•
	-







Other in			A
Other	Location	Access	Main
amenities			characteristics
Reception	Ground floor	Accessible	Height of reception desk: 78.5 cm
Cafeteria	Ground floor	Accessible	Height of bar: 110 cm Height of table: 75 cm Height beneath table: 66.5 cm Width beneath table: 70 cm Depth beneath table: 14 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 89 cm Height of table: 73 cm Height beneath table: 66.5 cm Width beneath table: 70 cm Depth beneath table: 14 cm
Meeting rooms (1)	Ground floor	Accessible	Height of table: 73 cm Height beneath table: 66.5 cm Width beneath table: 200 cm Depth beneath table: 45 cm







ACCESSIBILITY - VISUALLY IMPAIRED

	Signs Signs			
	Signs the same size: yes , average height of 100-109 cm and a font size of ≥ 1.5 cm			
	Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille		
	Main stairs	0 0 0		
		Side protection skirting board of ≥ 12 cm on both sides: yes		
	Steps have a riser: yes Steps have nosing: no	All steps are the same height: yes		
	The space under the stairs is blocked off: there is none	Handrail on either side: yes		
		Handrail extends at top and bottom of stairs: no		
	Lifts	v 0 0		
	ĕ •	Control buttons in contrasting colour: yes		
	• •	Keypad with numbers in Braille: yes		
		<u>.</u>		





ONFORTEL SUITES

CONFORTEL SUITES MADRID HOTEL

Calle de López de Hoyos, 143 28002 Madrid

Telephone: 91 744 50 00 Fax: 91 415 30 73

Web: www.confortelhoteles.com

Metro without lift: Alfonso XIII

Bus: 9, 40, 43, 72 and 73

ACCESS

■ The hotel is spread over **3** blocks. The entry route is accessible. Before reaching the main door, there are **4** steps (with an alternative ramp) **16** cm high, which have risers but no moulding. There is a handrail fixed at a height of between **67** cm and **87** cm.

■ The main automatic sliding glass door is > 80 cm wide. It is marked in a contrasting colour. A doormat is fixed to the floor.

The ramp is 1.19 m wide, 3.6 m long and has a non-recommended incline of 17.6%. There is a handrail on either side of the ramp, although these do not extend past the ramp's extremities. The ramp's beginning and end are indicated by a distinctively textured and coloured floor surface. There is an intercom at a height of 90 cm which can be used to summon help in negotiating the ramp.

9

ACCESSIBILITY - HEARING IMPAIRED

Room	• •
, , , , , , , , , , , , , , , , , , ,	TV which communicates with reception: no
,	TV has alarm clock with visual alert: no
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available services: yes	Light signals to indicate a knock at the door: no
Reception: magnetic induction loop	avaliable
Communal WCs	•
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	•
	Emergency button with a light to show that the emergency call has been received: yes
Emergency system	0 0 0
Emergency alarm systems with visu	ual alerts: no

MADRID FOR ALL







Adapted room (No. 3319)	No. of adapted rooms: 5
On 3 rd floor, accessible via lift	Width of door: double door, 80 cm
Clear turning circle inside	Height of climate control: 67-76 cm
(diameter): Ø 150 cm	•
Height of bed: 60 cm (adjustable)	Space for access to the bed: right
	hand side 129 cm , left hand side
	125 cm
Wardrobe doors: sliding	Height of hanger rail: 141 cm
Height of wardrobe shelves	Automatic dialling emergency
and drawers: 28-125 cm	phone
Bathroom in adapted room	• • • • • • • • • • • • • • • • • • • •
Door: sliding width of 80 cm	Clear turning circle inside
	(diameter): Ø 150 cm
Tollet:	
Seat height: 47 cm	Height of flush mechanism: 100 cm
Approach area: right hand side	Folding grab bar on right hand side:
100 cm	:68-81 cm
Folding grab bar on left hand side:	Distance between bars: 59 cm
68-81 cm	•
Basin:	* Tana and an 4 an
Height and clearance beneath	Tap: mixer tap
the basin: 60-87 cm and 59 cm	
	"Illa: alat af la atlana ana fittinana.
Height of the lower edge	Height of bathroom fittings:
of the mirror: 117 cm, angled	Height of bathroom fittings: 60-110 cm
of the mirror: 117 cm, angled Shower:	60-110 cm
of the mirror: 117 cm, angled Shower: Width of approach to shower:	
of the mirror: 117 cm, angled Shower: Width of approach to shower: 120 cm	Shower base: level with floor
of the mirror: 117 cm, angled Shower: Width of approach to shower: 120 cm Shower floor: non-slip	Shower base: level with floor Shower stool: fixed
of the mirror: 117 cm, angled Shower: Width of approach to shower: 120 cm Shower floor: non-slip Height and location of horizontal	Shower base: level with floor
of the mirror: 117 cm, angled Shower: Width of approach to shower: 120 cm Shower floor: non-slip Height and location of horizontal grab bar: 94 cm	Shower base: level with floor Shower stool: fixed No vertical grab bar
of the mirror: 117 cm, angled Shower: Width of approach to shower: 120 cm Shower floor: non-slip Height and location of horizontal	Shower base: level with floor Shower stool: fixed No vertical grab bar Height of tap: 107 cm, on
of the mirror: 117 cm, angled Shower: Width of approach to shower: 120 cm Shower floor: non-slip Height and location of horizontal grab bar: 94 cm Tap: mixer tap	Shower base: level with floor Shower stool: fixed No vertical grab bar Height of tap: 107 cm, on accessible wall
of the mirror: 117 cm, angled Shower: Width of approach to shower: 120 cm Shower floor: non-slip Height and location of horizontal grab bar: 94 cm Tap: mixer tap Adjustable shower-head height:	Shower base: level with floor Shower stool: fixed No vertical grab bar Height of tap: 107 cm, on
of the mirror: 117 cm, angled Shower: Width of approach to shower: 120 cm Shower floor: non-slip Height and location of horizontal grab bar: 94 cm Tap: mixer tap Adjustable shower-head height: yes	Shower base: level with floor Shower stool: fixed No vertical grab bar Height of tap: 107 cm, on accessible wall Fixed shower screen
of the mirror: 117 cm, angled Shower: Width of approach to shower: 120 cm Shower floor: non-slip Height and location of horizontal grab bar: 94 cm Tap: mixer tap Adjustable shower-head height:	Shower base: level with floor Shower stool: fixed No vertical grab bar Height of tap: 107 cm, on accessible wall
of the mirror: 117 cm, angled Shower: Width of approach to shower: 120 cm Shower floor: non-slip Height and location of horizontal grab bar: 94 cm Tap: mixer tap Adjustable shower-head height: yes Adapted bathroom In communal areas	Shower base: level with floor Shower stool: fixed No vertical grab bar Height of tap: 107 cm, on accessible wall Fixed shower screen Number of adapted toilets: 2
of the mirror: 117 cm, angled Shower: Width of approach to shower: 120 cm Shower floor: non-slip Height and location of horizontal grab bar: 94 cm Tap: mixer tap Adjustable shower-head height: yes Adapted bathroom	Shower base: level with floor Shower stool: fixed No vertical grab bar Height of tap: 107 cm, on accessible wall Fixed shower screen
of the mirror: 117 cm, angled Shower: Width of approach to shower: 120 cm Shower floor: non-slip Height and location of horizontal grab bar: 94 cm Tap: mixer tap Adjustable shower-head height: yes Adapted bathroom in communal areas On ground floor, accessible	Shower base: level with floor Shower stool: fixed No vertical grab bar Height of tap: 107 cm, on accessible wall Fixed shower screen Number of adapted toilets: 2 Door: Outward opening, width of 76 cm
of the mirror: 117 cm, angled Shower: Width of approach to shower: 120 cm Shower floor: non-slip Height and location of horizontal grab bar: 94 cm Tap: mixer tap Adjustable shower-head height: yes Adapted bathroom in communal areas On ground floor, accessible Clear turning circle inside	Shower base: level with floor Shower stool: fixed No vertical grab bar Height of tap: 107 cm, on accessible wall Fixed shower screen Number of adapted toilets: 2 Door: Outward opening, width of
of the mirror: 117 cm, angled Shower: Width of approach to shower: 120 cm Shower floor: non-slip Height and location of horizontal grab bar: 94 cm Tap: mixer tap Adjustable shower-head height: yes Adapted bathroom in communal areas On ground floor, accessible	Shower base: level with floor Shower stool: fixed No vertical grab bar Height of tap: 107 cm, on accessible wall Fixed shower screen Number of adapted toilets: 2 Door: Outward opening, width of 76 cm Emergency notification system in
of the mirror: 117 cm, angled Shower: Width of approach to shower: 120 cm Shower floor: non-slip Height and location of horizontal grab bar: 94 cm Tap: mixer tap Adjustable shower-head height: yes Adapted bathroom in communal areas On ground floor, accessible Clear turning circle inside (diameter): Ø 150 cm	Shower base: level with floor Shower stool: fixed No vertical grab bar Height of tap: 107 cm, on accessible wall Fixed shower screen Number of adapted toilets: 2 Door: Outward opening, width of 76 cm Emergency notification system in
of the mirror: 117 cm, angled Shower: Width of approach to shower: 120 cm Shower floor: non-slip Height and location of horizontal grab bar: 94 cm Tap: mixer tap Adjustable shower-head height: yes Adapted bathroom In communal areas On ground floor, accessible Clear turning circle inside (diameter): Ø 150 cm Toilet:	Shower base: level with floor Shower stool: fixed No vertical grab bar Height of tap: 107 cm, on accessible wall Fixed shower screen Number of adapted toilets: 2 Door: Outward opening, width of 76 cm Emergency notification system in case of a fall Height of flush mechanism: 76 cm Folding grab bar on right hand
of the mirror: 117 cm, angled Shower: Width of approach to shower: 120 cm Shower floor: non-slip Height and location of horizontal grab bar: 94 cm Tap: mixer tap Adjustable shower-head height: yes Adapted bathroom in communal areas On ground floor, accessible Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 45 cm	Shower base: level with floor Shower stool: fixed No vertical grab bar Height of tap: 107 cm, on accessible wall Fixed shower screen Number of adapted toilets: 2 Door: Outward opening, width of 76 cm Emergency notification system in case of a fall Height of flush mechanism: 76 cm







Other	Location	Access	Main
amenities	•		characteristics
Reception	Ground floor	Accessible	Height of reception desk: 116 and 90 cm
Cafeteria	Ground floor	via ramp with a width of	Height of bar: 106 cm Height of table: 72 cm Height beneath table: 68 cm Width beneath table: 66 cm Depth beneath table: 74 cm
Restaurant / Breakfast buffet (menu available in Braille)	Ground floor	Accessible via ramp described above	Height of buffet bar: 86-91 cm Height of table: 77 cm Height beneath table: 71 cm Width beneath table: 70 cm Depth beneath table: 70 cm
Meeting rooms (9)	Ground floor and first floor	,	Height of table: 72 cm Height beneath table: 66 cm Width beneath table: 200 cm Depth beneath table: 45 cm
Parking	Basement floor (-1 and -4)	Accessible via lift	There are 8 parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)







ACCESSIBILITY - VISUALLY IMPAIRED

Signs		
Signs the same size: yes , average height of 172-192 cm and a font si of ≥ 1.5 cm		
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille	
Main stairs	• •	
Edge of stairs marked with a non-slip strip in a contrasting colour: yes	Side protection skirting board of ≥ 12 cm on both sides: yes	
Steps have a riser: yes Steps have nosing: no	All steps are the same height: yes	
The space under the stairs is blocked off: there is none	Handrail on either side: only on left hand side	
Continuous handrails on half-landings: yes	Handrail extends at top and bottom of stairs: no	
Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no		
Lifts	•	
Cab with audio signals: yes	Control buttons in contrasting colour: yes	
Keypad with numbers in relief: yes	Keypad with numbers in Braille: yes	


278 MADRID FOR ALL ACCESSIBLE TOURISM GUIDE 279











CONVENCIÓN HOTEL

Calle de O'Donnell, 53 28007 Madrid

Telephone: 91 574 68 00 Fax: 91 574 56 01

Web: www.hotel-convencion.com

Metro with lift: Goya

Bus: 2, 15, 26, 28, 61, 63, SE and C

ACCESS

- In the access to the reception area, there is a staircase with an alternative 2-stage ramp.
- The automatic glass door is **1.10 m** wide. It is not marked with horizontal strips or a logo in a contrasting colour.
- The ramp is 4 m long and has an incline of 10%. It has handrails, and both ends are indicated by a floor surface with a distinctive texture and contrasting colour.



ACCESSIBILITY - HEARING IMPAIRED

Room	•
Internet connection: yes	TV which communicates with reception: yes
TV with teletext decoder: yes	TV has alarm clock with visual alert: no
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	•
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: yes
Lifts	•
Visual signs indicating the floor and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visual alerts: yes	

MADRID FOR ALL



Adapted room	No. of adapted rooms: 5
On 1st and 2nd floor, accessible via lift	Width of door: 75 cm
Clear turning circle inside (diameter): Ø 150 cm	Height of climate control:
Height of bed: 53 cm	Space for access to the bed: right hand side 109 cm , left hand side 88 cm
Wardrobe doors: sliding	Height of hanger rail: 125 cm
Height of wardrobe shelves and dra	wers: 20-69 cm
Bathroom in adapted room	• •
Door: outward opening 78.5 cm	Clear turning circle inside (diameter): Ø 150 cm
Toilet:	6
Seat height: 41 cm	Height of flush mechanism: 106 cm
Approach area: right hand side 198 cm	Folding grab bar on right hand side: 86 cm
Fixed grab bar on left hand side: 84 cm	Distance between bars: 63 cm
Basin:	0
Height and clearance beneath the basin: 76 cm and 26 cm	Tap: mixer tap
Height of the lower edge of the mirror: 83 cm	Height of bathroom fittings: 96-120 cm
Shower:	0
Width of approach to shower: 100 cm	Shower base: level with floor
Shower floor: non-slip	Shower chair or stool: fixed
Height and location of horizontal grab bar: 94 cm , wall to side of tap	Height and location of vertical grab bar: 110-140 cm , wall to side of tap
Tap: mixer tap	Shower curtain
Adjustable shower-head height: yes	0 0 0 0
Adapted bathroom in communal areas	Number of adapted toilets: 2
On ground floor , accessible	Door: Outward opening, width of 79 cm
Clear turning circle inside (diameter	r): Ø 150 cm
Toilet:	•
Seat height: 41 cm	0
Approach area: left hand side 115 cm, front 160 cm	Fixed grab bar on right hand side: 80 cm
Fixed grab bar on left hand side: 84 cm	Distance between bars: 75 cm











Basin:	
Height and clearance beneath the basin: 40 cm and 24 cm	Tap: mixer tap
Height of the lower edge of the mirror: 91 cm	Height of bathroom fittings: 97 cm
Lifts	No. of lifts: 8
	Height of call buttons: 107-114 cm
	Width and depth of cab: 105 and 106 cm
Height of lift buttons: 120-146 cm	Height of handrail: 70-90 cm

Other amenities	Location	Access	Main characteristics
Reception	Ground floor		Height of reception desk: 115 cm
Cafeteria	Ground floor	Accessible	Height of bar: 116 cm Height of table: 76 cm Height beneath table: 72 cm Depth beneath table: 32 cm
Restaurant / Breakfast buffet	Ground floor	via ramp	Height of buffet bar: 91 cm Height of table: 74 cm Height beneath table: 70 cm Depth beneath table: 41 cm
Meeting rooms (6)	Ground floor	Accessible	Height of table: 80 cm Height beneath table: 72 cm Width beneath table: 157 cm Depth beneath table: 90 cm
Parking	Basement -1	Accessible via lift	There are 6 parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)



ACCESSIBILITY - VISUALLY IMPAIRED ____

Signs		
Signs the same size: yes , average height of 209-227 cm and a font size of ≥ 1.5 cm		
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille	
Main stairs	• •	
Edge of stairs marked with a non-slip strip in a contrasting colour: no	Side protection skirting board of ≥ 12 cm on both sides: yes	
Steps have a riser: yes Steps have nosing: no	All steps are the same height: yes	
The space under the stairs is blocked off: there is none	Handrail on either side: yes	
Continuous handrails on half-landings: yes	Handrail extends at top and bottom of stairs: no	
Lifts	•	
Cab with audio signals: no	Control buttons in contrasting colour: yes	
Keypad with numbers in relief: yes	Keypad with numbers in Braille: no	

282 283 MADRID FOR ALL ACCESSIBLE TOURISM GUIDE







CROWNE PLAZA MADRID AIRPORT



Calle Lola Flores, 1 (Acceso por Avenida de Aragón, 402) 28022 Madrid

Telephone: 91 206 34 10 Fax: 91 206 34 11

Web: www.crowneplaza.com

Bus: Suburban bus service from Avenida América to Alcalá de Henares and Torrejón

- The entrance to the hotel is level with the street. It has a clearance width of 2 m.
- The main entranceway has a small 3 cm lip as well as three sets of doors, a revolving door with a manually opened door on either side. The main door is a revolving glass door with a clearance width of 1.20 m. There is a control to stop and reduce the speed of the revolving door located both inside and outside at a height of 1.10 m.
- The alternative doors for PRM guests are outward opening single glass swing doors. Each one has a clearance width of 90 cm. They are marked with double horizontal stripes and the hotel logo in contrasting colours.
- Just before the revolving door and within the revolving door are doormats that are securely affixed to the floor.
- There is an accessible route that takes guests straight to the reception and help desk.

CESSIBILITY - HEARING IMPAIRED

Room	0
Internet connection: yes	TV which communicates with reception: yes
TV with teletext decoder: yes	TV has alarm clock with visual alert: yes
Bedside plug socket: yes	Entrance door with peephole: yes
Written information on available	Light signals to indicate a knock
services: no	at the door: no
Communal WCs	•
Door lock with visual aid to indicate either free or occupied: no	e Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	•
Visual signs indicating the floor and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visual alerts: yes	





Plaza Madrid Airport



Adapted room (No. 245)	Number of adapted rooms: 3
On the 2nd floor accessible via lift	Width of door: 86 cm
Clear turning circle inside (diameter): Ø 150 cm	Height of climate control: 155 cm
Height of bed: 60 cm	Space for access to the bed: right hand side 127 cm , left hand side 125 cm
Wardrobe doors: easy to open sliding doors without handles	Height of hanger rail: 180 cm
Min. and max. height of wardrobe s 90 cm	shelves and drawers: 30 cm and
Bathroom in adapted room	•
Door: Sliding door with a width of 86 cm	Clear turning circle inside (diameter): Ø 150 cm
Toilet:	•
Seat height: 47 cm	Height of flush mechanism: 90 cm
Approach area: right hand side 120 cm, front 128 cm	Folding grab bar on the right hand side: 54 - 75 cm
Fixed horizontal grab bar on the left hand side: 75 cm	Distance between bars: 72 cm
Basin:	•
Height and clearance beneath the basin: 74 cm and 60 cm	Tap: mixer tap easy to use
Height of the lower edge of the mirror: 104 cm	Min. and max. height of bathroom fittings: 80 cm
Shower:	•
Width and depth of approach area: 84 cm and ≥ 120 cm	Shower base: level with the floor
Shower floor: non-slip	Shower chair or seat: fixed and folding seats
Height and location of horizontal grab bar: 97 cm on the same wall as the tap	Height and location of diagonal grab bar: 70 – 95 cm on wall to the side of the tap
Tap: requires a twisting action of the wrist, difficult to use	Height of the tap: 120 cm on the wall opposite the fixed seat
Non-adjustable height shower head: 120 cm	Shower screen: swing screen made of glass
Adapted toilets in communal areas	Total number of adapted toilets: 1
Location: same floor as adapted rooms	On second floor – accessible via lift
Bathroom door: none	Cubicle door: inward opening door with a width of 76 cm
Clear turning circle inside (diamete	r): Ø 150 cm











Plaza Madrid Airport



ACCESSIBILITY - VISUALLY IMPAIRED

s irge		
g		
e of		
and		
es		
nd		
ottom		
: yes		
Strip of surface of a different texture and contrasting colour at entrance to lift: no		

Toilet	•
Seat height: 45 cm	Height of flush mechanism: 90 cm
Approach area: right hand side	Grab bar on the right hand side:
155 cm and frontal 112 cm	none
Folding grab bar on the left hand s	ide: 50 – 70 cm
Basin	•
Height and clearance beneath the	Tap: mixer tap easy to use
basin: 72 cm and 56 cm	
Height of the lower edge of the	Min. and max. height of bathroom
mirror: 90 cm	fittings: 80 cm
Lifts	Total number of lifts: 2
Floors served: all floors	Accessible up to the door
Height of call buttons: 96 cm	Width of door: 80 cm
Width and depth of cab: 111	Min. and max. height of the call
and 137 cm	buttons: 100 cm and 120 cm
Height of handrail: 92 cm	Mirror opposite the door: ves

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 115 cm
Cafeteria	Ground floor	Accessible	Height of bar: 109 cm Height of table: 75 cm Height beneath table 74 cm Width beneath table: 70 cm diameter Depth beneath table: 34 cm
Restaurant / Breakfast buffet	1st floor	Accessible via lift	Height of buffet bar: 90 cm Height of table: 76 cm Height beneath table 73 cm Width beneath table: 80 cm Depth beneath table: 80 cm
Meeting rooms (5)	Basement floor -1	Accessible via lift	Furniture depending on the event
Gym	Basement floor -1	Accessible via lift	No specially adapted changing rooms or toilets
Parking	Basement floor -2	via the automatic car lift or the valet service	There are 2 reserved parking spaces reserved for people with reduced mobility (PRM), indicated by the disabled parking sign (ISA). The reserved parking spaces have a lateral approach area of 120 cm

286 287 **MADRID FOR ALL** ACCESSIBLE TOURISM GUIDE









ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 102)	No. of adapted rooms: 1
On 1st floor, accessible via lift	Width of door: 82 cm
Clear turning circle inside	Height of climate control: 155 cm,
(diameter): Ø 150 cm	also controlled from reception
Height of bed: 50 cm	Space for access to the bed: right
-	hand side 95 cm , left hand side ≥
	72 cm
Wardrobe doors: sliding with	Height of hanger rail: 177 cm
handles, difficult to open	•
Height of wardrobe shelves and dra	awers: 40-190 cm
Bathroom in adapted room	•
Door: sliding with a width of 75 cm	
	(diameter): Ø 150 cm
Toilet:	• •
Seat height: 45 cm	Height of flush mechanism: 90 cm
Approach area: right hand side	Folding grab bar on right hand side:
120 cm (also occupying the	57-75 cm
shower space) and front 160 cm	•
No grab bar on left hand side	•
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 70 cm and 50 cm	
Height of the lower edge of	Height of bathroom fittings: 83 cm
the mirror: 90 cm	• •
Shower:	Ohanna haaana Oana Pa
Width of approach to shower:	Shower base: a 2 cm lip
150 cm	Shower stool: mobile with
Shower floor: non-slip	backrest
Height and location of horizontal	
grab bar: 86 cm , wall to side of tap	Has a vertical grab bar on the same wall as the tap which is used for
grab bar. 60 cm , wan to side or tap	adjusting the height of the shower
	head
Tap: mixer tap	Height of tap: 120 cm on accessible
iap. iiiixei tap	wall
Adjustable shower-head height:	waii
ves	0
Adapted bathroom	Number of adapted toilets: 2
in communal areas	Number of adapted tollets. 2
On ground floor , accessible	Door: Sliding, width of 72 cm
Clear turning circle inside (diamete	
Toilet:	.,
Seat height: 45 cm	Height of flush mechanism: 90 cm
Approach area: right hand side	Fixed grab bar on right hand side:
97 cm , front 106 cm	80 cm
	•



DEHESA REAL HOTEL

Calle de La Masó, 83 Calle de La Ivia. 28034 Madrid

Telephone: 91 727 76 09 **Fax:** 91 735 45 29

Web: www.hoteldehesareal.es

Metro without lift: Herrera Oria Metro with lift: Lacoma

ACCESS

- The main entrance has **4** steps with an alternative ramp.
- The ramp is 1.40 m wide, 5.10 m long and has a non-recommended incline of 21%. There is a handrail on the right side of the ramp, leading upwards, which does not extend past the ends of the ramp. The ends of the ramp are not indicated by a distinctively textured or contrastingly coloured floor surface.
- The automatic glass door is **2.0 m** wide. It is indicated by a horizontal strip in a contrasting colour.



CCESSIBILITY - HEARING IMPAIRED

Room		
•	TV which communicates with reception: no	
,	TV has alarm clock with visual alert:	
Bedside plug socket: yes	Entrance door with peephole: no	
Written information on available services: yes	Light signals to indicate a knock at the door: no	
Communal WCs		
	Cubicle doors with a gap underneath to see if there is someone inside: no	
Lifts		
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no	
Emergency system		
Emergency alarm systems with visual alerts: no		

288









Fixed grab bar on left hand side: 84 cm	Folding grab bar on right hand side: 57-75 cm
No grab bar on left hand side	• •
Basin:	0
Height and clearance beneath the basin: 75 cm and 59 cm	Tap: mixer tap
Height of the lower edge of the mirror: 100 cm	Height of bathroom fittings: 80 cm
Lifts	No. of lifts: , connects all floors
Accessible up to the door	Height of call buttons: 110 cm
	Width and depth of cab: 104 and 146 cm
Height of lift buttons: 98-140 cm	Height of handrail: 90 cm

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 113 cm
Cafeteria	Ground floor	Accessible	Height of bar: 115 cm Height of table: 75 cm Height beneath table: 71 cm Width beneath table: 110 cm Depth beneath table: 75 cm Tables with central leg
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of table: 75 cm Height beneath table: 71 cm Width beneath table: 110 cm Depth beneath table: 75 cm Tables with central leg
Parking	Basement -1	Accessible via lift	There is 1 parking space for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)





★★★★ 4 STAR HOTELS

Signs	
Signs the same size: yes , average of ≥ 1.5 cm	height of 165-180 cm and a font size
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille
Main stairs	• •
Edge of stairs marked with a non-slip strip in a contrasting colour: no	Side protection skirting board of ≥ 12 cm on both sides: on just one side
Steps have a riser: yes Steps have nosing: no	All steps are the same height: yes
The space under the stairs is blocked off: yes	Handrail on either side: no
Continuous handrails on half-landings: no	Handrail extends at top and bottom of stairs: no
Strip of surface of a different texture and bottom of the stairs: no	e and contrasting colour at the top
Lifts	0 0 0
Cab with audio signals: no	Control buttons in contrasting colour: yes
Keypad with numbers in relief: yes	Keypad with numbers in Braille:

290 291 MADRID FOR ALL ACCESSIBLE TOURISM GUIDE









EMPERADOR HOTEL

Gran Vía, 53 28013 Madrid

Telephone: 91 547 28 00 **Fax:** 91 547 28 17

Web: www.emperadorhotel.com

Metro with lift: Callao

Bus: 1, 2, 44, 46, 74, 75, 148 and 202



- The main door is preceded by a single step followed by **3** steps with a handrail. There is a **90 cm wide** accessible side door and an alternative ramp which avoids having to use the three steps.
- The automatic revolving glass door is **87 cm** wide and is clearly signed.



ACCESSIBILITY - HEARING IMPAIRED

Room	o o o	
, , , , , , , , , , , , , , , , , , ,	TV which communicates with reception: no	
TV with teletext decoder: yes	TV has alarm clock with visual alert: no	
Bedside plug socket: in certain rooms	Entrance door with peephole: no	
Written information on available services: yes	Light signals to indicate a knock at the door: no	
Communal WCs	• •	
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: yes	
Lifts	•	
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no	
Emergency system •		
Emergency alarm systems with visual alerts: ves		



ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room	No. of adapted rooms: 5
On 1 st and 5 th floor, accessible via lift	Width of door: 77 cm
Clear turning circle inside (diameter): Ø 150 cm	Height of climate control: 158 cm
Height of bed: 51 cm	Space for access to the bed: right hand side 77 cm, left hand side 87 cm
Wardrobe doors: Folding with handles, difficult to open	Height of wardrobe shelves and drawers: 52-160 cm
Bathroom in adapted room	•
Door: inward opening with a width of 78 cm	Clear turning circle inside (diameter): Ø 150 cm
Toilet:	•
Seat height: 41 cm	Height of flush mechanism: 79 cm
Approach area: front 120 cm and right hand side	Folding grab bar on right hand side
Basin:	•
Height and clearance beneath the basin: 64 cm and 29 cm	Tap: mixer tap
Height of the lower edge of the mirror: 99 cm	Height of bathroom fittings: 70 cm
Bath:	•
Height of bath: 48 cm	Horizontal and vertical grab bars
Rotating transfer chair: yes	Curtain and folding screen
Mixer tap at a height of 60 cm	: Adjustable shower-head height: yes
on narrow wall	•
Lifts (panoramic)	
Accessible up to the door	Height of call buttons: 112-117 cm
Width of door: 80 cm	Width and depth of cab: 100 and 140 cm
Height of lift buttons: 95-125 cm	Height of handrail: 90 cm

292 MADRID FOR ALL ACCESSIBLE TOURISM GUIDE 293





ACCOMMODATION



Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 116 cm
Cafeteria (lounge bar with sofas)	Ground floor	Accessible	Height of bar: there is none
Restaurant / Breakfast buffet	First floor via lift	Accessible	Height of buffet bar: 87 cm Height of table: 73 cm Height beneath table: 63 cm Width beneath table: 60 cm Depth beneath table: 62 cm
Meeting rooms (9)	First floor	Accessible via lift	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Pool and Gym	Tenth floor and basement -1	Not accessible, steps with no alternative ramp	No hoist for getting into the pool. No specially adapted changing rooms or toilets



ACCESSIBILITY - VISUALLY IMPAIRED

ht of 175-210 cm and a font size			
t and symbols: not in relief			
l not in Braille			
e protection skirting board of			
2 cm on both sides: no			
steps are the same height: yes			
ndrail on either side: no			
ndrail extends at top and bottom			
tairs: no			
half-landings: yes of stairs: no Strip of surface of a different texture and contrasting colour at the top			
•			
ntrol buttons in contrasting			
our: yes			
pad with numbers in Braille:			













EMPERATRIZ HOTEL

Calle de López de Hoyos, 4 28002 Madrid

Telephone: 91 563 80 88 **Fax:** 91 563 98 04

Web: www.hotel-emperatriz.com

Metro without lift: Gregorio Marañón

Bus: 14, 45 and 150

ACCESS

- The main entrance and access to the reception area has a single step.
- The glass door is manually operated and is **95 cm** wide. It is not marked with horizontal strips or a logo in a contrasting colour.



ACCESSIBILITY - HEARING IMPAIRED

Room	0 0 0
Internet connection: yes	TV which communicates with reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert: no
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	•
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	0 0
Visual signs indicating the floor and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with vis	ual alerts: no

294

MADRID FOR ALL

ACCESSIBLE TOURISM GUIDE 295













Adapted room (No. 210)	No. of adapted rooms: 3
On 2 nd floor, accessible	Width of door: 87 cm
Clear turning circle inside	Height of climate control: 148 cm
(diameter): Ø 150 cm	
Height of bed: 57 cm	Space for access to the bed: right
	hand side 97 cm , left hand side
	:153 cm
Wardrobe doors: Handles,	Height of hanger rail: 174 cm
difficult to open	•
Height of wardrobe shelves and di	rawers: 21-174 cm
Bathroom in adapted room	
Door: width of 78 cm	Clear turning circle inside
	(diameter): Ø 150 cm
Toilet:	•
Seat height: 41 cm	Height of flush mechanism: 93 cm
Approach area: none ≥ 80 cm	Folding grab bar opposite approach
	side
Basin:	
Height and clearance beneath	Tap: mixer tap
the basin: 66.5 cm	•
and 29 cm	•
Height of the lower edge	Height of bathroom fittings: 140 cm
of the mirror: 91 cm	•
Bath:	•
Height of bath: 64 cm	Height of grab bar: 64 cm
Mixer tap on accessible wall	•
Lifts	No. of lifts: 2
Accessible up to the door	Height of call buttons: 132 cm
Width of door: 80 cm	Width and depth of cab:
	91 and 164 cm
Height of lift buttons: 86-111 cm	•

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 116 cm
Snack bar	Ground floor		Height of table: 54 cm Height beneath table: 51 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of table: 73 cm
Meeting rooms (5)	Ground floor	4 of them are accessible. The Emperatriz Hall is not accessible	



ACCESSIBILITY - VISUALLY IMPAIRED

Signs			
Signs the same size: yes , average height of 218 cm and a font size of ≥ 1.5 cm			
Lettering in a colour which contrasts with the background: no	Text and symbols: not in relief and not in Braille		
Main stairs	0 0 0		
	Side protection skirting board of ≥ 12 cm on both sides: no		
Steps have a riser: yes Steps have nosing: no	All steps are the same height: no		
The space under the stairs is blocked off: no	Handrail on either side: no		
	Handrail extends at top and bottom of stairs: no		
Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no			
Lifts	9 6 6		
Cab with audio signals: no	Control buttons in contrasting colour: yes		
* *	Keypad with numbers in Braille: yes		









FOXÁ M-30 HOTEL

Calle de Serrano Galvache, 14 Calle de Serrai 28033 Madrid

Telephone: 91 384 04 00 Telephone. 5. 52 Fax: 91 384 04 02

Web: www.foxa.com

Bus: 7, 29 and 107

ACCESS

- The main entrance has some stairs with an alternative ramp.
- The automatic sliding glass entrance door is **1.08 m** wide. It is not marked with horizontal strips or a logo in a contrasting colour.
- The ramp is **14.6 m** long and has a non-recommended incline of **9%**. There are handrails on both sides of the ramp at heights of 67 cm and 88 cm, which do not extend past the ends of the ramp. The ends of the ramp are not indicated by a distinctively textured or contrastingly coloured floor surface.



CESSIBILITY - HEARING IMPAIRED

Room	o o o	
——————————————————————————————————————	TV which communicates with reception: no	
•	TV has alarm clock with visual alert: no	
Bedside plug socket: yes	Entrance door with peephole: no	
	Light signals to indicate a knock at the door: no	
Communal WCs		
	Cubicle doors with a gap underneath to see if there is someone inside: no	
Lifts	0	
Visual signs indicating the floor and direction of movement, both inside and outside the cab: yes Emergency button with a light to show that the emergency call has been received: no		
Emergency system		
Emergency alarm systems with visual alerts: no		







ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 207)	No. of adapted rooms: 1
On 2 nd floor , accessible via lift.	Width of door: 80 cm
Clear turning circle inside	Height of climate control: 156 cm
(diameter): Ø 150 cm	•
Height of bed: 54 cm	Space for access to the bed: right
	hand side 94 cm , left hand side
NA	160 cm
Wardrobe doors: sliding,	Height of hanger rail: 169 cm
easy to open	the second secon
Height of wardrobe shelves and dra Bathroom in adapted room	awers: 50-125 cm
Door: sliding with a width of 79 cm	Clear turning circle incide
Door. Sliding with a width of 79 cm	(diameter): Ø 150 cm
Toilet:	(diameter). 2 130 cm
Seat height: 39 cm	Height of flush mechanism: 94 cm
Approach area: side 118 cm	Folding grab bar on right hand side:
, pproder area erae ire em	63-80 cm
Basin:	0
Height and clearance beneath	Tap: mixer tap
the basin: 66 cm and 35 cm	0 0 0
Height of the lower edge	Height of bathroom fittings:
of the mirror: 104 cm	83-120 cm
Shower:	9 0
Shower floor: non-slip	Shower base: level with floor
Tap: mixer tap	Shower chair or stool: fixed
Height and location of horizontal	No vertical grab bar
grab bar: 65-81 cm, wall to side	0 0 0
of tap	
Lifts	No. of lifts: 2
Accessible up to the door	Height of call buttons: 132 cm
Width of door: 80 cm	Width and depth of cab:
Height of lift buttons: 92 120 cm	108 and 138 cm
Height of lift buttons: 82-120 cm	9 8

298 **MADRID FOR ALL ACCESSIBLE TOURISM GUIDE**





Other	Location	Access	Main
amenities			: characteristics
Reception	Ground floor	Accessible	Height of reception desk: 111 cm
Cafeteria	0 0 0 0 0 0 0 0 0	Accessible	Height of bar: 113 cm Height of table: 69 cm Height beneath table: 65 cm Width beneath table: 70 cm Depth beneath table: 70 cm
Restaurant / Breakfast buffet	o o o o o o o o o o o o o o o o o o o	Accessible via lift	Height of table: 73 cm Height beneath table: 71 cm Width beneath table: 110 cm Depth beneath table: 20 cm
Meeting rooms (15)	•	Accessible via lift	•
Parking	Basement -1	Accessible via lift	There are no parking space for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)



ACCESSIBILITY - VISUALLY IMPAIRED

Signs			
	e height of 210 cm and a font size of		
≥ 1.5 cm	-		
Lettering in a colour which	Text and symbols: not in relief		
contrasts with the background: ye	s and not in Braille		
Main stairs	•		
Edge of stairs marked with a	Side protection skirting board of		
non-slip strip in a contrasting	≥ 12 cm on both sides: no		
colour: no	•		
Steps have a riser: yes	All steps are the same height: yes		
Steps have nosing: no	•		
The space under the stairs is	Handrail on either side: no		
blocked off: there is none	•		
Continuous handrails on	:Handrail extends at top and bottom		
half-landings: yes	of stairs: no		
Strip of surface of a different textu	re and contrasting colour at the top		
and bottom of the stairs: no			
Lifts	•		
Cab with audio signals: no	Control buttons in contrasting		
	colour: yes		
Keypad with numbers in relief:	Keypad with numbers in Braille:		
yes	yes		









* * 4 STAR HOTELS



HIGH TECH MADRID AEROPUERTO HOTEL

Calle del Galeón, 25 28042 Madrid

Telephone: 91 515 94 50 **Fax:** 91 515 94 44

Web: www.hthoteles.com

Bus: 114 and 115

ACCESS

- The main entrance is accessible and and has a level surface.
- The hotel has a automatic revolving glass door.
- There are **2** alternative glass swing doors next to the revolving door, both of which measure more than 80 cm wide.



ACCESSIBILITY - HEARING IMPAIRED _

Room	•
, , , , , , , , , , , , , , , , , , ,	TV which communicates with reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert:
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available services: yes	Light signals to indicate a knock at the door: no
Communal WCs	•
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	• •
inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visi	ual alerts: no











High Tech Madrid Aeropuerto





ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 311)	No. of adapted rooms: 2
On 3 rd floor, accessible via lift	Width of door: 76 cm
Clear turning circle inside	Height of climate control: 149 cm
(diameter): Ø 150 cm	•
Height of bed: 55 cm	Space for access to the bed: right
	hand side 87 cm , left hand side
	87 cm
Height of wardrobe shelves	Height of hanger rail: 167 cm
and drawers: 76-200 cm	
Bathroom in adapted room	
Door: sliding with a width of 83 cm	
	(diameter): Ø 150 cm
Toilet:	
Seat height: 41 cm	Height of flush mechanism: 75 cm
Approach area: side ≥ 80 cm	Fixed grab bar opposite approach
	side: 83 cm
No grab bar on approach side	•
Basin:	
Height and clearance beneath	Tap: mixer tap
the basin: 61 cm and 23 cm	•
Height of the lower edge	Height of bathroom fittings: 150 cm
of the mirror: 81 cm	•
Shower:	•
Shower floor: non-slip	Shower base: level with floor
Tap: mixer tap	Shower chair: fixed
Height of horizontal grab bar:	No vertical grab bar
84 cm	•
Adapted bathroom in communal	
On floor -1, accessible via lift	Door: width of 87 cm
Clear turning circle inside (diamete	r): Ø 150 cm
Toilet:	•
Seat height: 46.5 cm	Height of flush mechanism: 109 cm
Approach area: side 140 cm	No grab bars
Basin:	-
Height and clearance beneath	Tap: mixer tap
the basin: 86 cm and 57 cm	•
Height of the lower edge	Height of bathroom fittings:
of the mirror: 92 cm	122-147 cm
Lifts	No. of lifts: 1
Accessible up to the door	Width and depth of cab:
10/2-10	95 and 147 cm
Width of door: 81 cm	•

Other amenities	Location	Access	: Main : characteristics
Reception	Ground floor	Accessible	Height of reception desk: 116 cm
Cafeteria	Ground floor	Accessible	Height of bar: 113 cm Height of table: 50 cm
Breakfast buffet	Ground floor	0 0 0 0 0 0	Height of table: 75 cm Height beneath table: 74 cm Width beneath table: 67 cm Depth beneath table: 90 cm
Meeting rooms (1)	Basement -1	Accessible via lift	



ACCESSIBILITY - VISUALLY IMPAIRED ____

Signs			
Signs the same size: yes , average height of 150-180 cm and a font size			
of ≥ 1.5 cm			
Lettering in a colour which	Text and symbols: not in relief		
contrasts with the background: yes	and not in Braille		
Main stairs			
Edge of stairs marked with a	Side protection skirting board of		
non-slip strip in a contrasting	≥ 12 cm on both sides: no		
colour: no	•		
Steps have a riser: yes	All steps are the same height: yes		
Steps have nosing: yes	and the dame height.		
	* Lleve doe!! ever e!the ever e! deeve e		
The space under the stairs is	Handrail on either side: no		
blocked off: no	•		
Continuous handrails on	Handrail extends at top and bottom		
half-landings: no	of stairs: no		
Strip of surface of a different texture and contrasting colour at the top			
and bottom of the stairs: no			
Lifts	•		
	° Control buttons in contraction		
Cab with audio signals: no	Control buttons in contrasting		
	colour: yes		
Keypad with numbers in relief:	Keypad with numbers in Braille:		
yes	yes		





HIGH TECH NUEVA CASTELLANA HOTEL

Calle de María Tubau, 16 28050 Madrid

Telephone: 91 358 64 00 **Fax:** 91 358 95 73

Web: www.hthoteles.com

Metro with lift: Las Tablas

Bus: 76,152 and 154

ACCESS

- The main entrance is accessible and and has a level surface.
- The main automatic revolving glass door is more than **80 cm** wide.
- There are 2 alternative glass swing doors next to the revolving door, each of which is 1.16 m wide.
- None of the doors are marked with horizontal strips or a logo in a contrasting colour.



ACCESSIBILITY - HEARING IMPAIRED

Room			
Internet connection: yes	TV which communicates with reception: no		
•	TV has alarm clock with visual alert: yes		
Bedside plug socket: yes	Entrance door with peephole: no		
	Light signals to indicate a knock at the door: no		
Communal WCs			
·	Cubicle doors with a gap underneath to see if there is someone inside: no		
Lifts			
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no		
Emergency system			
Emergency alarm systems with visual alerts: no			







ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 223)	No. of adapted rooms: 8
On 2 nd floor , accessible via lift	Width of door: 80 cm
Clear turning circle inside (diameter): Ø 150 cm	Height of climate control: 142 cm
Height of bed: 51 cm	Space for access to the bed: right hand side 90 cm , left hand side 90 cm
Height of hanger rail: 190 cm	o o
Bathroom in adapted room	
Door: swing door with a width of 79 cm	Clear turning circle inside (diameter): Ø 150 cm
Toilet:	
Seat height: 41 cm	Height of flush mechanism: 74 cm
Approach area: right hand side 70 cm	Folding grab bar on right hand side: 76-80 cm
Fixed grab bar on left hand side: 76-80 cm	Distance between bars: 81 cm
Basin:	•
Height and clearance beneath the basin: 80 cm and 47 cm	Tap: mixer tap
Height of the lower edge of the mirror: 86 cm	Height of bathroom fittings: 120-123 cm
Shower:	0 0 -
Width of approach to shower: 150 cm	Shower base: level with floor
Shower floor: non-slip	Shower stool: 3 mobile seats
	Height and location of vertical grab bar: 75-132 cm , wall to side of tap
Tap: mixer tap	Height of tap: 140-160 cm on accessible wall
Adjustable shower-head height: ye :	s
Adapted bathroom in communal	
	Door: sliding door, width of 88 cm
Clear turning circle inside (diameter	r): Ø 150 cm
Toilet:	•
	Height of flush mechanism: 73 cm
Approach area: right hand side 80 cm	Folding grab bar on right hand side: 58-76 cm
Fixed grab bar on left hand side	Distance between bars
Basin:	•
Height and clearance beneath the basin: 76 cm and 50 cm	Tap: mixer tap
Height of the lower edge of the mirror: 82 cm	Height of bathroom fittings: 95 cm





Lifts	No. of lifts: 3
Accessible up to the door	Width and depth of cab: 110 and
	145 cm
Width of door: 80 cm	Height of handrail: 88 cm

		_	
Other	Location	Access	Main
amenities	•	•	characteristics
Reception	Ground floor	Accessible	Height of reception desk: 116 cm
Cafeteria	Ground floor	Accessible	Height of bar: 118 cm Height of table: 72 cm Height beneath table: 70 cm Width beneath table: 70 cm Depth beneath table: 33 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 80-125 cm Height of table: 74 cm Height beneath table: 70 cm Width beneath table: 85 cm Depth beneath table: 30 cm
Meeting rooms (4)	Ground floor	Accessible	Height of table: 74 cm Height beneath table: 70 cm Width beneath table: 200 cm Depth beneath table: 45 cm
Parking	Basement -1	Accessible via lift	There are no parking space for people with limited mobility (PRM)








High Tech Nueva Castellana



ACCESSIBILITY - VISUALLY IMPAIRED __

Signs			
Signs the same size: yes , average height of 100-170 cm and a font size			
of ≥ 1.5 cm			
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille		
Main stairs	0 0 0		
Edge of stairs marked with a non-slip strip in a contrasting colour: no	Side protection skirting board of ≥ 12 cm on both sides: no		
Steps have a riser: yes Steps have nosing: no	All steps are the same height: yes		
The space under the stairs is blocked off: no	Handrail on either side: yes		
	Handrail extends at top and bottom of stairs: no		
Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no			
Lifts			
Cab with audio signals: no	Control buttons in contrasting colour: yes		
• •	Keypad with numbers in Braille: yes		





HIGH TECH PRESIDENT CASTELLANA HOTEL

Calle del Marqués de Villamagna, 4 28001 Madrid

Telephone: 91 577 19 51 **Fax:** 91 577 19 54

Web: www.hthoteles.com

Metro without lift: Rubén Darío

ACCESS

- The main entrance has a ramp 1.48 m wide, 3.42 m long and with a steep incline of 14%, which saves having to negotiate 2 steps.
- The automatic sliding glass door is **1.4 m** wide. It is not marked with horizontal strips or a logo in a contrasting colour.



ACCESSIBILITY - HEARING IMPAIRED

Room	• •	
•	TV which communicates with reception: no	
•	TV has alarm clock with visual alert:	
Bedside plug socket: yes	Entrance door with peephole: no	
Written information on available services: yes	Light signals to indicate a knock at the door: no	
Communal WCs	• •	
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no	
Lifts	•	
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no	
Emergency system		
Emergency alarm systems with visual alerts: no		



High Tech



★★★★ 4 STAR HOTELS

President Castellana



ACCESSIBILITY - PHYSICALLY DISABLED

No. of adapted rooms: 3 Width of door: 77 cm
Height of climate control: 160 cm
• •
Space for access to the bed: right hand side 135 cm , left hand side 70 cm
0 0 0
Clear turning circle inside
(diameter): Ø 150 cm
Height of flush mechanism: 87 cm
No grab bar on right hand side
cm
Tap: mixer tap
Height of bathroom fittings: 75 cm
•
Shower base: level with floor
Shower stool: mobile
No vertical grab bar
Height of tap: 110-120 cm on accessible wall
No. of lifts: 3
Width and depth of cab: 115 and 120 cm
No handrail







Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 116 cm
Cafeteria	Ground floor	Accessible via lift	Height of bar: 128 cm Height of table: 70 cm Height beneath table: 68 cm Width beneath table: 70 cm Depth beneath table: 35 cm
Restaurant / Breakfast buffet	Basement -1	Accessible via lift	Height of buffet bar: 82 cm Height of table: 74 cm Height beneath table: 69 cm Width beneath table: 70 cm Depth beneath table: 35 cm
Meeting rooms (2)	0 0 0 0 0 0 0	Accessible	Height of table: 73 cm Height beneath table: 70 cm Width beneath table: 200 cm Depth beneath table: 35 cm



ACCESSIBILITY - VISUALLY IMPAIRED

Signs	
Signs the same size: yes , average of ≥ 1.5 cm	height of 90-180 cm and a font size
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille
Main stairs	0
Edge of stairs marked with a non-slip strip in a contrasting colour: no	Side protection skirting board of ≥ 12 cm on both sides: yes
Steps have a riser: yes Steps have nosing: yes	All steps are the same height: yes
The space under the stairs is blocked off: yes	Handrail on either side: yes
Continuous handrails on half-landings: yes	Handrail extends at top and bottom of stairs: no
Strip of surface of a different texture and bottom of the stairs: no	e and contrasting colour at the top
Lifts	•
Cab with audio signals: no	Control buttons in contrasting colour: yes
Keypad with numbers in relief: ves	Keypad with numbers in Braille:









* * 4 STAR HOTELS



HOLIDAY INN MADRID HOTEL

Plaza de Carlos Trías Beltrán, 4 Plaza de Carlo 28020 Madrid

Telephone: 91 456 80 00 **Fax:** 91 456 80 01

Web: www.holiday-inn.es

Metro without lift: Santiago Bernabéu

Bus: 5, 43, 149, 126, 14, 147, 150, 27, 40 and N20

ACCESS

- From the main entrance to the reception area there are 4 steps with an alternative ramp. The steps are identical, have risers and have tacto-visual aids at the edges. There is an automatic revolving door and 2 sets of manually operated swing doors which are both 80 cm wide. They are marked with the logo of the hotel.
- The ramp is in 2 sections, both of which are 1.10 m long and have a non-recommended incline of 30%. There is no handrail. The ends of the ramp are not indicated by a distinctively textured and contrastingly coloured floor surface.

ACCESSIBILITY - HEARING IMPAIRED

Room	• •
	TV which communicates with reception: no
,	TV has alarm clock with visual alert: yes
Bedside plug socket: no	Entrance door with peephole: yes
services: yes	Light signals to indicate a knock at the door: no
Communal WCs	•
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	0 0
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm eyetems with view	ial alarte: no

Emergency alarm systems with visual alerts: **no**







Holiday Inn Madrid





ACCESSIBILITY - PHYSICALLY DISABLED

	•
Adapted room (No. 131)	No. of adapted rooms: 5
On 1st floor, accessible via lift	Width of door: 75 cm
Clear turning circle inside	Height of climate control: 143 cm
(diameter): Ø 130 cm	•
Height of bed: 60 cm	Space for access to the bed: right
	hand side 148 cm
Wardrobe doors: sliding	Hight of hanger rail: 120 cm
Height of wardrobe shelves and dra	awers: 20-176 cm
Bathroom in adapted room	•
Door: outward opening with	Clear turning circle inside
a width of 80 cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 41 cm	Height of flush mechanism: 74 cm
Approach area: left hand side	Folding grab bar on right hand side:
86.5 cm	62-81 cm
Folding grab bar on left hand side:	62-81 cm
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 77 cm and 65 cm	•
Height of the lower edge	Height of bathroom fittings:
of the mirror: 102 cm	80-130 cm
Bath:	•
Height of bath: 48 cm	Horizontal and grab bars: 65 cm
Transfer platform: no	No vertical grab bar
Thermal tap at a height of 60 cm	Adjustable shower-head height:
on narrow wall	yes, 133 cm
Shower curtain	•
Adapted bathroom	No. of adapted bathrooms: 3
in communal areas	•
On floors -1 and -2, accessible	Door: width of 87 cm
Clear turning circle inside (diamete	r): Ø 150 cm
Toilet:	•
Seat height: 42 cm	Height of flush mechanism: 77 cm
Approach area: right hand side	Folding grab bar on left hand side:
78 cm , front 130 cm	55-74 cm
Grab bar on right hand side	•
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 70 cm and 40 cm	• • • • • • • • • • • • • • • • • • • •
Height of the lower edge of the	Height of bathroom fittings:
mirror: 72 cm	70-100 cm



No. of lifts: 3 Height of call buttons: **95-120 cm**Width and depth of cab:

135 and 120 cm Accessible up to the door Width of door: 90 cm



Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible via ramp described above	Height of reception desk: 116 cm
Restaurant 1	Ground floor and base- ment -2	Accessible	Height of table: 75 cm Height beneath table: 73 cm Width beneath table: 74 cm Depth beneath table: 36 cm
Restaurant 2	Basement -2	Accessible via lift or chairlift	Height of table: 75 cm Height beneath table: 73 cm Width beneath table: 74 cm Depth beneath table: 36 cm
Meeting rooms (6)	Basement -2	Accessible via lift	Height of table: 72 cm Height beneath table: 70 cm Width beneath table: 94 cm Depth beneath table: 177 cm
Pool / Sauna and Jacuzzi	Tenth floor	Not accessible, there are steps	No hoist for getting into the pool. No specially adapted changing rooms or toilets.

MADRID FOR ALL ACCESSIBLE TOURISM GUIDE





ACCESSIBILITY - VISUALLY IMPAIRED

Signs				
Signs the same size: yes, average height of 145-175 cm and a font size				
of ≥ 1.5 cm				
•	Text and symbols: not in relief			
contrasts with the background: yes	and not in Braille			
Main stairs	•			
Edge of stairs marked with a	Side protection skirting board of			
non-slip strip in a contrasting	≥ 12 cm on both sides: yes			
colour: yes	•			
Steps have a riser: yes	All steps are the same height: yes			
Steps have nosing: no	0			
The space under the stairs is	Handrail on either side: yes			
blocked off: yes	0			
Continuous handrails on	Handrail extends at top and bottom			
half-landings: yes	of stairs: no			
Strip of surface of a different texture	e and contrasting colour at the top			
and bottom of the stairs: no				
Lifts	0			
Cab with audio signals: yes	Control buttons in contrasting			
	colour: yes			
Keypad with numbers in relief:	Keypad with numbers in Braille:			
ves	ves			











HOLIDAY INN MADRID CALLE ALCALÁ HOTEL





Web: www.veladahoteles.com

Metro without lift: Ciudad Lineal

Bus: 77 and 104



ACCESO

- The entrance has a slight slope.
- There is an automatic sliding glass door, which is **1.70 m** wide. It is not marked with horizontal strips or a logo in a contrasting colour.



ACCESSIBILITY - HEARING IMPAIRED

0 0
TV which communicates with
reception: yes
TV has alarm clock with visual alert:
yes
Entrance door with peephole: no
Light signals to indicate a knock
at the door: no
•
Cubicle doors with a gap
underneath to see if there is
someone inside: no
0
Emergency button with a light
to show that the emergency call
has been received: no
•
ual alerts: no











Adapted room	No. of adapted rooms: 6
Accessible via lift	Width of door: 78 cm
Clear turning circle inside	: Height of climate control: 113 cm
(diameter): Ø 150 cm	•
Height of bed: 55 cm	Space for access to the bed: right hand side 192 cm , left hand side 185 cm
Wardrobe doors: sliding	Height of hanger rail: 200 cm
Height of wardrobe shelves and di	
Bathroom in adapted room	
Door: outward opening with	Clear turning circle inside
width of 80 cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 41 cm	Height of flush mechanism: 110 cm
Approach area: on one side	Folding grab bar on opposite side
≥ 80 cm	to approach
No grab bar on approach side	•
Basin:	
Height and clearance beneath the basin: 67 and 35 cm	Tap: mixer tap
Height of the lower edge	Height of bathroom fittings: 126 cm
of the mirror: 94 cm	
Shower:	0
Tap: mixer tap on accessible wall	Shower base: level with floor
Shower floor: non-slip	Shower stool: mobile
Lifts	•
Accessible up to the door	Height of call buttons: 116 cm
Width of door: 82 cm	Width and depth of cab: 109 and 138 cm
Height of lift buttons: 110-120 cm	Height of handrail: 90 cm



Holiday Inn Madrid Callé Alcalá

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk:
Communal WCs	Ground floor	Accessible	None of them are adapted for wheelchair users
Cafeteria	Ground floor	Accessible from reception. From the outside via a ramp with an incline of 9%	Height of table: 75 cm Height beneath table: 72 cm Width beneath table: 100 cm Depth beneath table: 45 cm
Restaurant	Ground floor	Accessible from reception. From the outside via a ramp with an incline of 9%	Height of table: 76 cm Height beneath table: 73 cm Width beneath table: 60 cm Depth beneath table: 60 cm
Meeting rooms (17)	Floors -1 (2) Ground floor (3) First floor (12)	Accessible via lift	Height of table: 78 cm Height beneath table: 74 cm Width beneath table: 47 cm Depth beneath table: 60 cm
Exterior parking	Ground floor	Accessible via lift	There are 4 parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)
Indoor parking	Basement -1	Accessible via lift	There are 8 parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)









ACCESSIBILITY - VISUALLY IMPAIRED

Signs			
Signs the same size: yes, average height of 150-162 cm and a font size			
5 cm			
Lettering in a colour which	Text and symbols: not in relief		
contrasts with the background: no	and not in Braille		
Main stairs	e e		
Edge of stairs marked with a	Side protection skirting board of		
non-slip strip in a contrasting	≥ 12 cm on both sides: no		
colour: no	•		
Steps have a riser: yes	All steps are the same height: yes		
Steps have nosing: yes	•		
The space under the stairs is	Continuous handrails on		
blocked off: yes	half-landings: yes		
Strip of surface of a different texture and contrasting colour at the top			
and bottom of the stairs: no			
Lifts	0		
Cab with audio signals: yes	Control buttons in contrasting		
	colour: yes		
Keypad with numbers in relief:	Keypad with numbers in Braille:		
ves	ves		













HUSA MONCLOA HOTEL

- Calle de Serrano Jover, 1 28015 Madrid
- Telephone: 91 542 45 82 Fax: 91 542 71 69
- **Web:** www.husamoncloa.com
- Metro with lift: Argüelles
- **Bus:** 1, 2, 21, 44 and 133

ACCESS

- The main entrance has **3** steps. There is an alternative entrance, with a ramp, which is opened using a videophone. The manually opened glass main door is 1.72 m wide. The alternative door is 80 cm wide. Neither door is marked with horizontal strips or a logo in a contrasting colour.
- The ramp is 91 cm wide, 4.40 m long and has a non-recommended incline of 8%. There is a handrail on one side. The ends of the ramp are indicated by a distinctively textured and contrastingly coloured floor surface.

ACCESSIBILITY - HEARING IMPAIRED

Room	
Internet connection: yes	TV which communicates with
	reception: yes
TV with teletext decoder: yes	TV has alarm clock with visual alert:
	yes
Bedside plug socket: yes	Entrance door with peephole: yes
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	
Door lock with visual aid to indicate	Cubicle doors with a gap
either free or occupied: no	underneath to see if there is
	someone inside: no
Lifts	
Visual signs indicating the floor	Emergency button with a light
and direction of movement, both	to show that the emergency call
inside and outside the cab: yes	has been received: yes
Emergency system	·
Emergency alarm systems with visi	ial alerts: no

Emergency alarm systems with visual alerts: **no**











ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 201)	No. of adapted rooms: 3
On 2 nd floor, accessible	Width of door: 88 cm
Clear turning circle inside	Height of climate control: 146 cm
(diameter): Ø 150 cm	•
Height of bed: 50 cm	Space for access to the bed: right hand side 89 cm , left hand side 154 cm
Wardrobe doors: sliding	Height of hanger rail: 154 cm
Height of wardrobe shelves and dra	awers: 80 cm
Bathroom in adapted room	
Door: swing door with a width of 77 cm	Clear turning circle inside (diameter): Ø 150 cm
Toilet:	•
Seat height: 42 cm	Height of flush mechanism: 80 cm
Approach area: front	Folding grab bar on right hand side: 60-76 cm
Folding grab bar on left hand side: 60-76 cm	Distance between bars: 63 cm
Basin:	v 0
Height and clearance beneath the basin: 77.5 cm and 22.5 cm	Tap: mixer tap
Height of the lower edge of the mirror: 85 cm	Height of bathroom fittings: 116 cm
Shower:	• •
Width of approach to shower: 160 cm	Shower base: level with floor
Shower floor: non-slip	Shower stool: folding and fixed
Height and location of horizontal	Height and location of vertical grab
	bar: 114-140 cm , wall to side of tap
Tap: mixer tap	Height of tap: 75 cm on accessible wall
Adjustable shower-head height: yes	Shower curtain
Lifts	• •
Accessible up to the door	Height of call buttons: 90 cm
Width of door: 80 cm	Width and depth of cab: 130 and 132 cm
Height of lift buttons: 131-162 cm	Height of handrail: 100 cm
rieight of hit buttons. 131-102 cm	i loight of handrail. 100 cm

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible via ramp	Height of reception desk: 105 cm
Cafeteria	Second floor	Accessible via ramp	Height of bar: 112 cm Height of table: 75.5 cm Height beneath table: 73 cm Width beneath table: 128 cm Depth beneath table: 70 cm
Restaurant / Breakfast Buffet	Second floor	Accessible via lift	Height of buffet bar: 87 cm Height of table: 75.5 cm Height beneath table: 73 cm Width beneath table: 128 cm Depth beneath table: 70 cm



ACCESSIBILITY - VISUALLY IMPAIRED _____

Signs		
Signs the same size: yes , average height of 160-165 cm and a font size of ≥ 1.5 cm		
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille	
Main stairs	0 0	
Edge of stairs marked with a non-slip strip in a contrasting colour: no	Side protection skirting board of ≥ 12 cm on both sides: yes	
Steps have a riser: yes Steps have nosing: no	All steps are the same height: yes	
The space under the stairs is blocked off: there is none	Handrail on either side: no	
	Handrail extends at top and bottom of stairs: no	
Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no		
Lifts	• •	
Cab with audio signals: no	Control buttons in contrasting colour: yes	
Keypad with numbers in relief: no	Keypad with numbers in Braille:	













HUSA PASEO DEL ARTE HOTEL

Calle de Atocha, 123 Calle de Atoch 28012 Madrid

Telephone: 91 298 48 00 Fax: 91 298 48 50

Web: www.paseodelartehusa.es

Metro without lift: Atocha

Bus: 6, 10, 14, 26, 27, 32, 34, 37 and 45

ACCESS

- The main entrance of the hotel and has a level surface.
- It has an automatic revolving door. There are 2 alternative swing doors, one of which is on each side of the revolving door, and which both measure 70 cm wide.
- After the main door, there is a down-sloping ramp.
- The ramp is 2.30 m wide, 2 m long, and has a non-recommended incline of 6,9%. There is no handrail. The ends of the ramp are indicated by a distinctively textured and contrastingly coloured floor surface.



ESSIBILITY - HEARING IMPAIRED

Room	0 0 0
	TV which communicates with reception: no
	TV has alarm clock with visual alert: no
Bedside plug socket: yes	Entrance door with peephole: no
	Light signals to indicate a knock at the door: yes
Communal WCs	•
	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	0
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: yes
Emergency system	•
Emergency alarm systems with visu	ual alerts: yes



ACCESSIBILITY - PHYSICALLY DISABLED

ACCESSIBILITY -	PHYSICALLY DISABLED -
Adapted room (No. 113)	No. of adapted rooms: 6
On 1 st floor, accessible via lift	Width of door: 78 cm
Clear turning circle inside	Height of climate control: 150 cm
(diameter): Ø 150 cm	
Height of bed: 55 cm	Space for access to the bed: right
3	hand side 60 cm , left hand side
	180 cm
Wardrobe doors: handles,	Height of hanger rail: 145 cm
difficult to open	0
Height of wardrobe shelves and dra	awers: 42 cm
Bathroom in adapted room	
Door: swing door with a width of	Clear turning circle inside
80 cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 45 cm	Height of flush mechanism: 90 cm
Approach area: right hand side	Folding grab bar on right hand side:
70 cm , front 105 cm	72-90 cm
No grab bar on left hand side	• •
Basin:	• •
Height and clearance beneath	Tap: mixer tap
the basin: 77 cm and 50 cm	0
Height of the lower edge	Height of bathroom fittings: 83 cm
of the mirror: 100 cm	0 0
Shower:	
Width of approach to shower:	Shower base: level with floor
235 cm	* Observer also be a base and a
Shower floor: non-slip	Shower chair: yes
Height and location of horizontal	Height and location of vertical grab
	bar: 80-125 cm, wall to side of tap Height of tap: 120-140 cm on
Tap: mixer tap	accessible wall
Adjustable shower-head height: ye	•
Adapted bathroom in	No. of adapted bathrooms: 1
communal areas	No. of adapted battilooms. I
On semibasement floor,	Door: inward opening, width of
accessible via lift	80 cm
Clear turning circle inside (diamete	
Toilet:	* 100 GIII
Seat height: 45 cm	Height of flush mechanism: 90 cm
Approach area: only front	Folding grab bar on right hand side:
approach, 110 cm	68-78 cm
Fixed grab bar on left hand side:	Distance between bars: 69 cm
60 cm	•
Basin:	0
Height and clearance beneath	Tap: mixer tap
the basin: 83 cm and 55 cm	0 0

ACCESSIBLE TOURISM GUIDE









Height of the lower edge of the mirror: 100 cm	Height of bathroom fittings: 100 cm
Lifts	No. of lifts: 3
Accessible up to the door	Height of call buttons: 110-117 cm
Width of door: 90 cm	Width and depth of cab: 115 and 120 cm
Height of lift buttons: 87-116 cm	Height of handrail: 90 cm

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 110 cm
Cafeteria	Ground floor	Accessible	Height of bar: 115 cm Height of table: 75 cm
Restaurant / Breakfast Buffet	Ground floor	Accessible	Height of buffet bar: 90 cm Height of table: 75 cm Height beneath table: 69 cm Width beneath table: 70 cm Depth beneath table: 70 cm
Meeting rooms (1)	Ground floor	Accessible	Height of table: 71 cm Height beneath table: 69 cm Width beneath table: 240 cm Depth beneath table: 50 cm
Gym	8 th floor	Accessible via lift	No specially adapted toilets
Parking	Basement -1 and -2	Accessible via lift	There are 2 parking space for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)







ACCESSIBILITY - VISUALLY IMPAIRED _____

Signs the same size: yes, average height of 145-175 cm and a font size of ≥ 1.5 cm Lettering in a colour which contrasts with the background: yes and not in Braille Main stairs Edge of stairs marked with a non-slip strip in a contrasting colour: yes Steps have a riser: yes Steps have nosing: no The space under the stairs is blocked off: no Continuous handrails on half-landings: no Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: yes Lifts Cab with audio signals: yes Keypad with numbers in relief: yes Keypad with numbers in relief: yes				
of ≥ 1.5 cm Lettering in a colour which contrasts with the background: yes and not in Braille Main stairs Edge of stairs marked with a non-slip strip in a contrasting colour: yes Steps have a riser: yes Steps have nosing: no The space under the stairs is blocked off: no Continuous handrails on half-landings: no Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: yes Lifts Cab with audio signals: yes Keypad with numbers in relief: Keypad with numbers in relief: Keypad with numbers in Braille:	Signs			
contrasts with the background: yes and not in Braille Main stairs Edge of stairs marked with a non-slip strip in a contrasting colour: yes Steps have a riser: yes Steps have nosing: no The space under the stairs is blocked off: no Continuous handrails on half-landings: no Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: yes Lifts Cab with audio signals: yes Keypad with numbers in relief: Keypad with numbers in Braille:				
Edge of stairs marked with a non-slip strip in a contrasting colour: yes Steps have a riser: yes Steps have nosing: no The space under the stairs is blocked off: no Continuous handrails on half-landings: no Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: yes Lifts Cab with audio signals: yes Keypad with numbers in relief: Keypad with numbers in Braille:				
non-slip strip in a contrasting colour: yes Steps have a riser: yes Steps have nosing: no The space under the stairs is blocked off: no Continuous handrails on half-landings: no Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: yes Lifts Cab with audio signals: yes Keypad with numbers in relief: Keypad with numbers in Braille:	Main stairs	• •		
Steps have nosing: no The space under the stairs is blocked off: no Continuous handrails on half-landings: no Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: yes Lifts Cab with audio signals: yes Keypad with numbers in relief: Keypad with numbers in Braille:	non-slip strip in a contrasting			
blocked off: no Continuous handrails on half-landings: no Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: yes Lifts Cab with audio signals: yes Control buttons in contrasting colour: yes Keypad with numbers in relief: Keypad with numbers in Braille:		All steps are the same height: yes		
half-landings: no Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: yes Lifts Cab with audio signals: yes Control buttons in contrasting colour: yes Keypad with numbers in relief: Keypad with numbers in Braille:		Handrail on either side: yes		
and bottom of the stairs: yes Lifts Cab with audio signals: yes Control buttons in contrasting colour: yes Keypad with numbers in relief: Keypad with numbers in Braille:		•		
Cab with audio signals: yes Control buttons in contrasting colour: yes Keypad with numbers in relief: Keypad with numbers in Braille:	•			
colour: yes Keypad with numbers in relief: Keypad with numbers in Braille:	Lifts	♥ ● ●		
	Cab with audio signals: yes	•		
	· ·			

324 325 MADRID FOR ALL ACCESSIBLE TOURISM GUIDE





INTUR PALACIO SAN MARTÍN HOTEL

Plaza de San Martín, 5 28013 Madrid

Telephone: 91 701 50 00 **Fax:** 91 701 50 10

Web: www.intur.com

Metro with lift: Sol and Callao Metro without lift: Ópera

Bus: 3, 25, 39, 44, 75, 133, 146, 147 and 148

ACCESS

- The main entrance and has a level surface.
- There are 2 sets of doors. The first is a double swing door, and the second is an automatic, sliding double door. Both doors are 1.93 m wide.
- They are made of glass and are not marked with strips or a logo in a contrasting colour.

9

ACCESSIBILITY - HEARING IMPAIRED

Room	• •
——————————————————————————————————————	TV which communicates with reception: no
-	TV has alarm clock with visual alert:
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available services: yes	Light signals to indicate a knock at the door: no
Communal WCs	at the deer. He
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	•
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visual alerts: yes	





ACC

ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 03)	No. of adapted rooms: 1
On ground floor, accessible via	Width of door: 78 cm
ramp with a width of 91 cm and	•
a length of < 300 cm and an	♥ ♦ ♦
adequate incline of 10%.	• •
Clear turning circle inside	Height of climate control: 154 cm
(diameter): Ø 150 cm	• - • •
Height of bed: 52 cm	Space for access to the bed: 116 cm
Wardrobe doors: sliding,	Height of hanger rail: extendible
easy to open	with vertical pull bar
Height of wardrobe shelves and dra	awers: 169 cm
Bathroom in adapted room	•
Door: swing door with a width of	Clear turning circle inside
80 cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 42 cm	Height of flush mechanism: 90 cm
Approach area: right hand side	Folding grab bar on left hand side:
100 cm, front 90 cm	:77 cm
Fixed grab bar on right hand side:	Distance between bars: 67 cm
77 cm	•
Basin:	*
Height and clearance beneath	Tap: mixer tap
the basin: 71 cm and 30 cm	• • • • • • • • • • • • • • • • • • •
Height of the lower edge	Height of bathroom fittings: 120 cm
of the mirror: 125 cm	0
Width of approach to shower:	Shower base: level with floor
115 cm	Shower base. level with hoor
Shower floor: non-slip	Shower chair: fixed
Height of horizontal grab bar:	Height of vertical grab bar: 75 cm
100 cm	• 1.5.g.it of volucial glab ball. 10 offi
Tap: mixer tap at a height of 60 cm	•
Adapted bathroom in	No. of adapted bathrooms: 1
communal areas	e de la deploca de la la como. I
On ground floor, accessible via	Door: inward opening, width of
ramp with a length of 520 cm , and	80 cm
an incline of 6%	•
Clear turning circle inside (diamete	r): Ø 150 cm
Toilet:	,
Seat height: 45 cm	Height of flush mechanism: 93 cm
Approach area: left hand side	Folding grab bar on right hand side:
and front 110 cm	78 cm
Fixed grab bar on left hand side:	Distance between bars: 67 cm
78 cm	•







Other	Location	Access	Main
amenities	•		characteristics
Reception	Ground floor	Accessible	Height of reception desk:
Cafeteria	Ground floor	Accessible	Height of bar: 110 cm Height of table: 70 cm Height beneath table: 64 cm Width beneath table: 53 cm Depth beneath table: 20 cm Tables with central leg
Restaurant	Sixth floor	Accessible via lift	Height of table: 75 cm Height beneath table: 72 cm Width beneath table: 130 cm Depth beneath table: 73 cm
Meeting rooms (1)	Ground floor	Accessible via ramp described above in WC section	Height of table: 74 cm Height beneath table: 68.5 cm Width beneath table: 80 cm Depth beneath table: 200 cm
Gym	5 th floor	Accessible via lift	There are steps and no alternative ramp. No specially adapted changing rooms and toilets.







ACCESSIBILITY - VISUALLY IMPAIRED _

Signs		
Signs the same size: yes , average height of 166-173 cm and a font size of ≥ 1.5 cm		
Lettering in a colour which contrasts with the background: ye	Text and symbols: not in relief	
Main stairs	0 0 0	
Edge of stairs marked with a non-slip strip in a contrasting colour: no	Side protection skirting board of ≥ 12 cm on both sides: yes	
Steps have a riser: yes Steps have nosing: yes	All steps are the same height: yes	
The space under the stairs is blocked off: yes	Handrail on either side: yes	
Continuous handrails on half-landings: no	Handrail extends at top and bottom of stairs: no	
Lifts	• •	
Lift 1		
Cab with audio signals: no	Control buttons in contrasting colour: yes	
Keypad with numbers in relief: yes	Keypad with numbers in Braille: yes	
Lift 2	•	
Cab with audio signals: no	Control buttons in contrasting colour: yes	
Keypad with numbers in relief: no	Keypad with numbers in Braille: no	

328 MADRID FOR ALL ACCESSIBLE TOURISM GUIDE 325













ACCESSIBILITY - PHYSICALLY DISABLED





LIABENY HOTEL

Calle de la Salud, 3 Calle de la Sai 28013 Madrid

Telephone: 91 531 90 00

Fax: 91 532 74 21

Web: www.hotelliabenymadrid.es

Metro with lift: Sol

Bus: 2, 46, 74, 146 and 202

ACCESS

- The entrance has one section without ramps and another with 2 steps of differing height as the hotel is on a sloping street.
- The hotel has a double set of entrance doors. The first is a manually operated, double swing glass door, which is 1.80 m wide and is not marked with horizontal strips or a logo in a contrasting colour.
- The second is an automatic sliding glass door and measures 1.40 m wide. It is marked with the hotel's logo, but not in a contrasting colour.



CESSIBILITY - HEARING IMPAIRED

Room	0 0 0	
	TV which communicates with reception: no	
-	TV has alarm clock with visual alert: yes	
Bedside plug socket: yes	Entrance door with peephole: no	
Written information on available	Light signals to indicate a knock	
services: yes	at the door: no	
Communal WCs	v 0 0	
•	Cubicle doors with a gap underneath to see if there is someone inside: no	
Lifts	0 0	
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: yes	
Emergency system		
Emergency alarm systems with visual alerts: no		

330











Other amenities	Location	Access	Main characteristics
amemues	•	•	0
Reception	Ground floor	Accessible	Height of reception desk: 107 cm
Communal WCs	Ground floor	Not accessible, with stairs	None of them are adapted for wheelchair users
Cafeteria / Bar	Ground floor	Not accessible, with stairs	Height of table: 68 cm Width beneath table: 75 cm Depth beneath table: 26 cm
Restaurant	Ground floor	Not accessible, with stairs	Height of table: 68 cm Width beneath table: 72 cm Depth beneath table: 90 cm
Meeting rooms (5)	Ground floor	Accessible	• • •
Parking	Basement -1	Accessible via lift	There are no parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA). Valet parking



Clama	

Signs the same size: ves average height of 163-200 cm and a font size

of ≥ 1.5 cm		
	Text and symbols: not in relief and not in Braille	
Main stairs	•	
Edge of stairs marked with a non-slip strip in a contrasting colour: yes	Side protection skirting board of ≥ 12 cm on both sides: no	
Steps have a riser: yes Steps have nosing: yes	All steps are the same height: yes	
The space under the stairs is blocked off: yes	Handrail on either side: no	
Continuous handrails on half-landings: yes	Handrail extends at top and bottom of stairs: no	
Strip of surface of a different texture and bottom of the stairs: no	e and contrasting colour at the top	
Lifts	•	
Cab with audio signals: no	Control buttons in contrasting colour: yes	
Keypad with numbers in relief: yes	Keypad with numbers in Braille:	





Calle de Lope de Vega, 49 28014 Madrid

Telephone: 91 360 00 11 **Fax:** 91 429 23 91

Web: www.hotellopedevega.com

Metro without lift: Antón Martín

Bus: 9, 10, 14, 27, 34, 37 and 45

ACCESS

- The entrance has a single step. Due to the hotel being situated on a sloping street, the height of the step varies.
- There are 2 sets of entrance doors to the hotel. The first opens manually, is **81 cm** wide and is marked with white horizontal strips on its lower part. The second opens automatically, is 1.33 m wide and is marked with the hotel's logo.
- The reception is accessed via 3 steps or an alternative ramp. The ramp is 91 cm wide, 3.6 m long and has an incline of 9%. There is no handrail.

ACCESSIBILITY - HEARING IMPAIRED

Room	0 0
	TV which communicates with reception: yes
•	TV has alarm clock with visual alert: yes
Bedside plug socket: yes	Entrance door with peephole: no
	Light signals to indicate a knock at the door: no
Communal WCs	• •
	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	0 0
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visi	ial alerts: no









Lope de Vega



ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 105)	No. of adapted rooms: 2
On first floor , accessible via lift	Width of door: 83 cm
Clear turning circle inside	Height of climate control: 142 cm
(diameter): Ø 150 cm	•
Height of bed: 54 cm	Space for access to the bed: right hand side 80 cm . left hand side
	100 cm
Wardrobe doors: sliding,	Height of hanger rail: 155 cm
easy to open	•
Bathroom in adapted room	•
Door: sliding with a width of 77 cm	Clear turning circle inside (diameter): Ø 150 cm
Toilet:	(diameter). 9 130 cm
Seat height: 47 cm	Height of flush mechanism: 95 cm
Approach area: 66 cm	Folding grab bar on approach side
Fixed grab bar on opposite side	i olding grab bar on approach side
Basin:	•
Height of the lower edge	Height of bathroom fittings:
of the mirror: 92 cm	85-145 cm
Shower:	•
Shower floor: non-slip	Shower base: level with floor
Mixer tap	Shower chair or stool: no
Height and location of horizontal	Adjustable shower-head height: yes
grab bar: 88 and 130 cm, on wall	•
to side of tap	•
Lifts	•
Accessible up to the door	Width and depth of cab: 95 and 147 cm
Width of door: 78 cm	• •

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	via ramp described above	Height of reception desk: 115 cm
Communal WCs	Ground floor	accessible, with stairs	None of them are adapted for wheelchair users
Cafeteria	Second floor	Accessible via lift	Height of bar: 110.5 cm Height of table: 75 cm Height beneath table: 74 cm Width beneath table: 70 cm Depth beneath table: 10 cm
Breakfast buffet	Ground floor	Accessible via ramp	Height of buffet bar: 95 cm Height of table: 76.5 cm Height beneath table: 73 cm Width beneath table: 120 cm Depth beneath table: 10 cm
Meeting rooms (1)	Ground floor	Accessible	Height of table: 72.5 cm Height beneath table: 65.5 cm
Parking	Basement -1	Accessible via lift	There are no parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign



ACCESSIBILITY - VISUALLY IMPAIRED _

Signs			
Signs the same size: yes , average height of 160-165 cm and a font size of ≥ 1.5 cm			
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille		
Main stairs	0 0		
	Side protection skirting board of ≥ 12 cm on both sides: yes		
Steps have a riser: yes Steps have nosing: no	All steps are the same height: yes		
The space under the stairs is blocked off: there is none	Handrail on either side: no		
	Handrail extends at top and bottom of stairs: no		
Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no			
Lifts	9 0 0		
Cab with audio signals: no	Control buttons in contrasting colour: yes		
· ·	Keypad with numbers in Braille:		







Lusso Infantas





LUSSO INFANTAS HOTEL

Calle de las Infantas, 29 Calle ue las 28004 Madrid

Telephone: 91 521 28 28 Fax: 91 521 66 88

Web: www.hotelinfantas.com

Metro without lift: Banco de España and Chueca

Bus: 1, 2, 5, 9, 14, 15, 20, 27, 37, 45, 46, 51, 52, 53, 74, 146, 150 and 202

ACCESS

- The main entrance is accessible and and has a level surface.
- The automatic sliding glass door is **1.47 m** wide. It is marked with horizontal strips and a logo in a contrasting colour.
- To reach the reception area from the entrance, 3 steps must be negotiated. There is an alternative ramp in 2 sections with a landing between them. The ramp is 1.22 m wide, 3.82 m long and has an incline of 10.5%. There are 2 handrails; one at a height of 65 cm, the other at 90 cm. The ends of the ramp are not indicated by a distinctively textured and contrastingly coloured floor surface.

CCESSIBILITY - HEARING IMPAIRED

Room		
	TV which communicates with reception: no	
, , , , , , , , , , , , , , , , , , , ,	TV has alarm clock with visual alert: yes	
Bedside plug socket: yes	Entrance door with peephole: no	
	Light signals to indicate a knock at the door: no	
Communal WCs		
	Cubicle doors with a gap underneath to see if there is someone inside: no	
Lifts		
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no	
Emergency system		
Emergency alarm systems with visual alerts: no		



ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 104)	No. of adapted rooms: 1
On first floor , accessible via lift	Width of door: 90 cm
Clear turning circle inside	Height of climate control: 150 cm
(diameter): Ø 150 cm	•
Height of bed: 53 cm	Space for access to the bed: right
	hand side 90 cm , left hand side
	120 cm
Wardrobe doors: handles,	Height of hanger rail: 190 cm
easy to open	0 0 A
Height of wardrobe shelves and dra	awers: 80 cm
Bathroom in adapted room	
Door: swing door with a width of	Clear turning circle inside
85 cm	(diameter): Ø 150 cm
Toilet:	
Seat height: 45 cm	Height of flush mechanism: 82 cm
Approach area: side 45 cm , front	Folding grab bar on right hand side:
127 cm	66 cm
Folding grab bar on left hand side:	Distance between bars: 60 cm
66 cm	• •
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 85 cm and 87 cm	0
Height of the lower edge	Height of bathroom fittings: 87 cm
	ricigit of battiloom fittings. Or citi
of the mirror: 96 cm	Troight of bathroom mangs. or cin
of the mirror: 96 cm Shower:	6 0 0
of the mirror: 96 cm Shower: Width of approach to shower:	Shower base: level with floor
of the mirror: 96 cm Shower: Width of approach to shower: 500 cm	Shower base: level with floor
of the mirror: 96 cm Shower: Width of approach to shower: 500 cm Shower floor: non-slip	6 0 0
of the mirror: 96 cm Shower: Width of approach to shower: 500 cm Shower floor: non-slip chair	Shower base: level with floor Shower chair: fixed and mobile
of the mirror: 96 cm Shower: Width of approach to shower: 500 cm Shower floor: non-slip chair Tap: mixer tap at a height of	Shower base: level with floor
of the mirror: 96 cm Shower: Width of approach to shower: 500 cm Shower floor: non-slip chair Tap: mixer tap at a height of 104-125 cm on accessible wall	Shower base: level with floor Shower chair: fixed and mobile
of the mirror: 96 cm Shower: Width of approach to shower: 500 cm Shower floor: non-slip chair Tap: mixer tap at a height of 104-125 cm on accessible wall Sliding shower screen	Shower base: level with floor Shower chair: fixed and mobile Adjustable shower-head height: yes
of the mirror: 96 cm Shower: Width of approach to shower: 500 cm Shower floor: non-slip chair Tap: mixer tap at a height of 104-125 cm on accessible wall Sliding shower screen Adapted bathroom in communal	Shower base: level with floor Shower chair: fixed and mobile Adjustable shower-head height: yes areas
of the mirror: 96 cm Shower: Width of approach to shower: 500 cm Shower floor: non-slip chair Tap: mixer tap at a height of 104-125 cm on accessible wall Sliding shower screen	Shower base: level with floor Shower chair: fixed and mobile Adjustable shower-head height: yes areas Door: inward opening, width of
of the mirror: 96 cm Shower: Width of approach to shower: 500 cm Shower floor: non-slip chair Tap: mixer tap at a height of 104-125 cm on accessible wall Sliding shower screen Adapted bathroom in communal On ground floor, accessible	Shower base: level with floor Shower chair: fixed and mobile Adjustable shower-head height: yes areas Door: inward opening, width of 90 cm
of the mirror: 96 cm Shower: Width of approach to shower: 500 cm Shower floor: non-slip chair Tap: mixer tap at a height of 104-125 cm on accessible wall Sliding shower screen Adapted bathroom in communal On ground floor, accessible Clear turning circle inside (diamete	Shower base: level with floor Shower chair: fixed and mobile Adjustable shower-head height: yes areas Door: inward opening, width of 90 cm
of the mirror: 96 cm Shower: Width of approach to shower: 500 cm Shower floor: non-slip chair Tap: mixer tap at a height of 104-125 cm on accessible wall Sliding shower screen Adapted bathroom in communal On ground floor, accessible Clear turning circle inside (diamete Toilet:	Shower base: level with floor Shower chair: fixed and mobile Adjustable shower-head height: yes areas Door: inward opening, width of 90 cm r): Ø 150 cm
of the mirror: 96 cm Shower: Width of approach to shower: 500 cm Shower floor: non-slip chair Tap: mixer tap at a height of 104-125 cm on accessible wall Sliding shower screen Adapted bathroom in communal On ground floor, accessible Clear turning circle inside (diamete Toilet: Seat height: 46 cm	Shower base: level with floor Shower chair: fixed and mobile Adjustable shower-head height: yes areas Door: inward opening, width of 90 cm r): Ø 150 cm Height of flush mechanism: 83 cm
of the mirror: 96 cm Shower: Width of approach to shower: 500 cm Shower floor: non-slip chair Tap: mixer tap at a height of 104-125 cm on accessible wall Sliding shower screen Adapted bathroom in communal On ground floor, accessible Clear turning circle inside (diamete Toilet: Seat height: 46 cm Approach area: left hand side	Shower base: level with floor Shower chair: fixed and mobile Adjustable shower-head height: yes Areas Door: inward opening, width of 90 cm r): Ø 150 cm Height of flush mechanism: 83 cm Folding grab bar on right hand side:
of the mirror: 96 cm Shower: Width of approach to shower: 500 cm Shower floor: non-slip chair Tap: mixer tap at a height of 104-125 cm on accessible wall Sliding shower screen Adapted bathroom in communal On ground floor, accessible Clear turning circle inside (diamete Toilet: Seat height: 46 cm Approach area: left hand side 110 cm and front 210 cm	Shower base: level with floor Shower chair: fixed and mobile Adjustable shower-head height: yes Areas Door: inward opening, width of 90 cm r): Ø 150 cm Height of flush mechanism: 83 cm Folding grab bar on right hand side: 63 cm
of the mirror: 96 cm Shower: Width of approach to shower: 500 cm Shower floor: non-slip chair Tap: mixer tap at a height of 104-125 cm on accessible wall Sliding shower screen Adapted bathroom in communal On ground floor, accessible Clear turning circle inside (diamete Toilet: Seat height: 46 cm Approach area: left hand side 110 cm and front 210 cm Folding grab bar on left hand side:	Shower base: level with floor Shower chair: fixed and mobile Adjustable shower-head height: yes Areas Door: inward opening, width of 90 cm r): Ø 150 cm Height of flush mechanism: 83 cm Folding grab bar on right hand side: 63 cm
of the mirror: 96 cm Shower: Width of approach to shower: 500 cm Shower floor: non-slip chair Tap: mixer tap at a height of 104-125 cm on accessible wall Sliding shower screen Adapted bathroom in communal On ground floor, accessible Clear turning circle inside (diamete Toilet: Seat height: 46 cm Approach area: left hand side 110 cm and front 210 cm Folding grab bar on left hand side: 63 cm	Shower base: level with floor Shower chair: fixed and mobile Adjustable shower-head height: yes Areas Door: inward opening, width of 90 cm r): Ø 150 cm Height of flush mechanism: 83 cm Folding grab bar on right hand side: 63 cm
of the mirror: 96 cm Shower: Width of approach to shower: 500 cm Shower floor: non-slip chair Tap: mixer tap at a height of 104-125 cm on accessible wall Sliding shower screen Adapted bathroom in communal On ground floor, accessible Clear turning circle inside (diamete Tollet: Seat height: 46 cm Approach area: left hand side 110 cm and front 210 cm Folding grab bar on left hand side: 63 cm Basin:	Shower base: level with floor Shower chair: fixed and mobile Adjustable shower-head height: yes Areas Door: inward opening, width of 90 cm r): Ø 150 cm Height of flush mechanism: 83 cm Folding grab bar on right hand side: 63 cm Distance between bars: 64 cm
of the mirror: 96 cm Shower: Width of approach to shower: 500 cm Shower floor: non-slip chair Tap: mixer tap at a height of 104-125 cm on accessible wall Sliding shower screen Adapted bathroom in communal On ground floor, accessible Clear turning circle inside (diamete Toilet: Seat height: 46 cm Approach area: left hand side 110 cm and front 210 cm Folding grab bar on left hand side: 63 cm	Shower base: level with floor Shower chair: fixed and mobile Adjustable shower-head height: yes Areas Door: inward opening, width of 90 cm r): Ø 150 cm Height of flush mechanism: 83 cm Folding grab bar on right hand side: 63 cm





Lusso Infantas





Height of the lower edge of the mirror: 90 cm	Height of bathroom fittings: 90 cm
Lifts	No. of lifts: 2
Accessible up to the door	Height of call buttons: 103 cm
Width of door: 90 cm	Width and depth of cab:
	90 and 137 cm
Height of lift buttons: 105-123 cm	Height of handrail: 90 cm

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible via ramp described above	Height of reception desk: 113 cm
Cafeteria	Ground floor	Accessible	Height of bar: 110 cm Height of table: 75 cm Height beneath table: 72 cm Width beneath table: 58 cm Depth beneath table: 40 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	To access the bar, you must climb three steps and there is no alternative ramp. Height of table: 75 cm Height beneath table: 72 cm Width beneath table: 130 cm Depth beneath table: 73 cm





Signs				
Signs the same size: yes , average height of 145-175 cm and a font size of ≥ 1.5 cm				
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille			
Main stairs	0 0			
Edge of stairs marked with a non-slip strip in a contrasting colour: no	Side protection skirting board of ≥ 12 cm on both sides: no			
Steps have a riser: yes Steps have nosing: no	All steps are the same height: yes			
The space under the stairs is blocked off: no	Handrail on either side: no			
Continuous handrails on half-landings: yes	Handrail extends at top and bottom of stairs: no			
Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no				
Lifts	•			
Cab with audio signals: no	Control buttons in contrasting colour: yes			
Keypad with numbers in relief: yes	Keypad with numbers in Braille: yes			













MARÍA ELENA PALACE HOTEL

Calle de la Adu 28013 Madrid Calle de la Aduana, 19

Telephone: 91 360 49 30 **Telephone. Fax:** 91 360 47 89

Web: www.chh.es

Metro with lift: Sol

Bus: 1, 2, 5, 15, 20, 40, 46, 52, 53, 74, 146, 149, 150 and 202

ACCESS

- The entrance has a step of **4 cm** and no alternative way down.
- The automatic sliding glass door is **1.20 m** wide. It is marked with horizontal strips and a logo in a contrasting colour.
- A ramp leads from the entrance to the reception area. It is 2.4 m wide, 5 m long and has a non-recommended incline of 6,9%. There is no handrail. The ends of the ramp are not indicated by a distinctively textured and contrastingly coloured floor surface.

ACCESSIBILITY - HEARING IMPAIRED

Room	0 0
	TV which communicates with reception: no
,	TV has alarm clock with visual alert:
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: no	at the door: no
Communal WCs	•
Door lock with visual aid to indicate either free or occupied: yes	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	•
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visi	ual alerts: no



ACCESSIBILITY – PHYSICALLY DISABLED

Adapted room (No. 102)	No. of adapted rooms: 2
On first floor , accessible via lift	Width of door: 90 cm
Clear turning circle inside (diameter): Ø 150 cm	Height of climate control: 150 cm
Height of bed: 53 cm	Space for access to the bed: right hand side 78 cm , left hand side 80 cm
Wardrobe doors: handles, easy to open	Height of hanger rail: 190 cm
Height of wardrobe shelves and dr	awers: 68 cm
Bathroom in adapted room	
Door: inward opening with	Clear turning circle inside
a width of 85 cm	(diameter): Ø 150 cm
Toilet:	
Seat height: 40 cm	Height of flush mechanism: 75 cm
Approach area: left hand side 70 cm	No grab bar on right hand side
Folding grab bar on left hand side:	
Basin: no space beneath sink front	to facilitate approaching from the
Height and clearance beneath the basin: 76 cm and 0 cm	Tap: mixer tap
Height of the lower edge of the mirror: 85 cm	Height of bathroom fittings: 76 cm
Shower:	•
Width of approach to shower:	Shower base: with two steps of
190 cm	4 cm and 9 cm
190 cm Shower floor: non-slip	4 cm and 9 cm Shower chair or stool: no
190 cm Shower floor: non-slip Height and location of horizontal grab bar: 80 cm, on wall to the side of the tap	Shower chair or stool: no Has a vertical grab bar on the same wall as the tap which is used for adjusting the height of the shower head.
Shower floor: non-slip Height and location of horizontal grab bar: 80 cm, on wall to the	Shower chair or stool: no Has a vertical grab bar on the same wall as the tap which is used for adjusting the height of the shower
190 cm Shower floor: non-slip Height and location of horizontal grab bar: 80 cm, on wall to the side of the tap Tap: mixer tap Adapted bathroom	Shower chair or stool: no Has a vertical grab bar on the same wall as the tap which is used for adjusting the height of the shower head. Height of tap: 110-142 cm on
190 cm Shower floor: non-slip Height and location of horizontal grab bar: 80 cm, on wall to the side of the tap Tap: mixer tap Adapted bathroom in communal areas	Shower chair or stool: no Has a vertical grab bar on the same wall as the tap which is used for adjusting the height of the shower head. Height of tap: 110-142 cm on accessible wall
190 cm Shower floor: non-slip Height and location of horizontal grab bar: 80 cm, on wall to the side of the tap Tap: mixer tap Adapted bathroom	Shower chair or stool: no Has a vertical grab bar on the same wall as the tap which is used for adjusting the height of the shower head. Height of tap: 110-142 cm on accessible wall
190 cm Shower floor: non-slip Height and location of horizontal grab bar: 80 cm, on wall to the side of the tap Tap: mixer tap Adapted bathroom in communal areas	Shower chair or stool: no Has a vertical grab bar on the same wall as the tap which is used for adjusting the height of the shower head. Height of tap: 110-142 cm on accessible wall No. of adapted bathrooms: 2 Door: inward opening, width of 90 cm
Shower floor: non-slip Height and location of horizontal grab bar: 80 cm, on wall to the side of the tap Tap: mixer tap Adapted bathroom in communal areas On floor -1, accessible Clear turning circle inside (diameter Toilet:	Shower chair or stool: no Has a vertical grab bar on the same wall as the tap which is used for adjusting the height of the shower head. Height of tap: 110-142 cm on accessible wall No. of adapted bathrooms: 2 Door: inward opening, width of 90 cm
190 cm Shower floor: non-slip Height and location of horizontal grab bar: 80 cm, on wall to the side of the tap Tap: mixer tap Adapted bathroom in communal areas On floor -1, accessible Clear turning circle inside (diameter Toilet: Seat height: 41 cm	Shower chair or stool: no Has a vertical grab bar on the same wall as the tap which is used for adjusting the height of the shower head. Height of tap: 110-142 cm on accessible wall No. of adapted bathrooms: 2 Door: inward opening, width of 90 cm er): Ø 150 cm Height of flush mechanism: 76 cm
Shower floor: non-slip Height and location of horizontal grab bar: 80 cm, on wall to the side of the tap Tap: mixer tap Adapted bathroom in communal areas On floor -1, accessible Clear turning circle inside (diameter Toilet:	Shower chair or stool: no Has a vertical grab bar on the same wall as the tap which is used for adjusting the height of the shower head. Height of tap: 110-142 cm on accessible wall No. of adapted bathrooms: 2 Door: inward opening, width of 90 cm er): Ø 150 cm
Shower floor: non-slip Height and location of horizontal grab bar: 80 cm, on wall to the side of the tap Tap: mixer tap Adapted bathroom in communal areas On floor -1, accessible Clear turning circle inside (diameter Toilet: Seat height: 41 cm Approach area: left hand side	Shower chair or stool: no Has a vertical grab bar on the same wall as the tap which is used for adjusting the height of the shower head. Height of tap: 110-142 cm on accessible wall No. of adapted bathrooms: 2 Door: inward opening, width of 90 cm er): Ø 150 cm Height of flush mechanism: 76 cm No grab bar on right hand side









Basin:	
Height and clearance beneath the basin: 63 cm and 54 cm	Tap: mixer tap
Height of the lower edge of the mirror: 90 cm	Height of bathroom fittings: 80 cm
Lifts	No. of lifts: 1
Accessible up to the door	Height of call buttons: 97-104 cm
	Width and depth of cab: 92 and 117 cm
Height of lift buttons: 94-120 cm	Height of handrail: 90 cm

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible via ramp described above	Height of reception desk: 110 cm
Cafeteria	Ground floor	Accessible	Height of bar: 110 cm Height of table: 76 cm Height beneath table: 73 cm Width beneath table: 90 cm Depth beneath table: 90 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 83-138 cm Height of table: 75 cm Height beneath table: 70 cm Width beneath table: 70 cm Depth beneath table: 70 cm



ACCESSIBILITY - VISUALLY IMPAIRED _____

Signs				
Signs the same size: yes , average height of 145-175 cm and a font size of ≥ 1.5 cm				
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille			
Main stairs	•			
Edge of stairs marked with a	Side protection skirting board of			
non-slip strip in a contrasting colour: no	≥ 12 cm on both sides: yes			
Steps have a riser: yes	All steps are the same height: yes			
Steps have nosing: no	•			
The space under the stairs is blocked off: no	Handrail on either side: yes			
Continuous handrails on half-landings: yes	Handrail extends at top and bottom of stairs: no			
Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no				
Lifts	•			
Cab with audio signals: no	Control buttons in contrasting colour: yes			
Keypad with numbers in relief: yes	Keypad with numbers in Braille:			

342 343 **MADRID FOR ALL** ACCESSIBLE TOURISM GUIDE













ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room	No. of adapted rooms: 7
On first floor, accessible via lift	Width of door: 77 cm
Clear turning circle inside	Height of climate control:
(diameter): Ø 150 cm	154-161 cm
Height of bed: 50 cm	Space for access to the bed: right
	hand side 71 cm , left hand side
	170 cm
Wardrobe doors: with knobs,	Height of hanger rail: 163 cm
difficult to open	
Height of wardrobe shelves and dr	awers: 49 cm
Bathroom in adapted room	
Door: inward opening with a	Clear turning circle inside
width of 65 cm	(diameter): Ø 150 cm
Toilet:	
Seat height: 40 cm	Height of flush mechanism: 69 cm
Approach area: side 63 cm ,	Grab bar on right hand side: 80 cm
front 65 cm	0
Distance between bars: 61 cm	
Basin:	
Height and clearance beneath	Tap: mixer tap
the basin: 68.5 cm and 21 cm	0
Height of the lower edge	Height of bathroom fittings: 160 cm
of the mirror: 120 cm	0
Bath:	
Height of bath: 45 cm	Transfer platform: no
Bath curtain	Height of vertical grab bar: 170 cm
Lifts	
Lift 1	No. of lifts: 1, connecting
	reception with upper floors
Accessible up to the door	Height of call buttons: 110 cm
Width of door: 70 cm	Width and depth of cab:
Height of Etherstone 07 400 and	97 and 189 cm
Height of lift buttons: 97-130 cm	Height of handrail: 92 cm
Lift 2	No. of lifts: 2, connecting
A cocceible up to the des:	reception with parking area
Accessible up to the door Width of door: 70 cm	Height of call buttons: 135 cm
Widin of door: /u cm	Width and depth of cab:
Height of lift buttoner 425	117 and 142 cm
Height of lift buttons: 135 cm	•



MAYORAZGO HOTEL

Calle de Flor Baja, 3 Calle de Flor b 28013 Madrid

Telephone: 91 547 26 00 **Fax:** 91 541 24 85

Web: www.hotelmayorazgo.com

Metro with lift: Plaza España

Bus: 2, 3, 44, 46, 74, 75, 133, 148, 202 and C

ACCESS

- The main entrance has a staircase and no alternative ramp.
- The hotel can also be entered from the elevator located at the entrance to the car park.
- The main automatic sliding glass door is **1.46 m** wide. It is marked with the hotel's logo, but not in a contrasting colour.



ACCESSIBILITY - HEARING IMPAIRED

Room	• •
Internet connection: no	TV which communicates with reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert: yes
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: yes
Communal WCs	•
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	•
Visual signs indicating the floor and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with vis	ual alerts: no









Other amenities	Location	Access	Main characteristics
Reception	Ground floor		Height of reception desk: 105 cm
Communal WCs	Ground floor		None of them are adapted for wheelchair users
Cafeteria	Ground floor	accessible, with stairs	Height of bar: 110 cm Height of table: 70 cm Height beneath table: 68 cm Width beneath table: 68 cm Depth beneath table: 20 cm
Restaurant	Ground floor	Not	Height of table: 74 cm Height beneath table: 70 cm Width beneath table: 60 cm Depth beneath table: 80 cm
Meeting rooms (1)	Ground floor	with stairs	Height of table: 75 cm Height beneath table: 70 cm Width beneath table: 75 cm Depth beneath table: 75 cm
Parking	Basement -1	Accessible via lift	Valet parking



ACCESSIBILITY - VISUALLY IMPAIRED ____

★★★★ 4 STAR HOTELS

Signs			
Signs the same size: yes, average height of 115-128 cm and a font size			
of ≥ 1.5 cm			
Lettering in a colour which	Text and symbols: not in relief		
contrasts with the background: no	and not in Braille		
Main stairs	•		
Edge of stairs marked with a	Side protection skirting board of		
non-slip strip in a contrasting	≥ 12 cm on both sides: yes		
colour: no	•		
Steps have a riser: yes	All steps are the same height: yes		
Steps have nosing: no	•		
The space under the stairs is	Handrail on either side: no		
blocked off: yes	•		
Continuous handrails on	Handrail extends at top and bottom		
half-landings: yes	of stairs: no		
Strip of surface of a different texture and contrasting colour at the top			
and bottom of the stairs: no			
Lifts	•		
Cab with audio signals: no	Control buttons in contrasting		
	colour: no		
Keypad with numbers in relief:	Keypad with numbers in Braille:		
yes	yes		

346 347 **MADRID FOR ALL** ACCESSIBLE TOURISM GUIDE









ACCESSIBILITY – PHYSICALLY DISABLED

Adapted room (No. 404)	No. of adapted rooms: 4
On 4th floor , accessible via lift	Width of door: 95 cm
Clear turning circle inside	Height of climate control: 70 cm
(diameter): Ø 150 cm	•
Height of bed: 60 cm	Space for access to the bed: right hand side > 90 cm, left hand side > 90 cm
Height of hanger rail: 166 cm	•
Bathroom in adapted room	
Door: inward opening with a width	Clear turning circle inside
of 90 cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 42 cm	Height of flush mechanism: 100 cm
Approach area: left hand side 200 cm	Folding grab bar on left hand side: 70 cm
Grab bar on right hand side	•
Basin: no space beneath sink t	to facilitate approaching from the
front	
Height and clearance beneath	Tap: mixer tap
the basin: 64 cm and 0 cm	0
Height of the lower edge	Height of bathroom fittings: 70 cm
of the mirror: 125 cm	•
Shower:	•
Shower floor: non-slip	Shower base: level with floor
Height of tap: 120 cm on	Shower chair: yes, mobile
accessible wall	•
Tap: mixer tap	
Adapted bathroom	No. of adapted bathrooms: 3
in communal areas	
On floors -1 and 7, accessible	Door: sliding, width of 100 cm
via left	" (X 450 ama
Clear turning circle inside (diamete	ר): ש ז סט כm
Toilet:	* Height of flugh machanisms 00
Seat height: 42 cm	Height of flush mechanism: 88 cm
Approach area: left hand side	No grab bar on right hand side
Basin:	0
	Top: miver ten
Height and clearance beneath	Tap: mixer tap
the basin: 79 cm and 52 cm Height of the lower edge	Height of bathroom fittings: 100 cm
of the mirror: 100 cm	i reight of bathloom hungs. 100 cm
of the millor. Too citi	•

ACCESSIBLE TOURISM GUIDE



ME MADRID REINA VICTORIA HOTEL

Plaza de Santa Ana, 14 Plaza de Sama 28012 Madrid

Telephone: 91 701 60 00 **Fax:** 91 522 03 07

Web: www.solmelia.com

Metro with lift: Sol Metro without lift: Sevilla, Antón Martín

Bus: 6, 26, 32, 50, 52, 53 and 65

ACCESS

- The main entrance has 3 separate steps of 11 cm.
- There is an alternative ramp, which is 1.20 m wide, 1.20 m long and with a non-recommended incline of 24%. There is no handrail. The ends of the ramp are not indicated by a distinctively textured and contrastingly coloured floor surface.
- The automatic revolving glass door is 1 m wide.
- There are two alternative swing doors on either side of the revolving door, both of which are 90 cm wide. Both are glazed, and neither is marked with horizontal strips or a logo in a contrasting colour.




ACCESSIBILITY - HEARING IMPAIRED

Room	0 0
Internet connection: yes	TV which communicates with reception: yes
TV with teletext decoder: yes	TV has alarm clock with visual alert: yes
Bedside plug socket: yes	Entrance door with peephole: yes
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	
Door lock with visual aid to indicate either free or occupied: yes	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	•
Visual signs indicating the floor and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: yes
Emergency system	
Emergency alarm systems with vis	ual alerts: no







Other	Location	Access	Main
amenities	•		characteristics
Reception	Ground floor	Accessible	Height of reception desk: 110 cm
Cafeteria	Ground floor	Accessible	Height of bar: 110 cm Height of table: 46 cm Height beneath table: 40 cm
Restaurant / Breakfast buffet	Ground floor	Acessible	Height of table: 77 cm Height beneath table: 75 cm Width beneath table: 75 cm Depth beneath table: 105 cm
Meeting rooms (6)	Basement -1	Acessible via lift	Height of table: 77 cm Height beneath table: 74 cm Width beneath table: 210 cm Depth beneath table: 76 cm
Gym	Basement -1	Accessible via lift	No specially adapted changing rooms or toilets
Parking	Basement -2 and -3	Accessible via lift	There are 2 parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA). Some parking spaces are 395 cm wide by 545 cm long







ACCESSIBILITY - VISUALLY IMPAIRED _

Signs			
Signs the same size: yes, average height of 145-180 cm and a font size			
of ≥ 1.5 cm			
Lettering in a colour which	Text and symbols: not in relief		
contrasts with the background: yes	and not in Braille		
Main stairs	• •		
Edge of stairs marked with a	Side protection skirting board of		
non-slip strip in a contrasting	≥ 12 cm on both sides: no		
colour: no	0 0 a		
Steps have a riser: yes	All steps are the same height: yes		
Steps have nosing: no			
The space under the stairs is	Handrail on either side: on only		
blocked off: no	one side		
Continuous handrails on	Handrail extends at top and bottom		
half-landings: yes	of stairs: no		
Strip of surface of a different texture and contrasting colour at the top			
and bottom of the stairs: no			
Lifts	♥ ● ●		
Cab with audio signals: yes	Control buttons in contrasting		
	colour: yes		
Keypad with numbers in relief:	Keypad with numbers in Braille:		
yes	yes		

350 MADRID FOR ALL ACCESSIBLE TOURISM GUIDE 351







Avenida de América





Calle de Juan Ignacio Luca de Tena, 36 28027 Madrid

Telephone: 91 423 24 00 **Fax:** 91 320 14 40

Web: www.hotelavenidadamerica.com

Metro without lift: Suances

Bus: 114 and 146



letta Avala Aviil

ACCESS

- The entrance is accessible and and has a level surface.
- The main door is a revolving one, and there is an alternative automatic double swing glass door which is > 80 cm wide. It is not marked with horizontal strips or a logo in a contrasting colour.



ACCESSIBILITY - HEARING IMPAIRED

Room		
• • • • • • • • • • • • • • • • • • • •	TV which communicates with reception: no	
,	TV has alarm clock with visual alert:	
Bedside plug socket: no	Entrance door with peephole: yes	
Written information on available services: yes	Light signals to indicate a knock at the door: no	
Communal WCs		
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: yes	
Lifts	·	
	Emergency button with a light to show that the emergency call has been received: yes	
yes		
Emergency system		
Emergency alarm systems with visual alerts: no		



ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 139)	No. of adapted rooms: 4
On first floor , on the ground floor, accessible via a ramp with an	Width of door: 78 cm
incline of 8%.	e e
Clear turning circle inside	Height of climate control: 94 cm
(diameter): Ø 150 cm	•
Height of bed: 59 cm	Space for access to the bed: right hand side 73 cm , left hand side
Haialat afandaah a ah ah saa an d	180 cm
Height of wardrobe shelves and drawers: 16-185 cm	Height of hanger rail: 166 cm
Bathroom in adapted room	0
Door: inward opening with	Clear turning circle inside
a width of 77 cm	(diameter): Ø 150 cm
Toilet: not sufficient transfer spa	
Seat height: 40 cm	Height of flush mechanism: 111 cm
	Folding grab bar on side: 68-76 cm
Basin:	•
Height and clearance beneath the basin: 64 cm and 40 cm	Tap: mixer tap
Height of the lower edge	Height of bathroom fittings:
of the mirror: 88 cm	125-160 cm
Bath:	
Height of bath: 51 cm	Height of horizontal grab bar: 67 cm
Transfer platform: no	Tap: mixer tap
Lifts (Panoramic)	•
Accessible up to the door	Height of call buttons: 132-134 cm
Width of door: 80 cm	Width and depth of cab:
	105 and 138 cm
Height of lift buttons: 112-136 cm	0





Other			
Other	Location	Access	Main
amenities	•		characteristics
Reception	Ground floor	Accessible	Height of reception desk:
	•	•	107 cm
Cafeteria	Ground floor	Accessible using two ramps with inclines of 8% and 9% respectively. To enter, there are steps but these can be navigated with a portable ramp	Height of bar: 82 cm Height of table: 72 cm Height beneath table: 64 cm Width beneath table: 51 cm Depth beneath table: 35 cm
Restaurant / Breakfast buffet	Ground floor	Same as cafeteria	Height of table: 72 cm Height beneath table: 70 cm Width beneath table: 100 cm Depth beneath table: 44 cm
Meeting rooms (9)	Ground floor	Same as cafeteria	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Parking	Basement -1	Accessible via lift	There are no parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)







Meliá Avenida de América

ACCESSIBILITY - VISUALLY IMPAIRED _

Signs			
Signs the same size: yes , average height of 177-190 cm and a font size			
of ≥ 1.5 cm			
Lettering in a colour which	Text and symbols: not in relief		
contrasts with the background: yes	s: and not in Braille		
Main stairs	• •		
Edge of stairs marked with a	Side protection skirting board of		
non-slip strip in a contrasting	≥ 12 cm on both sides: no		
colour: no	•		
Steps have a riser: yes	All steps are the same height: yes		
Steps have nosing: no	0		
The space under the stairs is	Handrail on either side: on only		
blocked off: no	one side		
Continuous handrails on	Handrail extends at top and bottom		
half-landings: no	of stairs: no		
Strip of surface of a different texture and contrasting colour at the top			
and bottom of the stairs: no			
Lifts	• •		
Cab with audio signals: no	Control buttons in contrasting		
	colour: no		
Keypad with numbers in relief:	Keypad with numbers in Braille:		
yes	yes		

354 <u>MADRID FOR ALL</u> <u>ACCESSIBLE TOURISM GUIDE</u> 355













★★★★ 4 STAR HOTELS



ACCESSIBILITY – PHYSICALLY DISABLED –

Adapted room (No. 245)	No. of adapted rooms: 4
On 2 nd floor, accessible via lift	Width of door: 86.5 cm
Clear turning circle inside	Height of climate control: 94 cm
(diameter): Ø 150 cm	•
Height of bed: 58 cm	Space for access to the bed: right
	hand side 87 cm , left hand side
	120 cm
Wardrobe doors: sliding	Height of hanger rail: 166 cm
Height of wardrobe shelves and drawers: 45-165 cm	
Bathroom in adapted room	•
Door: width of 88 cm	Clear turning circle inside
	(diameter): Ø 150 cm
Toilet:	•
Seat height: 42 cm	Height of flush mechanism: 111 cm
Approach area: side 190 cm	Folding grab bar on right hand side,
	adjustable height
Folding grab bar on left hand side,	adjustable height
Basin:	
Height and clearance beneath the	Tap: mixer tap
basin: 66.5 cm and 54 cm	•
Height of the lower edge	Height of bathroom fittings:
of the mirror: 100 cm	79-130 cm
Shower:	•
Shower base: level with floor	Shower floor: non-slip
Shower chair: fixed with	Grap bar at a height of 88 cm
adjustable height	•
Tap on accessible wall	•
Adapted bathroom in communal	areas
On ground floor, not accessible.	Door: width of 86 cm
There are 3 steps, with an	•
alternative ramp with a length of	•
260 cm and a non-recommended	•
incline of 18% followed by 4 steps	•
without a ramp	° .
Clear turning circle inside (diameter): Ø 150 cm	
Toilet:	Listable of the shows a showle are 75
Seat height: 42 cm	Height of flush mechanism: 75 cm
Approach area: side > 120 cm	Folding grab bar on right hand side
Folding grab bar on left hand side	Distance between bars: 56 cm
Basin:	* Tana and tana
Height and clearance beneath	Tap: mixer tap
the basin: 60 cm and 60 cm	•



MELIÁ BARAJAS HOTEL

Avenida de Logroño, 305 28042 Madrid

Telephone: 91 747 77 00 Fax: 91 747 87 17

Web: www.solmelia.com

Bus: 105 and 115

ACCESS

- The main entrance has a double swing glass door, each side of which is 94 cm wide. Neither side is marked with horizontal strips or a logo in a contrasting colour.
- The reception area is reached from the main entrance by way of some steps. There is an alternative ramp which is 1.64 cm long and which has a suitable incline of 7%. There is no handrail, and the ends of the ramp are not indicated by a distinctively textured and contrastingly coloured floor surface.




CESSIBILITY - HEARING IMPAIRED

Room))
•	TV which communicates with reception: no
	TV has alarm clock with visual alert: no
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no
Emergency system	,
Emergency alarm systems with visual alerts: no	

356







Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 107 cm
Cafeteria	Ground floor	using the ramp described	Height of bar: 82 cm Height of table: 67 cm Height beneath table: 64 cm Width beneath table: 55 cm Depth beneath table: 39 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of table: 71 cm Height beneath table: 69 cm Width beneath table: 77 cm Depth beneath table: 0 cm
Meeting rooms (9)	Ground floor	Not accessible – same route as that of communal WCs	
Pool	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Not accessible, with stairs and no alternative ramp	No hoist for getting into the pool. No specially adapted changing rooms or toilets
Parking	Outside hotel		There are no parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)







Signs			
Signs the same size: yes , average height of 177-190 cm and a font size of ≥ 1.5 cm			
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille		
Main stairs	•		
Edge of stairs marked with a non-slip strip in a contrasting	Side protection skirting board of 2 12 cm on both sides: yes		
colour: no	* * * * * * * * * * * * * * * * * * *		
Steps have a riser: no Steps have nosing: no	All steps are the same height: no		
The space under the stairs is blocked off: no	Handrail on either side: no		
Continuous handrails on half-landings: no	Handrail extends at top and bottom of stairs: no		
Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no			
Lifts	•		
Cab with audio signals: no	Control buttons in contrasting colour: yes		
Keypad with numbers in relief: yes	Keypad with numbers in Braille: yes		

358 MADRID FOR ALL ACCESSIBLE TOURISM GUIDE 359









MENINAS HOTEL

Calle de Campomanes, 7 28013 Madrid

Telephone: 91 541 28 05 Fax: 91 541 28 06

Web: www.hotelmeninas.es

Metro with lift: Ópera

Bus: 25, 39, 133 and 147



- The main entrance has **5** steps, each of which is **17 cm** high. The automatic glass door is **1.40 m** wide. It is not marked with horizontal strips or a logo in a contrasting colour.
- There is an alternative door next to the main entrance, which is **90 cm** wide and is easy to open. A portable ramp is located next to the door.
- The ramp is **76 cm** wide, **3.0 m** long and has a non-recommended incline of **28.6%**. There is a handrail. The ends of the ramp are not indicated by a distinctively textured or contrastingly coloured floor surface.

9

ACCESSIBILITY - HEARING IMPAIRED

Ro	oom	
Int		TV which communicates with reception: no
TV	,	TV has alarm clock with visual alert: no
Be	edside plug socket: yes	Entrance door with peephole: no
		Light signals to indicate a knock at the door: no
Co	ommunal WCs	
		Cubicle doors with a gap underneath to see if there is someone inside: no
Lif	its	
an	d direction of movement, both	Emergency button with a light to show that the emergency call has been received: no
En	nergency system	
Emergency alarm systems with visual alerts: no		ual alerts: no





Adapted room (No. 103)	No. of adapted rooms: 1
On first floor , accessible via lift	Width of door: 77 cm
Clear turning circle inside	Height of climate control: 150 cm
(diameter): Ø 150 cm	•
Height of bed: 65 cm	Space for access to the bed: left
	hand side 95 cm
Wardrobe doors: handles, easy to open	Height of hanger rail: 160 cm
Height of wardrobe shelves and dra	awers: 127 cm
Bathroom in adapted room	• •
Door: width of 84 cm	Clear turning circle inside
	(diameter): Ø 150 cm
Toilet:	*
Seat height: 42 cm	Height of flush mechanism: 72 cm
Approach area: neither ≥ 80 cm	Folding grab bar on right hand side:
	75 cm
Folding grab bar on left hand side: 75 cm	Distance between bars: 59 cm
Basin:	•
Height and clearance beneath the basin: 66 cm and 58 cm	Tap: mixer tap
Height of the lower edge of the mirror: 102 cm	Height of bathroom fittings: 80 cm
Shower:	•
Width of approach to shower: 100 cm	Shower base: level with floor
Shower floor: non-slip	Shower chair: fixed with
	adjustable height
Height and location of horizontal	Has a vertical grab bar on the same
grab bar: 85 cm	wall as the tap which is used for
	adjusting the height of the shower
	head.
Tap: mixer tap	Height of tap: 100-134 cm on
	accessible wall
Lifts	No. of lifts: 1
Accessible up to the door	Height of call buttons: 103-117 cm
Width of door: 77 cm	Width and depth of cab:
11.1.1.4.6001.00	100 and 124 cm
Height of lift buttons: 100-120 cm	Height of handrail: 90 cm
5 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 -	





Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 124 cm
Communal WCs	Ground floor	Accessible	None of them are adapted for wheelchair users
Cafeteria	Ground floor	Accessible	Height of bar: 100 cm Height of table: 50 cm Height beneath table: 45 cm Width beneath table: 52 cm Depth beneath table: 52 cm
Restaurant / Breakfast buffet	Ground floor	0 0 0 0 0 0	0 0 0 0
Meeting rooms (1)	Ground floor	Accessible	Height of table: 76 cm Height beneath table: 72 cm Width beneath table: 90 cm Depth beneath table: 60 cm



Signs	
Signs the same size: yes, average	e height of 145-180 cm and a font size
of ≥ 1.5 cm	
Lettering in a colour which	
contrasts with the background: ye	s and not in Braille
Main stairs	•
Edge of stairs marked with a	Side protection skirting board of
non-slip strip in a contrasting	≥ 12 cm on both sides: no
colour: no	•
Steps have a riser: yes	All steps are the same height: yes
Steps have nosing: no	
The space under the stairs is	Handrail on either side: yes , on
blocked off: yes	only one side
Continuous handrails on	Handrail extends at top and bottom
half-landings: yes	of stairs: no
	re and contrasting colour at the top
and bottom of the stairs: no	
Lifts	•
Cab with audio signals: no	Control buttons in contrasting
	colour: yes
Keypad with numbers in relief:	Keypad with numbers in Braille:
yes	yes










★ 4 STAR HOTELS



MERCURE MADRID PLAZA DE ESPAÑA HOTEL

Calle de Tutor, 1 28008 Madrid

Telephone: 91 541 98 80 **Fax:** 91 541 98 80

Web: www.accorhotels.com

Metro with lift: Ventura Rodríguez and Plaza España

Bus: 1, 2, 44, 133, 202, N18 and C

ACCESS

- The entrance to the hotel has a **7 cm** step down on its right hand side
- The automatic sliding glass door is **2 m** wide. It is not marked with horizontal strips or a logo in a contrasting colour.

) AC

ACCESSIBILITY - HEARING IMPAIRED

Room	0 0 0
	TV which communicates with reception: no
, , , , , , , , , , , , , , , , , , , ,	TV has alarm clock with visual alert: yes
Bedside plug socket: yes	Entrance door with peephole: yes
	Light signals to indicate a knock
services: no	at the door: no
Communal WCs	• •
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	•
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visual alerts: no	

62 _____MADRID FOR ALL










S Mercure Madrid Plaza de España



Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 115 cm
Cafeteria / Restaurant	Ground floor	Accessible	Height of bar: 115 cm Height of table: 72 cm Height beneath table: 68 cm Width beneath table: 75 cm Depth beneath table: 10 cm
Meeting rooms (1)	Ground floor	Accessible	
Parking	Basement -1	Accessible via lift	There are no parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)
Breakfast	Ground floor	Accessible	0 0

ACCESSIBILITY - VISUALLY IMPAIRED

Signs				
Signs the same size: yes , average height of 166-200 cm and a font size				
of ≥ 1.5 cm				
Lettering in a colour which	Text and symbols: not in relief			
contrasts with the background: yes	and not in Braille			
Main stairs	0 0 0			
Edge of stairs marked with a	Side protection skirting board of			
non-slip strip in a contrasting	≥ 12 cm on both sides: no			
colour: no	0			
Steps have a riser: ves	All steps are the same height: no			
Steps have nosing: no				
	Handrail on either side: no			
	Handrail extends at ton and hottom			
	I			
Strip of surface of a different texture and contrasting colour at the top				
and bottom of the stairs: no				
Lifts	•			
Cab with audio signals: no	Control buttons in contrasting			
-	colour: yes			
Keypad with numbers in relief:	Keypad with numbers in Braille:			
yes	no			
non-slip strip in a contrasting colour: no Steps have a riser: yes Steps have nosing: no The space under the stairs is blocked off: no Continuous handrails on half-landings: yes Strip of surface of a different texture and bottom of the stairs: no Lifts Cab with audio signals: no Keypad with numbers in relief:	≥ 12 cm on both sides: no All steps are the same height: no Handrail on either side: no Handrail extends at top and bottom of stairs: no e and contrasting colour at the top Control buttons in contrasting colour: yes Keypad with numbers in Braille:			



ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room	No. of adapted rooms: 1
Accessible via lift	Width of door: 88 cm
Clear turning circle inside	Height of climate control: 115 cm
(diameter): Ø 150 cm	
Height of bed: 55 cm	Space for access to the bed: right
	hand side 73 cm , left hand side
	145 cm
Wardrobe doors: easy to open	Height of hanger rail: 170 cm
Height of wardrobe shelves and dra	awers: 68-78 cm
Bathroom in adapted room	
Door: inward opening with	Clear turning circle inside
a width of 94 cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 41 cm	Height of flush mechanism: 85 cm
Approach area: 80 cm on both	Folding grab bar on the right hand
sides	side: 74 cm
Folding grab bar on the left hand	Distance between bars: 77 cm
side: 74 cm	•
Basin:	<u>. </u>
Height and clearance beneath	Tap: mixer tap
the basin: 67 cm and 34 cm	
Hoight of the lower adda	
Height of the lower edge	Height of bathroom fittings: 125 cm
of the mirror: 100 cm	Height of bathroom fittings: 125 cm
of the mirror: 100 cm Bath:	
of the mirror: 100 cm	Height of horizontal grab bar:
of the mirror: 100 cm Bath: Height of bath: 44 cm	Height of horizontal grab bar: 71 cm
of the mirror: 100 cm Bath: Height of bath: 44 cm Transfer platform: yes	Height of horizontal grab bar:
of the mirror: 100 cm Bath: Height of bath: 44 cm Transfer platform: yes Tap: mixer tap	Height of horizontal grab bar: 71 cm
of the mirror: 100 cm Bath: Height of bath: 44 cm Transfer platform: yes Tap: mixer tap Lifts	Height of horizontal grab bar: 71 cm No vertical grab bar
of the mirror: 100 cm Bath: Height of bath: 44 cm Transfer platform: yes Tap: mixer tap Lifts Lift 1: Connects reception with reception wit	Height of horizontal grab bar: 71 cm No vertical grab bar
of the mirror: 100 cm Bath: Height of bath: 44 cm Transfer platform: yes Tap: mixer tap Lifts Lift 1: Connects reception with r Accessible up to the door	Height of horizontal grab bar: 71 cm No vertical grab bar coms Height of call buttons: 130 cm
of the mirror: 100 cm Bath: Height of bath: 44 cm Transfer platform: yes Tap: mixer tap Lifts Lift 1: Connects reception with reception wit	Height of horizontal grab bar: 71 cm No vertical grab bar ooms Height of call buttons: 130 cm Width and depth of cab:
of the mirror: 100 cm Bath: Height of bath: 44 cm Transfer platform: yes Tap: mixer tap Lifts Lift 1: Connects reception with r Accessible up to the door Width of door: 71 cm	Height of horizontal grab bar: 71 cm No vertical grab bar coms Height of call buttons: 130 cm
of the mirror: 100 cm Bath: Height of bath: 44 cm Transfer platform: yes Tap: mixer tap Lifts Lift 1: Connects reception with r Accessible up to the door Width of door: 71 cm Height of lift buttons: 127-147 cm	Height of horizontal grab bar: 71 cm No vertical grab bar ooms Height of call buttons: 130 cm Width and depth of cab: 100 and 138 cm
of the mirror: 100 cm Bath: Height of bath: 44 cm Transfer platform: yes Tap: mixer tap Lifts Lift 1: Connects reception with r Accessible up to the door Width of door: 71 cm Height of lift buttons: 127-147 cm Lift 2: Connects reception with p	Height of horizontal grab bar: 71 cm No vertical grab bar ooms Height of call buttons: 130 cm Width and depth of cab: 100 and 138 cm parking area
of the mirror: 100 cm Bath: Height of bath: 44 cm Transfer platform: yes Tap: mixer tap Lifts Lift 1: Connects reception with r Accessible up to the door Width of door: 71 cm Height of lift buttons: 127-147 cm Lift 2: Connects reception with p Accessible up to the door	Height of horizontal grab bar: 71 cm No vertical grab bar Ooms Height of call buttons: 130 cm Width and depth of cab: 100 and 138 cm Parking area Height of call buttons: 130 cm
of the mirror: 100 cm Bath: Height of bath: 44 cm Transfer platform: yes Tap: mixer tap Lifts Lift 1: Connects reception with r Accessible up to the door Width of door: 71 cm Height of lift buttons: 127-147 cm Lift 2: Connects reception with p	Height of horizontal grab bar: 71 cm No vertical grab bar No vertical grab bar Height of call buttons: 130 cm Width and depth of cab: 100 and 138 cm Parking area Height of call buttons: 130 cm Width and depth of cab:
of the mirror: 100 cm Bath: Height of bath: 44 cm Transfer platform: yes Tap: mixer tap Lifts Lift 1: Connects reception with r Accessible up to the door Width of door: 71 cm Height of lift buttons: 127-147 cm Lift 2: Connects reception with p Accessible up to the door	Height of horizontal grab bar: 71 cm No vertical grab bar Ooms Height of call buttons: 130 cm Width and depth of cab: 100 and 138 cm Parking area Height of call buttons: 130 cm

364

MADRID FOR ALL

ACCESSIBLE TOURISM GUIDE





NH ABASCAL HOTEL

Calle de José Abascal, 47 Calle de Jose / 28003 Madrid

Telephone: 91 441 00 15 **Fax:** 91 442 22 11

Web: www.nh-hotels.com

Metro with lift: Gregorio Marañón, Alonso Cano, Iglesia

Bus: 3, 5, 7, 12, 14, 27, 37, 45, 40, 147, 149, 150, N19 and N20

ACCESS

- The main entrance has a single step and no alternative ramp.
- The automatic sliding glass door is 1.61 m wide. It is not marked with horizontal strips or a logo in a contrasting colour.



ACCESSIBILITY - HEARING IMPAIRED

Room	o o
Internet connection: yes	TV which communicates with reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert: no
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	•
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	•
Visual signs indicating the floor and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visual alerts: no	







Adapted room (No. 305)	No. of adapted rooms: 3
On 3 rd floor, accessible via lift	Width of door: 77 cm
Clear turning circle inside	Height of climate control: 154 cm
(diameter): Ø 150 cm	•
Height of bed: 60 cm	Space for access to the bed: right hand side 127 cm, left hand side 102 cm
Wardrobe doors: sliding	Height of hanger rail: 177 cm
Height of wardrobe shelves and dra	awers: 32 cm
Bathroom in adapted room	
Door: inward opening with	Clear turning circle inside
a width of 77.5 cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 41 cm	Height of flush mechanism: 73 cm
Approach area: side, 120 cm	Folding grab bar on the approach side: 74 cm
No grab bar on the opposite side	•
Basin:	
Height and clearance beneath	Tap: mixer tap
the basin: 60 cm and 54 cm	•
the basin: 60 cm and 54 cm Height of the lower edge of the mirror: 87 cm	Height of bathroom fittings: 77-107 cm
Height of the lower edge	
Height of the lower edge of the mirror: 87 cm	
Height of the lower edge of the mirror: 87 cm Bath:	77-107 cm
Height of the lower edge of the mirror: 87 cm Bath: Height of bath: 45 cm	77-107 cm No horizontal grab bar Height of vertical grab bar:
Height of the lower edge of the mirror: 87 cm Bath: Height of bath: 45 cm Transfer platform: no	77-107 cm No horizontal grab bar Height of vertical grab bar:
Height of the lower edge of the mirror: 87 cm Bath: Height of bath: 45 cm Transfer platform: no Tap: mixer tap	77-107 cm No horizontal grab bar Height of vertical grab bar:
Height of the lower edge of the mirror: 87 cm Bath: Height of bath: 45 cm Transfer platform: no Tap: mixer tap Lifts	77-107 cm No horizontal grab bar Height of vertical grab bar: 55-80 cm Height of call buttons: 117 cm Width and depth of cab:
Height of the lower edge of the mirror: 87 cm Bath: Height of bath: 45 cm Transfer platform: no Tap: mixer tap Lifts Accessible up to the door	No horizontal grab bar Height of vertical grab bar: 55-80 cm Height of call buttons: 117 cm











Other	Location	Access	Main
amenities			characteristics
Reception	Ground floor	Accessible	Height of reception desk: 112 cm
Communal WCs	Mezzanine	Accessible via lift	None of them are adapted for wheelchair users
Cafeteria	Mezzanine	Accessible via lift	Height of bar: 111 cm Height of table: 64 cm Height beneath table: 63 cm Width beneath table: 59 cm Depth beneath table: 26 cm
Restaurant / Breakfast buffet	Mezzanine	Accessible via lift	Height of table: 75 cm Height beneath table: 72.5 cm Width beneath table: 71 cm Depth beneath table: 30 cm
Meeting rooms	0	Accessible via chairlift	•
Gym	0	Accessible via lift	No specially adapted changing rooms or toilets



Ciano		
Signs		
Signs the same size: yes , average height of 170-200 cm and a font size		
of ≥ 1.5 cm		
Lettering in a colour which	Text and symbols: not in relief	
contrasts with the background: no	and not in Braille	
Main stairs		
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting	≥ 12 cm on both sides: yes	
colour: yes	•	
Steps have a riser: no	All steps are the same height: no	
	All steps are the same neight. He	
Steps have nosing: no	* I I am along the amount of a constant	
The space under the stairs is	Handrail on either side: no	
blocked off: no	•	
Continuous handrails on	: Handrail extends at top and bottom	
half-landings: yes	of stairs: no	
Strip of surface of a different texture and contrasting colour at the top		
and bottom of the stairs: no		
Lifts	•	
Cab with audio signals: no	Control buttons in contrasting	
Cab With addic signals. 110	•	
Karmad with assumb and in natiof	colour: yes	
Keypad with numbers in relief:	Keypad with numbers in Braille:	
yes	yes	





NH EUROBULDING HOTEL

- Calle del Padre Damián, 23 28036 Madrid
- **Telephone:** 91 353 73 00 **Fax:** 91 345 45 76
- **Web:** www.nh-hotels.com
 - Metro without lift: Cuzco
- **Bus:** 11, 40 and 150

ACCESS

- The entrance has steps, along with an alternative ramp in 2 sections with a handrail.
- The first section of the ramp is **96 cm** wide, **11.5 m** long and has an incline of **10%**. The second section is **96 cm** wide, **17 m** long and has an incline of **6%**.
- The automatic sliding glass door is **1.70 m** wide. It is not marked with horizontal strips or a logo in a contrasting colour.

ACCESSIBILITY - HEARING IMPAIRED

Room	• •
Internet connection: yes	TV which communicates with reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert: no
Bedside plug socket: yes	Entrance door with peephole: yes
Written information on available services: yes	Light signals to indicate a knock at the door: no
Communal WCs	•
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	0
Visual signs indicating the floor and direction of movement, both nside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with vis	ual alerts: no

Emergency alarm systems with visual alerts: no









★★★★ 4 STAR HOTELS NH Eurobuilding



ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 1058)	No. of adapted rooms: 14
On 10th floor, accessible via lift	Width of door: 77 cm
Clear turning circle inside	Height of climate control: 148 cm
(diameter): Ø 150 cm	
Height of bed: 60 cm	Space for access to the bed: right
	hand side 70 cm , left hand side
	120 cm
Wardrobe doors: there are none	Height of hanger rail: 185 cm
Height of wardrobe shelves and dra	awers: 140 cm
Bathroom in adapted room	
Door: inward opening with	Clear turning circle inside
a width of 77 cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 42 cm	Height of flush mechanism: 79 cm
Approach area: on either side	Folding grab bar on right hand side.
150 cm and 120 cm, front 85 cm	Adjustable height
Folding grab bar on left hand side.	Distance between bars: 65 cm
Adjustable height	•
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 68 cm and 59 cm	•
Height of the lower edge	Height of bathroom fittings:
of the mirror: 85 cm	80 and 132 cm
Bath:	•
Height of bath: 47 cm	No horizontal grab bar
Transfer platform: yes	Height of vertical grab bar:
	70 and 90 cm
Tap: mixer tap on accessible	Adjustable shower head height
wall	
Adapted bathroom	No. of adapted toilets: 3. 1 next to
in communal areas	the restaurant, and 2 next to the
	meeting rooms
Accessible	Door: inward opening door with a
	width of 80 cm and a sliding door
	with a width of 95 cm
Clear turning circle inside (diamete	r): Ø 150 cm
Toilet:	
Seat height: 41 cm	Height of flush mechanism: 94 cm
Approach area: right hand side	Fixed grab bar on right hand side:
70 cm, lateral 110 cm	68 cm
Folding grab bar on left hand side:	Distance between bars: 62 cm
68 cm	0

Basin:	
Height and clearance beneath the basin: 69 cm and 56 cm	Tap: mixer tap
	Height of bathroom fittings: 90-105 cm
Lifts	
Accessible up to the door	Height of call buttons: 118-124 cm
	Width and depth of cab: 140 and 160 cm
Height of lift buttons: 83-135 cm	Height of handrail: 90 cm

Other amenities	Location	Access	Main characteristics
Reception	Ground floor		Height of reception desk: 110 cm
Cafeteria	Ground floor		Height of bar: 111 cm Height of table: 73 cm Height beneath table: 70 cm Width beneath table: 80 cm Depth beneath table: 60 cm
Meeting rooms (28)	Floors PC, PS, E and -S1	via lift except floor E	Height of table: 72 cm Height beneath table: 65 cm Width beneath table: 90 cm Depth beneath table: 90 cm
Parking	Basement -2	via lift	There are no parking spaces for people with limited mobility (PRM)



370 MADRID FOR ALL ACCESSIBLE TOURISM GUIDE





CCESSIBILITY - VISUALLY IMPAIRED

Signs		
Signs	the	same

	Signs the same size: yes , average of ≥ 1.5 cm	height of 170-200 cm and a font size
	Lettering in a colour which contrasts with the background: no	Text and symbols: not in relief and not in Braille
	Main stairs	• •
	Edge of stairs marked with a non-slip strip in a contrasting colour: no	Side protection skirting board of ≥ 12 cm on both sides: no
	Steps have a riser: yes Steps have nosing: no	All steps are the same height: yes
	The space under the stairs is blocked off: there is none	Handrail on either side: no
		Handrail extends at top and bottom of stairs: yes
Strip of surface of a different texture and co		e and contrasting colour at the top
	Lifts	•
	<u> </u>	Control buttons in contrasting colour: yes
	• •	Keypad with numbers in Braille: yes













NH LA HABANA HOTEL

Paseo de La Habana, 73 Paseo de La ri 28036 Madrid

Telephone: 91 443 07 20 **Fax:** 91 457 75 79

Web: www.nh-hoteles.com

Metro with lift: Colombia

Bus: 14

ACCESS

- The entrance has 4 steps and an alternative ramp 4.20 m long, 88 cm wide and with an adequate incline of 6.9%. There is no handrail. The ends of the ramp are not indicated by a distinctively textured and contrastingly coloured floor surface.
- Entrance is through two sets of automatic sliding glass doors which are **1.62 m** wide. The doors are marked with the hotel's logo.
- In the entrance a doormat is correctly fixed to the floor.



ACCESSIBILITY - HEARING IMPAIRED

Room	• •
Internet connection: yes	TV which communicates with reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert:
Bedside plug socket: yes	Entrance door with peephole: yes
Written information on available services: yes	Light signals to indicate a knock at the door: no
Communal WCs	•
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	• •
	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visi	ual alerts: no

Emergency alarm systems with visual alerts: **nc**









★★★★ 4 STAR HOTELS

(2)

Adapted room (No. 216)	No. of adapted rooms: 3
On 2 nd floor, accessible via lift and	Width of door: 75 cm
ramp described under the lift section	•
Clear turning circle inside	Height of climate control: 157 cm
(diameter): Ø 150 cm	•
Height of bed: 60 cm	Space for access to the bed: right
	hand side 65 cm , left hand side
	122 cm
Wardrobe doors: sliding	Height of hanger rail: 157 cm
Height of wardrobe shelves and dra	awers: 70 cm
Bathroom in adapted room	
Door: inward opening with	Clear turning circle inside
a width of 81 cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 42 cm	Height of flush mechanism: 75 cm
Approach area: on either	No grab bar to facilitate transfer
side 87 cm and 88 cm	from platform
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 82 cm and 59 cm	•
Height of the lower edge	Height of bathroom fittings: 136 cm
of the mirror: 90 cm	•
Bath:	
Height of bath: 43 cm	Height of horizontal grab bar:
	75 cm
Transfer platform: yes	Height of vertical grab bar: 75 cm
Tap: mixer tap on narrow wall	Adjustable shower head height:
	yes, 140 cm
Adapted bathroom	No. of adapted toilets: 1
in communal areas	
Accessible via lift and ramp	Door: sliding door with a width of
described under the lift section	:92 cm
Clear turning circle inside (diamete	r): Ø 150 cm
Toilet:	*11 : 14 60 1 1 : 40=
Seat height: 48 cm	Height of flush mechanism: 105 cm
Approach area: left hand side	Folding grab bar on left hand side:
100 cm, front 150 cm	75 cm
Fixed grab bar on right hand side: 75 cm	Distance between bars: 77 cm
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 74 cm and 53 cm	•
Height of the lower edge of	Height of bathroom fittings: 112 cm
the mirror: 88 cm	0

Lifts	No. of lifts: 4
On ground floor via a ramp with a width of 88 cm and a length of 480 cm and an incline of 6.9%	Height of call buttons: 96 cm
Width of door: 80 cm	Width and depth of cab:
	98 and 118 cm
Height of lift buttons: 94-135 cm	•

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 108 cm
Cafeteria	Ground floor	Accessible	Height of bar: 110 cm Height of table: 60 cm Height beneath table: 58 cm Width beneath table: 80 cm Depth beneath table: 80 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 85 cm Height of table: 75 cm Height beneath table: 70 cm Width beneath table: 100 cm Depth beneath table: 80 cm
Meeting rooms (8)	Ground floor	Accessible	Height of table: 71cm Height beneath table: 65 cm Width beneath table: 80 cm Depth beneath table: 80 cm
Parking	Basement -1	Accessible via lift	There are no parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)





Si	g	n	S	
\sim				

0.90	
Signs the same size: yes , average of ≥ 1.5 cm	height of 74-190 cm and a font size
Lettering in a colour which contrasts with the background: no	Text and symbols: not in relief and not in Braille
Main stairs	• •
Edge of stairs marked with a non-slip strip in a contrasting colour: yes	Side protection skirting board of ≥ 12 cm on both sides: no
Steps have a riser: yes Steps have nosing: no	All steps are the same height: yes
The space under the stairs is blocked off: no	Handrail on either side: yes
	Handrail extends at top and bottom of stairs: no
Strip of surface of a different texture and bottom of the stairs: no	e and contrasting colour at the top
Lifts	•
Cab with audio signals: yes	Control buttons in contrasting colour: yes
Keypad with numbers in relief:	Keypad with numbers in Braille:













Telephone: 91 718 69 99 **Fax:** 91 718 85 86

Web: www.nh-hotels.com

Light rail station with lift: María Tudor

Bus: 173 and C52

ACCESS

- The main entrance to the hotel is accessible and and has a level surface.
- It has an automatic revolving glass door which is **1.70 m** wide.
- There is an alternative automatic sliding glass door to the side of the revolving door, which is **1.80 m** wide.
- Neither of the **2** doors is marked with horizontal strips or a logo in a contrasting colour.
- There is a doormat correctly fixed to the floor after the doors.

9

ACCESSIBILITY - HEARING IMPAIRED

Room	• •
	TV which communicates with reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert: yes
Bedside plug socket: yes	Entrance door with peephole: yes
Written information on available services: yes	Light signals to indicate a knock at the door: no
Communal WCs	•
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	0 0
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: yes
Emergency system	
Emergency alarm systems with visi	ual alerts: no

Emergency alarm systems with visual alerts: **no**









Adapted room (No. 122)	No. of adapted rooms: 3
On 1 st floor, accessible via lift	Width of door: 83 cm . There is a
· ·	wardrobe that sticks out reducing
	the doorway width to 78 cm
Clear turning circle inside	Height of climate control: 150 cm
(diameter): Ø 150 cm	• • • • • • • • • • • • • • • • • • •
Height of bed: 60 cm	Space for access to the bed: right
ricigit of bed. Of oil	hand side 120 cm , left hand side
	63 cm
Wardrobe doors: swing doors,	Height of hanger rail: 167 cm
handles, difficult to open	rieignt of hanger rail. 107 Cili
Height of wardrobe shelves and dra	• owers: 40.70 em
	• • • • • • • • • • • • • • • • • • •
Bathroom in adapted room	Clear turning simple incide
Door: inward opening with	Clear turning circle inside
a width of 80 cm	(diameter): Ø 150 cm
Toilet:	
Seat height: 50 cm	Height of flush mechanism: 100 cm
Approach area: left hand side	No grab bar on the right hand side
60 cm and front 100 cm	•
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 75 cm and 50 cm	•
Height of the lower edge	Height of bathroom fittings: 85 cm
of the mirror: 88 cm	•
Shower:	•
Width of approach to shower:	Shower base: level with the floor
170 cm	•
Shower floor: non-slip	Shower chair or stool: no
Height and location of horizontal	The horizontal grab bar is in the
grab bar: 76 cm , on wall to the	shape of an "L", so can also be
side of the tap	used as a vertical grab bar
Tap: mixer tap	Height of tap: 90 cm on accessible
rap: mixer tap	wall
Adjustable shower head height: no	There are 2 folding shower screens
, tajaotable elletter fload floight. Ite	on either side that do not hamper
	entry to the shower
Adapted bathroom	No. of adapted toilets: 1
in communal areas	110. or adapted tollets. I
On ground floor, accessible	Door: sliding door with a width of
On ground noor, accessible	80 cm
Clear turning circle inside (diamete	
Toilet:	1 ₁ . 20 100 0111
Seat height: 50 cm	Height of flush mechanism: 100 cm
Approach area: left hand side	No grab bar on the right hand side
108 cm , front 140 cm	•

Folding grab bar on left hand side: Basin:	61-77 cm
Height and clearance beneath the basin: 73 cm and 60 cm	Tap: mixer tap
Height of the lower edge of the mirror: no mirror	Height of bathroom fittings: 100 cm
	No. of lifts: 3 . One of which is a panoramic lift. They connect all floors
Accessible up to the door	Height of call buttons: 100 cm
	Width and depth of cab: 112 and 176 cm
Height of lift buttons: 90-120 cm	Height of handrail: 90 cm

Other	Location	Access	: Main
amenities			characteristics
Reception	Ground floor	Accessible	Height of reception desk: 70 cm and 121 cm. It does not allow wheelchair users access right up to the desk from the front
Cafeteria	Ground floor	Accessible	Height of bar: 127 cm Height of table: 64 cm Height beneath table: 63 cm Width beneath table: 60 cm Depth beneath table: 25 cm Round tables with central leg
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 83-90 cm Height of table: 75 cm Height beneath table: 72 cm Width beneath table: 79 cm Depth beneath table: 35 cm Round tables with central leg
Meeting rooms (5)	Ground floor	Accessible	Height of table: 74 cm Height beneath table: 70 cm Width beneath table: 195 cm Depth beneath table: 45 cm
Parking	Outside		There are 4 parking spaces for people with limited mobility (PRM) , indicated by the disabled parking sign (ISA)







Signs		
Signs the same size: yes , average height of 150-190 cm and a font size		
of ≥ 1.5 cm		
Lettering in a colour which	Text and symbols: not in relief	
contrasts with the background: no	and not in Braille	
Main stairs	•	
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting	≥ 12 cm on both sides: yes	
colour: yes	•	
Steps have a riser: yes	All steps are the same height: yes	
Steps have nosing: no	•	
The space under the stairs is	Handrail on either side: yes	
blocked off: yes	•	
Continuous handrails on	Handrail extends at top and bottom	
half-landings: no	of stairs: yes	
Strip of surface of a different texture and contrasting colour at the top		
and bottom of the stairs: no		
Lifts	•	
Cab with audio signals: no	Control buttons in contrasting	
, and the second	colour: yes	
Keypad with numbers in relief:	Keypad with numbers in Braille:	
yes	yes	

MADRID FOR ALL









★★★ 4 STAR HOTELS



NH MERCADER HOTEL

Carretera Villaverde a Vallecas, km 3,800 Mercamadrid, Eje 2, 7^a - 7 28041 Madrid

Telephone: 91 786 63 20 **Fax:** 91 507 05 41

Web: www.nh-hoteles.com

Bus: 130

ACCESS

- The entrance is accessible and and has a level surface.
- There is a main revolving door. There is also an alternative swing door.
- Both doors are more than 1 m wide and are marked with the hotel's logo, although not in a contrasting colour.

ACCESSIBILITY - HEARING IMPAIRED

Room	•
Internet connection: yes	TV which communicates with reception: yes
TV with teletext decoder: yes	TV has alarm clock with visual alert: yes
Bedside plug socket: yes	Entrance door with peephole: yes
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	•
Visual signs indicating the floor and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with vis	ual alerts: no

380









NH Mercader

E

ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 125)	No. of adapted rooms: 2
On 1st floor, accessible via lift	Width of door: 78 cm
Clear turning circle inside	Height of climate control: 150 cm
(diameter): Ø 150 cm	•
Height of bed: 51 cm	Space for access to the bed: right
	hand side 90 cm , left hand side
	:90 cm
Height of wardrobe shelves	Height of hanger rail: 167 cm
and drawers: 30-40 cm	• •
Bathroom in adapted room	
Door: inward opening with	Clear turning circle inside a width of
82 cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 42 cm	Height of flush mechanism: 103 cm
Approach area: side 48 cm	Folding grab bar on approach side
Fixed grab bar on opposite side	Distance between bars: 74 cm
Basin:	
Height and clearance beneath	Tap: mixer tap
the basin: 83 cm	•
Height of the lower edge	Height of bathroom fittings:
of the mirror: 105 cm	117-158 cm
Shower:	
Shower base: level with the floor	
Shower chair or stool: no	Height of grab bar: 40-86 cm
Tap: mixer tap	•
Adapted bathroom	No. of adapted toilets: 1
in communal areas	
On ground floor, accessible	Door: sliding door with a width of
	76 cm
Clear turning circle inside (diameter	er): Ø 150 cm
Toilet:	
Seat height: 42 cm	Height of flush mechanism: 103 cm
Approach area: side 88 cm	Folding grab bar on the approach
	side
Fixed grab bar on opposite side	Distance between bars: 67 cm
Basin:	
Height and clearance beneath	Tap: mixer tap
the basin: 88 cm	•
Height of the lower edge of the mir	ror: 103 cm

Lifts	•
Accessible up to the door	Height of call buttons: 96-105 cm
Width of door: 80 cm	Width and depth of cab:
	:100 and 130 cm
Height of lift buttons: 88-115 cm	•

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk:
Cafeteria	Ground floor	Accessible	Height of bar: 115 cm Height of table: 72 cm Height beneath table: 68 cm Width beneath table: 70 cm Depth beneath table: 80 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 72 cm Height of table: 75 cm Height beneath table: 68 cm Width beneath table: 70 cm Depth beneath table: 80 cm
Meeting rooms (1)	Ground floor	Accessible	
Parking	Outside	Accessible	There are no parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)



382 <u>MADRID FOR ALL</u> <u>ACCESSIBLE TOURISM GUIDE</u> 38





384

CCESSIBILITY - VISUALLY IMPAIRED

Signs	
	height of 180-190 cm and a font size
of ≥ 1.5 cm	•
Lettering in a colour which	Text and symbols: not in relief
contrasts with the background: no	and not in Braille
Main stairs	
Edge of stairs marked with a	Side protection skirting board of
non-slip strip in a contrasting	≥ 12 cm on both sides: yes
colour: yes	•
Steps have a riser: yes	All steps are the same height: yes
Steps have nosing: no	0
The space under the stairs is	Handrail on either side: no
blocked off: yes	•
Continuous handrails on	:Handrail extends at top and bottom
half-landings: no	of stairs: no
Strip of surface of a different textur	e and contrasting colour at the top
and bottom of the stairs: no	
Lifts	•
Cab with audio signals: yes	Control buttons in contrasting
	colour: yes
Keypad with numbers in relief:	Keypad with numbers in Braille:
yes	yes









* 4 STAR HOTELS



Paseo del Prado, 48 28014 Madrid

Telephone: 91 429 66 29 **Fax:** 91 369 15 64

Web: www.nh-hotels.com

Metro with lift: Atocha Renfe
Metro without lift: Atocha

Bus: 6, 10, 14, 26, 27, 32, 34, 37, 45, N8, N10, N11 and N15

ACCESS

- The entrance has steps, along with an alternative ramp **1.42 m** wide, 3.27 m long and which has a non-recommended incline of 12.25%. The ends of the ramp are not indicated by a distinctively textured or contrastingly coloured floor surface. The ramp has a handrail.
- It has a an automatic sliding glass main door which is **1.28 m** wide. It is marked with the hotel's logo.



ACCESSIBILITY - HEARING IMPAIRED

Room	• •
Internet connection: yes	TV which communicates with reception: yes
TV with teletext decoder: yes	TV has alarm clock with visual alert: yes
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available services: yes	Light signals to indicate a knock at the door: no
Communal WCs	0
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	•
Visual signs indicating the floor and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with vis	ual alerts: no











ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 407)	No. of adapted rooms: 4
On 4 th floor, accessible via lift	Width of door: 79 cm
Clear turning circle inside	Height of climate control: 156 cm
(diameter): Ø 150 cm	•
Height of bed: 56 cm	Space for access to the bed: right hand side 107 cm , left hand side
	117 cm
Wardrobe doors: sliding	Height of hanger rail: 167 cm
Height of wardrobe shelves and dr	awers: 52 cm
Bathroom in adapted room	
Door: inward opening with	Clear turning circle inside
a width of 80 cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 38 cm	Height of flush mechanism: 74 cm
Approach area: neither side with	Folding grab bar on approach side
≥ 80 cm	•
Fixed grab bar on opposite side	Distance between bars: 70 cm
Basin:	•
Height and clearance beneath the basin: 72 cm and 60 cm	Tap: mixer tap
Height of the lower edge	Height of bathroom fittings:
of the mirror: 88 cm	88-138 cm
Bath:	• • • • • • • • • • • • • • • • • • • •
Height of bath: 50 cm	Height of grab bar: 65 cm
Transfer platform: yes	* 5 - 2 - 5 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -
Lifts	0
Accessible up to the door	Height of call buttons: 103-122 cm
Width of door: 80 cm	Width and depth of cab:
	165 and 101 cm
Height of lift buttons: 92-136 cm	•

MADRID FOR ALL





Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 87-108 cm
Cafeteria	Ground floor	Accessible	Height of bar: 110 cm Height of table: 43 cm Height beneath table: 42 cm Width beneath table: 54 cm Depth beneath table: 55 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of table: 75cm Height beneath table: 73 cm Width beneath table: 76 cm Depth beneath table: 70 cm
Meeting rooms	Ground floor	Accessible	•
Parking	Basement -1	Accessible via lift	There are 2 parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)



ACCESSIBILITY - VISUALLY IMPAIRED _____

Signs	
Signs the same size: yes , average	e height of 172-185 cm and a font size
of 5 cm	, and the second
Main stairs	•
Edge of stairs marked with a non-slip strip in a contrasting colour: yes	Side protection skirting board of ≥ 12 cm on both sides: yes
Steps have a riser: yes Steps have nosing: no	All steps are the same height: yes
The space under the stairs is blocked off: there is none	Handrail on either side: yes
Continuous handrails on half-landings: yes	Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no
Lifts	
Cab with audio signals: yes	Control buttons in contrasting colour: no
Keypad with numbers in relief: no	Keypad with numbers in Braille:

386





NH PARQUE DE LAS AVENIDAS HOTEL

Calle de Biarritz, 3 28028 Madrid

Telephone: 91 361 02 88

Fax: 91 361 21 62

Web: www.nh-hotels.com

Metro without lift: Parque de las Avenidas

Bus: 43, 53, 74 and N3

ACCESS

- The entrance has stairs, along with a ramp 1.50 m wide and with a non-recommended incline which varies between 5% and 7%. There is no handrail and the ends of the ramp are not indicated by a distinctively textured or contrastingly coloured floor surface.
- There are 2 sets of automatic, sliding glass doors, which are 1.50 m wide and 1.0 m wide respectively. They are not marked with horizontal strips or a logo in a contrasting colour.



ACCESSIBILITY - HEARING IMPAIRED

Room	•
Internet connection: yes	TV which communicates with reception: yes
TV with teletext decoder: yes	TV has alarm clock with visual alert: yes
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available services: yes	Light signals to indicate a knock at the door: no
Communal WCs	•
Door lock with visual aid to indicate either free or occupied: yes	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	•
Visual signs indicating the floor and direction of movement, both inside and outside the cab: no	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visual alerts: no	







ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room	No. of adapted rooms: 5
Accessible via lift	Width of door: 86 cm
Clear turning circle inside	Height of climate control: 155 cm
(diameter): Ø 120 cm	
Height of bed: 58 cm	Space for access to the bed: right
	hand side 75 cm , left hand side
Height of bangar rail, 400 am	≥ 90 cm
Height of hanger rail: 160 cm	•
Bathroom in adapted room	Class to main as single in side
Door: inward opening with	Clear turning circle inside
a width of 76 cm	(diameter): Ø 150 cm
Toilet:	. A
Seat height: 41 cm	Approach area: side 90 cm
Folding grab bar on approach side	Fixed grab bar on opposite side
Basin:	· i = ·
Height and clearance beneath the basin: 75 cm	Tap: mixer tap
Height of the lower edge	Height of bathroom fittings: 117 cm
of the mirror: 97 cm	and general control of the control o
Bath:	0
Height of bath: 46 cm	Width of grab bar: 70-97 cm
Transfer platform: no	Height of horizontal grab bar:
•	50-60 cm
Tap: mixer tap	- 0 0
Adapted bathroom	No. of adapted toilets: 1
in communal areas	•
On ground floor, accessible	Door: sliding door with a width of
using chairlift	99 cm
Clear turning circle inside (diamete	r): Ø 150 cm
Toilet:	0
Seat height: 48 cm	Approach area: side 75 cm
Folding grab bar on the approach	Fixed grab bar on opposite side
side	•
Basin:	•
Height of the lower edge	Height of bathroom fittings: 117 cm
of the mirror: 92 cm	•
Lifts	•
Accessible up to the door	Width and depth of cab:
	140 and 133 cm
Width of door: 74.5 cm	0
	•

388 MADRID FOR ALL ACCESSIBLE TOURISM GUIDE 389







Other	Location	Access	Main
amenities			characteristics
Reception	Ground floor	Accessible	Height of reception desk: 106 cm
Cafeteria	Ground floor	Steps with chairlift	Height of bar: 110 cm Height of table: 73 cm Height beneath table: 72 cm Width beneath table: 64 cm Depth beneath table: 60 cm
Restaurant / Breakfast buffet	Ground floor	Steps with chairlift	Height of table: 77 cm Height beneath table: 67 cm Width beneath table: 60 cm Depth beneath table: 60 cm
Meeting rooms (1)	Ground floor	Steps with chairlift	0 0 0 0
Parking	Accessible	via lift. Before reaching the	There are no parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)



Signe

Keypad with numbers in relief:

CCESSIBILITY - VISUALLY IMPAIRED

olylia	
of ≥ 1.5 cm	height of 145-180 cm and a font size
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille
Main stairs	o o
Edge of stairs marked with a	Side protection skirting board of
non-slip strip in a contrasting	≥ 12 cm on both sides: no
colour: no	v 0 0
Steps have a riser: yes	All steps are the same height: yes
Steps have nosing: no	•
The space under the stairs is	Handrail on either side: yes, on
blocked off: yes	only one side
Continuous handrails on	Handrail extends at top and bottom
half-landings: yes	of stairs: no
Strip of surface of a different texture	e and contrasting colour at the top
and bottom of the stairs: no	
Lifts	o o
Cab with audio signals: no	Control buttons in contrasting
	colour: yes









4 STAR HOTELS



NH PASEO DEL PRADO HOTEL

Plaza de Cánovas del Castillo, 4 28014 Madrid

Telephone: 91 330 24 00 **Fax:** 91 429 28 87

Web: www.nh-hotels.com

Metro without lift: Banco de España

Bus: 10, 14, 19, 27, 34, 37, 45 and 146

ACCESS

- The entrance is accessible and and has a level surface.
- There is a manually revolving main door which is **95 cm** wide. There is a manually operated swing door on either side of the main door, one measuring 67 cm wide and the other 87 cm wide.
- All 3 doors are made of glass, but none of them are marked with horizontal strips or a logo in a contrasting colour.

ACCESSIBILITY - HEARING IMPAIRED

Room	• •
Internet connection: yes	TV which communicates with
	reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert:
	yes
Bedside plug socket: yes	Entrance door with peephole: yes
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	•
Door lock with visual aid to indicate	
either free or occupied: yes	underneath to see if there is
	someone inside: yes
Lifts	0 0 0
Visual signs indicating the floor	Emergency button with a light
and direction of movement, both	to show that the emergency call
inside and outside the cab: yes	has been received: no
Emergency system	
Emergency alarm systems with visi	ual alerts: no

ves

ves

Keypad with numbers in Braille:









ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 214)	No. of adapted rooms: 2
On 2 nd floor , accessible via lift	Width of door: 77 cm
Clear turning circle inside	Height of climate control: 155 cm
(diameter): Ø 150 cm	Height of climate control. 133 cm
Height of bed: 58 cm	Space for access to the bed: right
neight of bed. 36 cm	hand side 127 cm , left hand side
	*130 cm
Wardrobe doors: knobs, difficult	Height of hanger rail: 185 cm
·	Height of hangerrall. 165 cm
to open Height of wardrobe shelves and dr	aware: 76 cm
Bathroom in adapted room	awers. 70 cm
Door: sliding door with a width of	Clear turning circle inside
80 cm	(diameter): Ø 150 cm
Tollet:	(diameter). Ø 130 cm
	Height of flush mechanism: 100 cm
Seat height: 40 cm Approach area: left hand side	* Fixed vertical grap her on right
64 cm, front 150 cm	Fixed vertical grab bar on right hand side: 70 cm
Folding grab bar on left hand side:	
62-82 cm	Distance between bars. 14 cm
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 69 and 40 cm	iap. iiiixei tap
Height of the lower edge	Height of bathroom fittings:
of the mirror: 90 cm	81-110 cm
Shower:	01-110 CIII
Approach area: 150 cm	Shower base: level with the floor
Shower floor: non-slip	Shower chair or stool: no
Height and location of horizontal	Vertical grab bar which is used for
grab bar: 106 cm , on wall	adjusting the height of the shower
to side of tap	
	• head
	head
Tap: mixer tap	Height of tap: 90-120 cm
Tap: mixer tap	Height of tap: 90-120 cm on accessible wall
Tap: mixer tap Adjustable shower head height:	Height of tap: 90-120 cm
Tap: mixer tap Adjustable shower head height: yes	Height of tap: 90-120 cm on accessible wall Shower screen that opens outwards
Tap: mixer tap Adjustable shower head height: yes Adapted bathroom	Height of tap: 90-120 cm on accessible wall
Tap: mixer tap Adjustable shower head height: yes Adapted bathroom in communal areas	Height of tap: 90-120 cm on accessible wall Shower screen that opens outwards No. of adapted toilets: 1
Tap: mixer tap Adjustable shower head height: yes Adapted bathroom	Height of tap: 90-120 cm on accessible wall Shower screen that opens outwards No. of adapted toilets: 1 Door: inward opening with a width
Tap: mixer tap Adjustable shower head height: yes Adapted bathroom in communal areas On floor -1, accessible via lift	Height of tap: 90-120 cm on accessible wall Shower screen that opens outwards No. of adapted toilets: 1 Door: inward opening with a width of 82 cm
Tap: mixer tap Adjustable shower head height: yes Adapted bathroom in communal areas On floor -1, accessible via lift Clear turning circle inside (diameter	Height of tap: 90-120 cm on accessible wall Shower screen that opens outwards No. of adapted toilets: 1 Door: inward opening with a width of 82 cm
Tap: mixer tap Adjustable shower head height: yes Adapted bathroom in communal areas On floor -1, accessible via lift Clear turning circle inside (diameter Toilet:	Height of tap: 90-120 cm on accessible wall Shower screen that opens outwards No. of adapted toilets: 1 Door: inward opening with a width of 82 cm r): Ø 150 cm
Tap: mixer tap Adjustable shower head height: yes Adapted bathroom in communal areas On floor -1, accessible via lift Clear turning circle inside (diameter Toilet: Seat height: 41 cm	Height of tap: 90-120 cm on accessible wall Shower screen that opens outwards No. of adapted toilets: 1 Door: inward opening with a width of 82 cm r): Ø 150 cm Height of flush mechanism: 100 cm
Tap: mixer tap Adjustable shower head height: yes Adapted bathroom in communal areas On floor -1, accessible via lift Clear turning circle inside (diameter Toilet:	Height of tap: 90-120 cm on accessible wall Shower screen that opens outwards No. of adapted toilets: 1 Door: inward opening with a width of 82 cm r): Ø 150 cm



Folding grab bar on left hand side: 65-80 cm	Distance between bars: 56 cm
Basin:	•
Height and clearance beneath the basin: 77 cm and 30 cm	Tap: mixer tap
Height of the lower edge	Height of bathroom fittings:
	76-80 cm
Lifts	No. of lifts: 2
Accessible up to the door	Height of call buttons: 113 cm
Width of door: 80 cm	Width and depth of cab:
	98 and 128 cm
Height of lift buttons: 98-123 cm	No handrail

Other amenities	Location	Access	Main characteristics
Reception	Ground floor		Height of reception desk: 125 cm
Cafeteria / Restaurant	Ground floor	Accessible. There are two steps between the dining room and the bar	Height of bar: 115 cm Height of table: 45 cm
Breakfast buffet	Basement -1		Height of buffet bar: 76-90 cm Height of table: 76 cm Height beneath table: 72 cm Width beneath table: 70 cm Depth beneath table: 35 cm Tables with central leg
Meeting rooms (4)	Ground floor	Accessible	Height of table: 73 cm Height beneath table: 70 cm Width beneath table: 320 cm Depth beneath table: 52 cm

392 393 **MADRID FOR ALL** ACCESSIBLE TOURISM GUIDE



Cab with audio signals: no

Keypad with numbers in relief:



yes

ACCESSIBILITY - VISUALLY IMPAIRED

Signs
Signs the same size: yes , average height of 170-180 cm and a font size
of ≥ 1.5 cm

of ≥ 1.5 cm	
Lettering in a colour which	Text and symbols: not in relief
contrasts with the background: no	and not in Braille
Main stairs	• •
Edge of stairs marked with a	Side protection skirting board of
non-slip strip in a contrasting	≥ 12 cm on both sides: yes
colour: no	- 0 0
Steps have a riser: yes	All steps are the same height: yes
Steps have nosing: no	0 0
The space under the stairs is	Handrail on either side: on only
blocked off: there is none	one side
Continuous handrails on	Handrail extends at top and bottom
half-landings: yes	of stairs: no
Strip of surface of a different texture	e and contrasting colour at the top
and bottom of the stairs: no	
Lifts	•

Control buttons in contrasting

Keypad with numbers in Braille:

colour: yes

yes











NH RIBERA DEL MANZANARES

Paseo Virgen del Puerto, 57 28005 Madrid

Telephone: 91 364 32 48 **Fax:** 91 365 98 85

Web: www.nh-hotels.com

Metro with lift: Pirámides

Bus: 36 and 50

ACCESS

- The entrance to the hotel is level with the street. It has a clearance width of **2 m**.
- The main entranceway to the hotel is level. It comprises two double sets of automatic sliding glass doors. Both have a width of **1.40 m**. Both are marked with the hotel logo but not in contrasting colours.
- The door has a video intercom at a height of **1.41 m**. Video intercom is operated using a single button.
- Between the sets of doors is a doormat that is securely affixed to the ground.
- There is an accessible route that takes guests straight to the reception and help desk.

ACCESSIBILITY - HEARING IMPAIRED

Room	• •
Internet connection: yes	TV which communicates with
	reception: yes
TV with teletext decoder: no	TV has alarm clock with visual alert:
	no
	Entrance door with peephole: yes
Written information on available	Light signals to indicate a knock
services: no	at the door: no
Communal WCs	•
Door lock with visual aid to indicate	
either free or occupied: no	underneath to see if there is
	someone inside: no
Lifts	• •
Visual signs indicating the floor	Emergency button with a light
and direction of movement, both	to show that the emergency call
inside and outside the cab: yes	has been received: yes
Emergency system	·
Emergency alarm systems with visi	ual alerts: no
•	

394





ACCOMMODATION



Adapted room (No. 225)	Number of adapted rooms: 5
On the 2nd floor accessible via lift	
Clear turning circle inside	Height of climate control: 135 cm
(diameter): Ø 150 cm	•
Height of bed: 60 cm	Space for access to the bed: right
· ·	hand side 170 cm , left hand side
	70 cm
Wardrobe doors: easy to open	Height of hanger rail: 173 cm
sliding doors without handles	
Min. and max. height of wardrobe s	helves and drawers: 50 cm
and 180 cm	monos ana aramoro. Of om
Bathroom in adapted room	
Door: Sliding door with a width of	Clear turning circle inside
87 cm	(diameter): Ø 150 cm
Toilet:	(diameter). Ø 130 cm
	lleight of floor manage anique. 400 and
Seat height: 40 cm	Height of flush mechanism: 100 cm
Approach area: right hand side	Folding grab bar on the right hand
130 cm, front 91 cm	side: 58 - 73 cm
Fixed horizontal grab bar on the	Distance between bars: 71 cm
left hand side: 76 cm	•
Basin:	•
Height and clearance beneath the	Tap: mixer tap easy to use
basin: 74 cm and 57 cm	0 0 0
Height of the lower edge of the	Min. and max. height of bathroom
mirror: 86 cm	fittings: 80 cm and 120 cm
Shower:	•
Width and depth of approach area:	Shower base: level with the floor
115 cm and 195 cm	0 0
Shower floor: non-slip	Shower chair or seat: fixed and
·	folding seats
Height and location of horizontal	Height and location of vertical grab
grab bar: 77 cm on the same wall	bar: 80 – 140 cm on same wall as
as the tap	tap
Tap: mixer tap easy to use	Height of the tap: 100 cm on wall
rap. mixer tap easy to ass	perpendicular to the fixed seat
Adjustable height shower head:	Shower screen: yes – one part
100 - 150 cm	fixed, the other folding, with a gap
100 - 130 CIII	between them
Adapted toilets in communal	Total number of adapted
areas	toilets: 6 adapted cubicles,
ai cd5	3 per sex located in toilets in
	· ·
Location, In commercial areas	communal areas
Location: In communal areas.	Mezzanine floor - accessible via lift
Review made of male toilets	
Bathroom door: inward opening	Cubicle door: inward opening door
door with a width of 84 cm	with a width of 84 cm
Clear turning circle inside (diameter	r): Ø 150 cm







Toilet:	•
Seat height: 40 cm	Height of flush mechanism: 100 cm
Approach area: left hand side	Grab bar on the right hand side:
106 cm and frontal 154 cm	none
Folding grab bar on the left hand si	ide at height of 52 – 74 cm
Basin:	
Height and clearance beneath the	Tap: mixer tap easy to use
basin: 74 cm and 52 cm	•
Height of the lower edge of the	Min. and max. height of bathroom
mirror: 90 cm	fittings: 90 cm and 120 cm
Lifts	Total number of lifts: 3
Floors served: all floors	Accessible up to the door
Height of call buttons: 97 - 103 cm	Width of door: 80 cm
Width and depth of cab: 105 and	Min. and max. height of the call
140 cm	buttons: 90 cm and 120 cm
Height of handrail: 97 cm	Mirror opposite the door: no, but
_	there is one on the side wall

Other amenities Location amenities Access Main characteristics Reception Ground floor Accessible Height of reception desk: 86 - 115 cm - on two levels Cafeteria Ground floor Accessible Height of bar: 110 cm Height of table: 76 cm Height beneath table: 76 cm Width beneath table: 69 cm Depth beneath table: 30 cm Restaurant / Breakfast buffet Ground floor Accessible Height of buffet bar: 93 - 96 cm Height of table: 76 cm Height beneath table: 76 cm Width beneath table: 69 cm Depth beneath table: 30 cm Meeting rooms Ground floor and mezzanine Accessible via lift Height of table: 77 cm Height beneath table: 70 cm Width beneath table: 142 cm Depth beneath table: 142 cm Depth beneath table: 46 cm Gym Basement floor -1 Accessible via lift With specially adapted changing rooms and toilets				
Cafeteria Ground floor Accessible Height of bar: 110 cm Height of table: 76 cm Height beneath table: 69 cm Depth beneath table: 30 cm Restaurant / Ground floor Breakfast buffet Ground floor Accessible Height of table: 76 cm Height of buffet bar: 93 - 96 cm Height of table: 76 cm Height of table: 76 cm Height of table: 76 cm Height beneath table: 69 cm Depth beneath table: 30 cm Width beneath table: 30 cm Meeting Ground floor Accessible Via lift Height of table: 77 cm (12) mezzanine Width beneath table: 142 cm Depth beneath table: 142 cm Depth beneath table: 46 cm Gym Basement Accessible With specially adapted		Location	Access	
Height of table: 76 cm Height beneath table 73 cm Width beneath table: 69 cm Depth beneath table: 30 cm Restaurant / Ground floor Breakfast buffet Reight of buffet bar: 93 - 96 cm Height of table: 76 cm Height beneath table: 69 cm Depth beneath table: 30 cm Restaurant / Ground floor Height of table: 77 cm Height beneath table: 77 cm Height beneath table: 142 cm Depth beneath table: 142 cm Depth beneath table: 46 cm Restaurant / Ground floor Breakfast Breakfa	Reception	Ground floor	Accessible	
Breakfast buffet Breakfast Breakfas	Cafeteria	Ground floor	Accessible	Height of table: 76 cm Height beneath table 73 cm Width beneath table: 69 cm
rooms and via lift Height beneath table 70 cm (12) mezzanine Width beneath table: 142 cm Depth beneath table: 46 cm Gym Basement Accessible With specially adapted	Breakfast	Ground floor	Accessible	93 - 96 cm Height of table: 76 cm Height beneath table 73 cm Width beneath table: 69 cm
and the second s	rooms	and		Height beneath table 70 cm Width beneath table: 142 cm
	Gym			With specially adapted





Other amenities	Location	710000	Main characteristics
3		via lift	There are 4 parking space reserved for people with reduced mobility (PRM), indicated by the disabled parking sign (ISA). The reserved parking spaces have a lateral approach area of 120 cm



Bedrooms		
Colour of door contrasts with adjacent walls: yes	Information about hotel services available in Braille: no and in large print: no	
Room lighting with dimmer switch: no	TV remote control with large numbers: yes and in contrasting colours: yes	
Room free of projecting elements: no	Audible signals to indicate emergency alarm: yes	
Signs		
3 cm	height of 180 cm and a font size of	
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille	
Main stairs	•	
Edge of stairs marked with a non-slip strip in a contrasting colour		
no	only on one side	
Steps have a riser: yes		
Steps have nosing: no	All steps are the same height: yes	
The space under the stairs is blocked off: yes	Handrail on either side: yes , just on one side	
Continuous handrails on half- landings: no	Handrail extends past the top and bottom of stairs: no	
Distinctively textured and contrastingly coloured strip at the top and bottom of the stairs: no		
Lifts	•	
Cab with audio signals: yes	Control buttons in contrasting colours: yes	
Keypad with numbers in relief: yes Keypad with numbers in Braille: yes		
Strip of surface of a different texture and contrasting colour at entrance to lift: no		
Emergency System		
Audible alarm system in place in ca	ase of emergency: yes	











Telephone: 91 721 18 18 **Fax:** 91 721 16 86

Web: www.novotel.com

Metro with lift: Campo de las Naciones

Bus: 122

ACCESS

- The entrance is accessible and and has a level surface.
- There is an automatic revolving door which is **2 m** wide. There are **2** swing doors on either side of the main door which are **90 cm** wide.
- All of the doors are made of glass, but none of them are marked with horizontal strips or a logo in a contrasting colour.

ACCESSIBILITY - HEARING IMPAIRED

Room	• •
Internet connection: yes	TV which communicates with reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert: no
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	•
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	•
Visual signs indicating the floor and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with vis	ual alerts: no

Emergency alarm systems with visual alerts: **no**

399









Novotel Campo de las Naciones



Height of the lower edge of the mirror: 86 cm	Height of bathroom fittings: 120-130 cm
Lifts	No. of lifts: 3
Accessible up to the door	Height of call buttons: 115 cm
Width of door: 80 cm	Width and depth of cab:
	116 and 127 cm
Height of lift buttons: 107-122 cm	No handrail

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 120 cm
Cafeteria	Ground floor	Accessible	Height of bar: 115 cm Height of table: 72 cm Height beneath table: 70 cm Width beneath table: 70 cm Depth beneath table: 35 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 80-90 cm Height of table: 71 cm Height beneath table: 70 cm Width beneath table: 80 cm Depth beneath table: 35 cm
Meeting rooms (8)	Ground floor	Accessible	Height of table: 73 cm Height beneath table: 70 cm Width beneath table: 150 cm Depth beneath table: 70 cm
Pool	First floor	Accessible via lift	No hoist for getting into the pool. No specially adapted changing rooms or toilets
Parking	Basement -1	Accessible via lift	There are 2 parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)

Adapted room (No. 206)	No. of adapted rooms: 4		
On 2 nd floor , accessible via lift	Width of door: 85 cm		
Clear turning circle inside	Height of climate control: 90 cm		
(diameter): Ø 150 cm	•		
Height of bed: 55 cm	Space for access to the bed: right		
G	hand side 187 cm		
Wardrobe doors: there are none	Height of hanger rail: 132 cm		
Height of wardrobe shelves and dr			
Bathroom in adapted room			
Door: outward opening with	Clear turning circle inside		
a width of 81 cm	(diameter): Ø 150 cm		
Toilet	•		
Seat height: 42 cm	Height of flush mechanism: 100 cm		
Approach area: right hand side	Folding vertical grab bar on right		
180 cm, front 180 cm	hand side: 74-91 cm		
Fixed grab bar on left hand side: 8	0 cm		
Basin:			
Height and clearance beneath	Tap: mixer tap		
the basin: 65 and 20 cm	•		
Height of the lower edge	Height of bathroom fittings: 82 cm		
of the mirror: 96 cm	•		
Shower:	:		
Approach area: 135 cm	Shower base: level with the floor		
Shower floor: non-slip	Shower chair or stool: no		
Height and location of horizontal	Height and location of vertical grab		
grab bar: 90 cm , on same wall	bar: 100-170 cm, same wall as tap		
as tap	0		
Tap: mixer tap	Height of tap: 80 cm on accessible		
	:wall		
Adjustable shower head height:	No shower screen or curtain		
yes	•		
Adapted bathroom	No. of adapted toilets: 1		
in communal areas	•		
On ground floor, accessible	Door: inward opening with a width		
	of 86 cm		
Clear turning circle inside (diameter): Ø 150 cm			
Toilet:			
Seat height: 40 cm	Height of flush mechanism: 74 cm		
Approach area: left hand side	Fixed grab bar on the right hand		
83 cm, front 157 cm	side: 84 cm		
No grab bar on left hand side	•		
Basin:	0		
Height and clearance beneath	Tap: mixer tap		
the basin: 76 cm and 13 cm	0 0		









Signs				
Signs the same size: yes , average height of 150 cm and a font size of ≥				
1.5 cm				
Lettering in a colour which	Text and symbols: not in relief			
contrasts with the background: yes	and not in Braille			
Main stairs	•			
Edge of stairs marked with a	Side protection skirting board of			
non-slip strip in a contrasting	≥ 12 cm on both sides: on only			
colour: yes	one side			
Steps have a riser: yes	All steps are the same height: yes			
Steps have nosing: no	0			
The space under the stairs is	Handrail on either side: yes			
blocked off: there is none	•			
Continuous handrails on	Handrail extends at top and bottom			
half-landings: yes	of stairs: no			
Strip of surface of a different texture and contrasting colour at the top				
and bottom of the stairs: no				
Lifts	•			
Cab with audio signals: yes	Control buttons in contrasting			
	colour: yes			
Keypad with numbers in relief:	Keypad with numbers in Braille:			
yes	no			











Calle de Sanchinarro, 15 28050 Madrid

Telephone: 91 302 51 03 **Fax:** 91 302 18 10

Web: www.novotel.com

Bus: 150 and 229

ACCESS

- The entrance is accessible and and has a level surface.
- There is a manual revolving glazed door which is **90 cm** wide. It is not marked with horizontal strips or a logo in a contrasting colour.
- There is an alternative swing door on either side of the main door, both of which are **80 cm** wide.

9 A

ACCESSIBILITY - HEARING IMPAIRED

Room		
	TV which communicates with reception: no	
,	TV has alarm clock with visual alert:	
Bedside plug socket: yes	Written information on available	
	services: yes	
Communal WCs		
•	Cubicle doors with a gap underneath to see if there is someone inside: no	
Lifts		
and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no	
Emergency system		
Emergency alarm systems with visual alerts: no		

402 MADRID FOR ALL ACCESSIBLE TOURISM GUIDE 403











Lifts		
Accessible up to the door	Height of call buttons: 110 cm	
Width of door: 81 cm	Width and depth of cab:	
	110 and 147 cm	
Height of lift buttons: 90-110 cm	Height of handrail: 88 cm	

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 116 cm
Cafeteria	Ground floor	Accessible	Height of bar: 116 cm Height of table: 62 cm Height beneath table: 56 cm Width beneath table: 63 cm Depth beneath table: 80 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 90 cm Height of table: 77 and 69 cm Height beneath table: 73 and 65 cm Width beneath table: 80 cm Depth beneath table: 36 cm
Meeting rooms (1)	Ground floor	Accessible	Height of table: 73 cm Height beneath table: 68 cm Width beneath table: 150 cm Depth beneath table: 70 cm
Pool	Ground floor	via ramp with a width of 1.4 m, a length of 9.7 m and an adequate incline of 5.2%. There is no handrail	changing rooms or toilets
Parking	Basement -1, -2 and -3	Accessible via lift	There is 1 parking space for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)





ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 315)	No. of adapted rooms: 3
On 3 rd floor, accessible via lift	Width of door: 87 cm
Clear turning circle inside	Height of climate control: 163 cm
(diameter): Ø 150 cm	•
Height of bed: 55 cm	Space for access to the bed: right
	hand side 90 cm , left hand side
	90 cm
Wardrobe doors: there are none	Height of hanger rail: 140 cm
Height of wardrobe shelves and d	rawers: 40 cm
Bathroom in adapted room	•
Door: outward opening with	Clear turning circle inside
a width of 86 cm	(diameter): Ø 150 cm
Toilet	
Seat height: 41 cm	Height of flush mechanism: 100 cm
Approach area: right hand side	Folding vertical grab bar on right
> 80 cm	hand side: 50-73 cm
Folding vertical grab bar	: Distance between bars: 75 cm
on left hand side: 50-73 cm	
Basin:	
Height and clearance beneath	Tap: mixer tap
the basin: 71 and 45 cm	•
Height of the lower edge	Height of bathroom fittings:
of the mirror: 88 cm	112-132 cm
Shower:	•
Approach area: 120 cm	Shower base: level with the floor
Shower floor: non-slip	Shower chair or stool: fixed
No horizontal grab bar	No vertical grab bar
Tap: mixer tap	Height of tap: 91 cm on accessible
	wall
Adjustable shower head height: no	
Adapted bathroom	No. of adapted toilets: 1
in communal areas	
On ground floor , accessible	Door: inward opening with a width
	of 87 cm
Clear turning circle inside (diameter	er): Ø 150 cm
Toilet:	•
Seat height: 41 cm	Height of flush mechanism: 100 cm
Approach area: right hand side 84 cm	No grab bars
Basin:	:
Height and clearance beneath	Tap: mixer tap
the basin: 76 cm and 54 cm	•
Height of the lower edge	Height of bathroom fittings: 120 cm
of the mirror: 92 cm	•

404







Signs				
Signs the same size: yes , average	e height of 180 cm and a font size of ≥			
1.5 cm	_			
Lettering in a colour which	Text and symbols: not in relief			
contrasts with the background: yes	•			
Main stairs				
Edge of stairs marked with a	Side protection skirting board of			
non-slip strip in a contrasting	≥ 12 cm on both sides: no			
colour: no				
Steps have a riser: yes	All steps are the same height: yes			
Steps have nosing: no				
The space under the stairs is	Handrail on either side: no			
blocked off: no	0			
Continuous handrails on	: Handrail extends at top and bottom			
half-landings: no	of stairs: no			
Strip of surface of a different texture and contrasting colour at the top				
and bottom of the stairs: no	·			
Lifts	•			
Cab with audio signals: no	Control buttons in contrasting			
_	colour: yes			
Keypad with numbers in relief:	Keypad with numbers in Braille:			
ves	no			













NOVOTEL PUENTE DE LA PAZ HOTEL

Calle de Albacete, 1 28027 Madrid

Telephone: 91 724 76 00 **Fax:** 91 724 76 10

Web: www.sofitel.com

Metro without lift: Barrio de la Concepción

Bus: 53

ACCESS

- The entrance is accessible and has a level surface.
- It has an automatic revolving main door which is **80 cm** wide. It is not marked with horizontal strips or a logo in a contrasting colour.



Room	• •
Internet connection: yes	TV which communicates with
	reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert: no
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	•
Door lock with visual aid to indicate	
either free or occupied: no	underneath to see if there is
	someone inside: yes
Lifts	•
Visual signs indicating the floor	Emergency button with a light
and direction of movement, both	to show that the emergency call
inside and outside the cab: yes	has been received: no
Emergency system	
Emergency alarm systems with vis	ual alerts: no

Emergency alarm systems with visual alerts: **no**









Novotel Puente de la Paz





ACCESSIBILITY -	PHYSICALLY DISABLED
Adapted room	No. of adapted rooms: 4
Accessible via lift	Width of door: 85 cm
Clear turning circle inside (diameter): Ø 150 cm	Height of climate control: 134 cm
Height of bed: 46 cm	Space for access to the bed: on one side 100 cm
Wardrobe doors: there are none	Height of hanger rail: 151 cm
Bathroom in adapted room	
Door: width of 86 cm	Clear turning circle inside (diameter): Ø 150 cm
Toilet	
Seat height: 42 cm	Height of flush mechanism: 81 cm
Approach area: on one side ≥ 80 cm	Fixed grab bar on opposite side to approach
No grab bar on approach side	•
Basin:	•
Height and clearance beneath the basin: 60 and 21 cm	Tap: mixer tap
Height of the lower edge of the mirror: 91 cm	Height of bathroom fittings: 125 cm
Bath:	•
Height of bath: 61 cm	No horizontal grab bar
Transfer platform: no	Height of vertical grab bar: 50-72 cm
Adapted bathroom in communal	areas
On ground floor, accessible	Door: width of 84 cm
Clear turning circle inside (diamete	r): Ø 150 cm
Toilet:	
Seat height: 42 cm	Height of flush mechanism: 81 cm
Approach area: on one side ≥ 80 cm	Fixed grab bar on opposite side to approach
No grab bar on approach side	•
Basin:	•
Height and clearance beneath the basin: 81 cm and 66 cm	Tap: mixer tap
Height of the lower edge of the mirror: 91 cm	Height of bathroom fittings: 91-122 cm
Lifts (panoramic)	•
Accessible up to the door	Height of call buttons: 103-125 cm
Width of door: 80 cm	Width and depth of cab:
Height of lift buttons: 102-141 cm	Height of handrail: 96 cm

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 105 cm
Cafeteria / Restaurant	Ground floor	Accessible	Height of table: 72 cm Height beneath table: 70 cm Depth beneath table: 48 cm
Breakfast buffet	Ground floor	Accessible	Height of table: 72 cm Height beneath table: 70 cm Depth beneath table: 48 cm
Meeting rooms	Ground floor	Accessible	0 0 0
Pool	0 0 0 0 0 0 0	Alternative ramp available	No hoist for getting into the pool. No specially adapted changing rooms or toilets
Exterior parking	Ground floor	Accessible	There are 4 parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)
Under- ground parking	Basement -1	Accessible via lift	There are 2 parking spaces for people with limited mobility (PRM)









yes

Signs the same size: yes, average height of 180 cm and a font size of

Keypad with numbers in relief:

	Main stairs	
		Side protection skirting board of
	non-slip strip in a contrasting	≥ 12 cm on both sides: no
	colour: yes	•
ĺ	Steps have a riser: yes	All steps are the same height: yes
	Steps have nosing: no	•
ĺ	Strip of surface of a different texture	e and contrasting colour at the top
	and bottom of the stairs: no	
	Lifts	•
	Cab with audio signals: no	Control buttons in contrasting

colour: yes

ves

Keypad with numbers in Braille:











NUEVO BOSTON HOTEL







Bus: 222 to 227 from Avenida de America



ACCESS

- The entrance to the hotel is level with the street. It has a clearance width of **1.14 m**.
- The main entranceway to the hotel is accessible.
- There are two sets of automatic double glass doors each with a clearance width of 1.50 m. Both are marked with the hotel logo but not in contrasting colours.
- There is a doorbell and a video intercom at a height of 1.53 m. There is a single button to press on the video intercom.
- Located before the doors and between them are doormats that are securely affixed to the floor.
- There is an accessible route that takes guests straight to the reception and help desk.



ACCESSIBILITY - HEARING IMPAIRED

Room	• •
Internet connection: yes	TV which communicates with reception: yes
TV with teletext decoder: no	TV has alarm clock with visual alert: yes
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available services: no	Light signals to indicate a knock at the door: no
Communal WCs	•
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	0
Visual signs indicating the floor and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: yes
Emergency system	
Francisco de la marco della ma	

Emergency alarm systems with visual alerts: **no**





ACCOMMODATION







Adapted room (No. 017)	Number of adapted rooms: 4
On the ground floor accessible	Width of door: 77 cm
Clear turning circle inside	Height of climate control: 160 cm
(diameter): Ø 150 cm	o
Height of bed: 60 cm	Space for access to the bed: right
-	hand side 120 cm , left hand side
	≥ 120 cm
Wardrobe doors: easy to open	Height of hanger rail: 177 cm
sliding doors with vertical handles	•
Min. and max. height of wardrobe s	shelves and drawers: 30 cm and
90 cm	
Bathroom in adapted room	•
Door: Sliding door with a width of	Clear turning circle inside
78 cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 40 cm	Height of flush mechanism: 140 cm
Approach area: front 227 cm	L-shaped grab bar on the right hand
0 1 1 11 11 11 11 11 11 11 11	side: 86 cm
Grab bar on the left hand side: non	e
Basin:	<u>-</u>
Height and clearance beneath the	Tap: mixer tap easy to use
basin: 68 cm and 55 cm	
Height of the lower edge of the	Min. and max. height of bathroom
mirror: 95 cm	fittings: 74 cm and 140 cm
Shower:	Charren hann lavel with the floor
Width and depth of approach area: 170 cm and ≥ 120 cm	Snower base: level with the floor
	Shower chair or seat: fixed and
Shower floor: non-slip	folding seats
Height and location of horizontal	Height and location of vertical grab
grab bar: 45 cm on the same wall	bar: none
as the tap	Dai. Hone
Tap: mixer tap easy to use	Height of the tap: 74 - 130 cm on
rap. Illixer tap easy to use	perpendicular wall to the left of the
	seat
Adjustable height shower head:	Shower screen: none (shower
74 - 130 cm	curtain)
Adapted toilets in communal	Total number of adapted toilets: 1
areas	cubicle per sex both with similar
	characteristics located in toilets in
	communal areas (adapted cubicle
	reviewed was that of the male
	toilets)
Basement floor -1	Basement floor -1 accessible via lift
Bathroom door: inward opening	Cubicle door: sliding door with a
door with a width of 77 cm	width of 83 cm
Clear turning circle inside (diamete	r): Ø 150 cm

Toilet:	•
Seat height: 40 cm	Height of flush mechanism: 110 cm
Approach area: right hand side	Grab bar on the right hand side:
135 cm and frontal ≥ 120 cm	none
L-shaped horizontal grab bar on the	e left hand side at height of 85 cm
Basin:	
Height and clearance beneath the	Tap: mixer tap easy to use
basin: 78 cm and 65 cm	•
Height of the lower edge of the	Min. and max. height of bathroom
mirror: no mirror	fittings: 86 cm and 100 cm
Lifts	Total number of lifts: 3 with similar
	characteristics
Floors served: all floors	Accessible up to the door
Height of call buttons: 100 -	Width of door: 78 cm
110 cm	• •
Width and depth of cab: 127	Min. and max. height of the call
and 138 cm	buttons: 102 cm and 120 cm
Height of handrail: none	Mirror opposite the door: yes , at a
	height of 152 cm

	height of 152 cm		
Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 112 cm
Cafeteria	Ground floor	Accessible	Height of bar: 114 cm Height of table: 73 cm Height beneath table 71 cm Width beneath table: 80 cm Depth beneath table: 35 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 90 cm Height of table: 73 cm Height beneath table 71 cm Width beneath table: 80 cm Depth beneath table: 35 cm Also available are round tables with similar characteristics
Meeting rooms (2, one of which can be divi- ded into 6 smaller rooms)	Basement floor -1	Accessible via lift	Furniture depends on the event
Pool	Ground floor		No hoist available for getting into the pool. No specially adapted changing rooms or toilets. To enter the pool, a 10 cm step must first be negotiated
ACCESSIBLE TOURISM GUIDE			







Parking	Basement	Accessible	There are 4 parking space
	floor -2	via lift	reserved for people with
	•	•	reduced mobility (PRM),
	•	•	indicated by the disabled
	•	•	parking sign (ISA). The
	•	•	reserved parking spaces
		•	have a lateral approach area
	0	•	of 120 cm



Bedrooms		
Colour of door contrasts with adjacent walls: yes	Information about hotel services available in Braille: no and in large print: no	
Room lighting with dimmer switch: no	TV remote control with large numbers: yes and in contrasting colours: yes	
Room free of projecting elements: yes	Audible signals to indicate emergency alarm: yes	
Signs Signs the same size: yes, average 5 cm	height of 170 cm and a font size of	
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille	
Main stairs	•	
Edge of stairs marked with a non-slip strip in a contrasting colour	Side protection skirting board of 12 cm on both sides: yes	
no	0	
Steps have a riser: yes	All stone are the same beight was	
Steps have nosing: no	*All steps are the same height: yes	
The space under the stairs is blocked off: yes	Handrail on either side: yes, just on one side	
Continuous handrails on half- landings: yes	Handrail extends past the top and bottom of stairs: no	
Distinctively textured and contrastingly coloured strip at the top and bo of the stairs: no		
Lifts	•	
Cab with audio signals: no	Control buttons in contrasting colours: yes	
Keypad with numbers in relief: yes Keypad with numbers in Bra		
Strip of surface of a different texture and contrasting colour at entrance to lift: no		
Emergency System		
Audible alarm system in place in ca	ase of emergency: yes	













Calle de Bausa, 27 28033 Madrid

Telephone: 91 298 26 00 **Fax:** 91 298 26 01

NUEVO MADRID HOTEL

Web: www.hotelnuevomadrid.com

Bus: 7, 29 and 107

ACCESS

- The entrance is accessible and has a level surface.
- It has an automatic revolving door. It has an alternative manually opened swing door, and is **85 cm** wide.
- Both doors are made of glass, and are marked with the hotel's logo but not in a contrasting colour.

9

ACCESSIBILITY - HEARING IMPAIRED

Room	
	TV which communicates with reception: no
	TV has alarm clock with visual alert:
Written information on available services: yes	Entrance door with peephole: no Light signals to indicate a knock at the door: no
Communal WCs	
	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visu	ial alerts: no

Emergency alarm systems with visual alerts: **no**











Adapted room (No. 409)	No. of adapted rooms: 4
On 4th floor, accessible via lift	Width of door: 76.5 cm
Clear turning circle inside	Height of climate control:
(diameter): Ø 150 cm	148-153 cm
Height of bed: 54 cm	Space for access to the bed: right
	hand side 75 cm , left hand side
	97 cm
Wardrobe doors: sliding	Height of hanger rail: 170-177 cm
Bathroom in adapted room	
Door: width of 78.5 cm	Clear turning circle inside
	(diameter): Ø 150 cm
Toilet:	0
Seat height: 41 cm	Height of flush mechanism: 100 cm
Approach area: on one side 80 cm	
	o approach
No grab bar on approach side	0
Basin:	
Height and clearance beneath	Tap: mixer tap
the basin: 64 and 60 cm	0
Height of the lower edge	Height of bathroom fittings: 143 cm
of the mirror: 87 cm	
Shower:	
Shower floor: non-slip	Shower base: with a 5 cm step
Tap: difficult to use of accessible	Shower chair or stool: fixed and
wall	folding
No horizontal grab bar	No vertical grab bar
Adapted bathroom	No of adapted toilets: 2, part of the
in communal areas	men's and women's toilets
Accessible via lift	Door: width of 88 cm
Clear turning circle inside (diamete	1). W 130 CM
	* Hoight of flush machanism: 400 am
Seat height: 41 cm	Height of flush mechanism: 100 cm Folding grab bar on approach side
	Folding grab bar on approach side
No grab bar on opposite side	0
Height and clearance beneath	Tap: mixer tap
the basin: 79 cm and 33 cm	iap. iiiikei tap
Height of the lower edge of the	Height of bathroom fittings: 130 cm
mirror: 120 cm	
HILLOL. ILU CIII	

Lifts (panoramic)	•
Accessible up to the door	Height of call buttons: 107 cm
Width of door: 91 cm	Width and depth of cab:
	120 and 140 cm
Height of lift buttons: 90-122 cm	Height of handrail: 92 cm

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk:
Cafeteria	Ground floor	Accessible	Height of bar: 111 cm Low tables with a height of ≥ 70 cm
Restaurant/ Breakfast buffet	Accessible floor	Accessible via lift	Height of buffet bar: 92-125 cm Height of table: 78 cm Height beneath table: 74 cm Width beneath table: 80 cm Depth beneath table: 22 cm Tables with central leg
Meeting rooms (8)	Accessible floor	Accessible	** ** ** ** ** ** ** ** ** ** ** ** **
Spa	Ground floor	Accessible via ramp with adequate incline of 6%	No specially adapted changing rooms or toilets. Width of door, 65 cm and there are steps.
Parking	Basement -1	Accessible via lift	There are 2 parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)





Signs		
Signs the same size: yes, average height of 167-182 cm and a font size		
of ≥ 1.5 cm		
Lettering in a colour which	Text and symbols: not in relief	
contrasts with the background: yes	and not in Braille	
Main stairs	•	
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting	≥ 12 cm on both sides: no	
colour: no	•	
Steps have a riser: yes	All steps are the same height: yes	
Steps have nosing: no	•	
The space under the stairs is	Handrail on either side: no	
blocked off: no	•	
Continuous handrails on	Handrail extends at top and bottom	
half-landings: no	of stairs: no	
Strip of surface of a different texture and contrasting colour at the top		
and bottom of the stairs: no		
Lifts	•	
Cab with audio signals: no	Control buttons in contrasting	
	colour: yes	
Keypad with numbers in relief:	Keypad with numbers in Braille:	
yes	yes	









★★ 4 STAR HOTELS



ÓPERA HOTEL

Calle Cuesta de Santo Domingo, 2 28013 Madrid

Telephone: 91 541 28 00 **Fax:** 91 541 69 23

Web: www.hotelopera.com

Metro without lift: Ópera and Santo Domingo

Bus: 1, 2, 44, 46, 74, 75, 133, 147, 148 and

ACCESS

- The main entrance has a step of **12 cm**, along with an alternative moveable ramp.
- It has an automatic sliding door which is **1.70 m** wide. It is marked with the hotel's logo, but not in a contrasting colour.

ACCESSIBILITY - HEARING IMPAIRED ___

Room	• •
Internet connection: yes	TV which communicates with reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert: yes
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	•
Visual signs indicating the floor and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with vis	ual alerts: no











Adapted room (No. 101)	No. of adapted rooms: 2
On 1 st floor , accessible via ramp and lift	Width of door: 75 cm
Clear turning circle inside (diameter): Ø 150 cm	Height of climate control: 147 cm
Height of bed: 65 cm	Space for access to the bed: right hand side > 150 cm, left hand side 90 cm
Wardrobe doors: swing doors, with handles, difficult to open	Height of hanger rail: 175 cm
Height of wardrobe shelves and dra	awers: 60-180 cm
Bathroom in adapted room	• •
Door: sliding with a width of 76 cm	Clear turning circle inside (diameter): Ø 150 cm
Toilet:	•
Seat height: 42 cm	Height of flush mechanism: 75 cm
Approach area: right hand side 60 cm , front 170 cm	Folding grab bar on right hand side: 69 cm
Folding grab bar on left hand side: 69 cm	Distance between bars: 57 cm
Basin:	0
Height and clearance beneath the basin: 72 cm and 42 cm	Tap: mixer tap
Height of the lower edge of the mirror: 85 cm	Height of bathroom fittings: 85 cm
Shower:	•
Approach area: 150 cm	Shower base: level with the floor
Shower floor: non-slip	Shower chair or stool: fixed with adjustable height
Height and location of horizontal grab bar: 86 cm , on wall to the side of the tap	Height and location of vertical grab bar: 70-165 cm , next to the tap
Tap: mixer tap	Height of tap: 130 cm
Adjustable shower head height:	No shower screen
yes	•
Lifts	No. of lifts: 2
Accessible up to the door via two stretches of ramp, one of 2.80 m of length, the other of 1.07 m and an incline of 14%	Height of call buttons: 98 cm
Width of door: 80 cm	Width and depth of cab: 108 and 133 cm
Height of lift buttons: 90-120 cm	Height of handrail: 90 cm

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk:
Communal WCs	Basement -1 and Mezzanine	Not accessible, with stairs	None of them are adapted for wheelchair users
Cafeteria / Restaurant	Ground floor	Accessible from outside the hotel, as there are two steps upon entering from the inside	Height of bar: 108 cm Height of table: 74 cm Height beneath table: 70 cm Depth beneath table: 35 cm Tables with central leg
Breakfast buffet	Mezzanine	Not accessible as there are 7 steps	Height of buffet bar: 76-110 cm Height of table: 74 cm Height beneath table: 70 cm Width beneath table: 70 cm Depth beneath table: 35 cm Tables with central leg
Meeting rooms (4)	Mezzanine	Not accessible as there are 7 steps	Height of buffet bar: 76-110 cm
Gym / Sauna	Ninth floor	Accessible via lift	No specially adapted changing rooms or toilets







Signs		
	height of 160-175 cm and a font size	
of ≥ 1.5 cm		
Lettering in a colour which	Text and symbols: not in relief	
contrasts with the background: yes	and not in Braille	
Main stairs	•	
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting	≥ 12 cm on both sides: yes	
colour: no	•	
Steps have a riser: yes	All steps are the same height: yes	
Steps have nosing: yes	•	
The space under the stairs is	Handrail on either side: no	
blocked off: yes	0	
Continuous handrails on	: Handrail extends at top and bottom	
half-landings: yes	of stairs: no	
Strip of surface of a different texture and contrasting colour at the top		
and bottom of the stairs: no	-	
Lifts	•	
Cab with audio signals: no	Control buttons in contrasting	
	colour: yes	
Keypad with numbers in relief:	Keypad with numbers in Braille:	
yes	yes	













OSUNA HOTEL

Calle de Luis de la Mata, 18 28042 Madrid

Telephone: 91 741 81 00 Fax: 91 742 80 77

Web: www.chh.es

Metro without lift: Canillejas

Bus: 105, 114 and 115

ACCESS

- The main entrance has an access ramp.
- It has an automatic glass door with an overall width of **1.66 m**. It is not marked with horizontal strips or a logo in a contrasting colour.



ACCESSIBILITY - HEARING IMPAIRED .

Room	• •
	TV which communicates with reception: no
•	TV has alarm clock with visual alert: yes
Bedside plug socket: yes	Entrance door with peephole: yes
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	•
	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	0 0
and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visi	ual alerts: no











ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room In bungalow in an adjoining building, access via an outdoor route	No. of adapted rooms: 1 Width of door: 88 cm
Clear turning circle inside (diameter): Ø 150 cm	Height of climate control: 135 cm
Height of bed: 50 cm	Space for access to the bed: right hand side > 80 cm, left hand side 80 cm
Wardrobe doors: sliding	Height of hanger rail: 160 cm
Height of wardrobe shelves and dra	
Bathroom in adapted room	•
Door: sliding with a width of 77 cm	Clear turning circle inside (diameter): Ø 150 cm
Toilet:	•
Seat height: 42 cm	Approach area: only front 80 cm
Fixed grab bar on left hand side: 80 cm	Fixed grab bar on right hand side: 80 cm
Distance between bars: 64 cm	• •
Basin:	•
Height and clearance beneath the basin: 79 cm and 30 cm	Height of bathroom fittings: 123 cm
Height of the lower edge of the mirr	or: 89 cm
Shower:	
Approach area: 87 cm	Shower base: level with the floor
Shower floor: non-slip	Shower chair or stool: no
Height of tap: 108 cm	Height and location of grab bar: 70- 75 cm, on same wall as the tap
Adjustable shower head height:	Shower curtain
yes	0
Lifts	•
Accessible up to the door	Height of handrail: 94 cm
	* \ A (* ()
Width of door: 76 cm	Width and depth of cab: 94 and 102 cm


Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 110 cm
Cafeteria	Ground floor		Height of bar: 111 cm Height of table: 50 cm
Restaurant	Ground floor		Height of table: 75 cm Height beneath table: 73 cm Width beneath table: 54 cm Depth beneath table: 40 cm
Meeting rooms (1)	Ground floor		Height of table: 76 cm Height beneath table: 73 cm Width beneath table: 82 cm Depth beneath table: 40 cm
Pool	Ground floor	On the terra-	No hoist for getting into the pool. No specially adapted changing rooms or toilets
Exterior parking		With steps	There are no parking spaces for people with limited mobi- lity (PRM), indicated by the disabled parking sign (ISA)
Underground parking	Basement -1	Accessible via lift	There are no parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)



ACCESSIBILITY - VISUALLY IMPAIRED ____

Signs			
Signs the same size: yes , average height of 181-191 cm and a font size of 6 cm			
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille		
Main stairs	0 0 0		
Edge of stairs marked with a non-slip strip in a contrasting colour: no	Side protection skirting board of ≥ 12 cm on both sides: yes		
Steps have a riser: yes Steps have nosing: yes	All steps are the same height: yes		
The space under the stairs is blocked off: none	Handrail on either side: yes		
Continuous handrails on half-landings: yes	Handrail extends at top and bottom of stairs: no		
Strip of surface of a different texture and bottom of the stairs: no	e and contrasting colour at the top		
Lifts	0 0 0		
Cab with audio signals: no	Control buttons in contrasting colour: yes		
Keypad with numbers in relief: yes	Keypad with numbers in Braille: yes		





PETIT PALACE ALCALÁ TORRE HOTEL

Calle de la Virgen de los Peligros, 2 28001 Madrid

Telephone: 91 532 19 01 **Fax:** 91 522 91 30

Web: www.hthoteles.com

Metro without lift: Sevilla

Bus: 5, 9, 15, 20, 46, 51, 52, 53 and 150

ACCESS

- The main entrance is accessible and has a level surface.
- It has an automatic sliding glass door which is **1.30 m** wide. It is not marked with horizontal strips or a logo in a contrasting colour.
- Leading from the entrance to the reception area is a staircase with 14 steps. There is an alternative lift, the door of which is 60 cm and whose cabin is 87 cm wide 94 cm deep. There is no handrail.



ACCESSIBILITY - HEARING IMPAIRED

Room	• • •
	TV which communicates with reception: no
,	TV has alarm clock with visual alert: yes
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available services: yes	Light signals to indicate a knock at the door: no
Communal WCs	• •
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	•
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visi	ual alerts: no






A (

Adapted room (No. 404)	No. of adapted rooms: 1. It is located on the same floor as the reception. Room can be reached via a ramp with a width of 140 cm, a length of 135 cm and a non recommended incline of 15.8%
On 4 th floor, accessible via ramp	Width of door: 77 cm
Clear turning circle inside (diameter): Ø 150 cm	Height of climate control: 142 cm
Height of bed: 50 cm	Space for access to the bed: right hand side 90 cm , left hand side 90 cm
Wardrobe doors: handles, easy to open	Height of hanger rail: 185 cm
Height of wardrobe shelves and dr	awers: 60 cm
Bathroom in adapted room	
Door: width of 77 cm	Clear turning circle inside (diameter): Ø 150 cm
Toilet:	•
Seat height: 40 cm	Height of flush mechanism: 87 cm
Approach area: neither ≥ 80 cm	Folding grab bar on right hand side: 63 and 79 cm
No grab bar on left hand side	0
Basin:	
Height and clearance beneath the basin: 64 and 13 cm	Tap: mixer tap
Height of the lower edge of the mirror: 95 cm	Height of bathroom fittings: 77 cm
Shower:	•
Shower floor: non-slip	Shower base: level with floor
Height and location of horizontal	Has a vertical grab which is used
grab bar: 77 cm , on wall to side	for adjusting the height of the
of tap	shower head
Tap: mixer tap	Height of tap: 100 cm, on accessible wall
	-
Adjustable shower head height:	:Shower chair: fixed with backrest







Other amenities	Location	Access	Main characteristics
Reception	Upper floor	Accessible via service lift	Height of reception desk: 110 cm
Communal WCs	Fifth floor	Accessible via service lift	None of them are adapted for wheelchair users
Cafeteria / Breakfast buffet	Fifth floor	via steps	Height of table: 72 cm Height beneath table: 70 cm Width beneath table: 69 cm Depth beneath table: 70 cm
Meeting rooms (1)	Fifth floor	Accessible see above	Height of table: 72 cm Height beneath table: 70 cm Width beneath table: 69 cm Depth beneath table: 70 cm







Signs	
Signs the same size: yes , average of ≥ 1.5 cm	height of 150-175 cm and a font size
	*Tout and a makeles matin malief
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief
Main stairs	and not in braine
Edge of stairs marked with a	Side protection skirting board of
non-slip strip in a contrasting	≥ 12 cm on both sides: yes
colour: no	•
Steps have a riser: yes	All steps are the same height: yes
Steps have nosing: no	
The space under the stairs is	Handrail on either side: no
blocked off: no	
Continuous handrails on	Handrail extends at top and bottom
half-landings: yes	of stairs: no
Strip of surface of a different texture	A CONTRACTOR OF THE CONTRACTOR
and bottom of the stairs: no	c and contracting colour at the top
	•
Lifts	
Cab with audio signals: no	Control buttons in contrasting
	colour: no
Keypad with numbers in relief:	Keypad with numbers in Braille:
yes	yes
•	- •

428 ________ MADRID FOR ALL _______ ACCESSIBLE TOURISM GUIDE 429





PETIT PALACE ART GALLERY HOTEL

Calle de Jorge Juan, 17 28009 Madrid

Telephone: 91 435 54 11 **Fax:** 91 435 54 09

Web: www.hthoteles.com

Metro without lift: Serrano and Velázquez

Bus: 1, 9, 19, 51 and 74

ACCESS

- The main entrance of the hotel is accessible, with a slight step.
- It has an automatic revolving glass door which is **1.40 m** wide.
- Next to the revolving door is an alternative, manually operated glass door, which is 90 cm wide and is easily opened. It is not marked with stripes or a logo in a contrasting colour.



CCESSIBILITY - HEARING IMPAIRED

Room	o o
Internet connection: yes	TV which communicates with reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert:
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	•
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	0
Visual signs indicating the floor and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with vis	ual alerts: no





ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 102)	No. of adapted rooms: 2
Accessible via service lift and a	Width of door: 80 cm
ramp with a width of 1.5 m and a	•
length of 4.2 m , and an incline	0
of 17.8%	0
Clear turning circle inside	Height of climate control: 165 cm
(diameter): Ø 150 cm	•
Height of bed: 55 cm	Space for access to the bed: right
	hand side 80 cm , left hand side
Wardraha daara: handlaa	80 cm
Wardrobe doors: handles,	Height of hanger rail: 172 cm
easy to open Bathroom in adapted room	•
Door: width of 80 cm	Clear turning circle inside
Boot: Width of 60 cm	(diameter): Ø 150 cm
Toilet:	• (diamotor). 2 100 0111
Seat height: 40 cm	Height of flush mechanism: 85 cm
Approach area: neither ≥ 80 cm	Folding grab bar on right hand side:
	66 cm
Folding grab bar on left hand side:	Distance between bars: 80 cm
66 cm	• •
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 85 and 40 cm	0
Height of the lower edge	Height of bathroom fittings: 187 cm
of the mirror: 105 cm	0 0 0
Shower:	Chaver been level with floor
Shower floor: non-slip Adjustable shower head height:	Shower base: level with floor Shower chair: yes, fixed
yes	Shower chair. yes, fixed
Height and location of horizontal	Height and location of vertical grab
grab bar: 110 cm , on wall to side	bar: 110 cm , on wall to side of tap
of tap	e dar. Tro om, on wan to oldo or tap
Tap: mixer tap	Height of tap: 146 cm on
	accessible wall
Adapted bathroom	No. of adapted toilets: 1
in communal area	•
On ground floor, accesible	0 0 A
Door: inward opening with	Clear turning circle inside
a width of 78 cm	(diameter): Ø 150 cm
Toilet:	
Seat height: 40 cm	Height of flush mechanism: 85 cm
Approach area: left hand side	Folding grab bar on right hand side:
80 cm	66 cm
Folding grab bar on left hand side: 66 cm	DISTAILCE DETMEELL DALS: 39 CLL
OU CITI	

ACCESSIBLE TOURISM GUIDE







Art Gallery	
et bar:	(A)
m	
e: 70 cm	I
th table: 69 cm	
h table: 69 cm	
h table: 32 cm	

Restaurant / Breakfast buffet	First floor	via a ramp with a width of 1.5 m , a length of	Height of buffet bar: 88 and 155 cm Height of table: 70 cm Height beneath table: 69 cm Width beneath table: 69 cm Depth beneath table: 32 cm
Meeting rooms (1)	Ground floor		Height of table: 73 cm Height beneath table: 65 cm Width beneath table: 160 cm Depth beneath table: 120 cm

ACCESSIBILITY - VISUALLY IMPAIRED

Signs			
Signs the same size: yes , average height of 180 cm and a font size of 3 cm			
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille		
Main stairs	• •		
Edge of stairs marked with a non-slip strip in a contrasting colour: no	Side protection skirting board of ≥ 12 cm on both sides: no		
Steps have a riser: yes Steps have nosing: yes	All steps are the same height: yes		
The space under the stairs is blocked off: there is none	Handrail on either side: yes		
Continuous handrails on half-landings: yes	Handrail extends at top and bottom of stairs: no		
Strip of surface of a different texture and bottom of the stairs: no	e and contrasting colour at the top		
Lifts	•		
Cab with audio signals: no	Control buttons in contrasting colour: yes		
Keypad with numbers in relief: yes	Keypad with numbers in Braille: yes		



Basin:	•
Height and clearance beneath the basin: 67 cm and 53 cm	Tap: mixer tap
Height of the lower edge of the mirror: 116 cm	Height of bathroom fittings: 116-140 cm
Lifts	No. of lifts: 2 +1 service lift
Lift 1. Connects reception with u	pper floors and floor -1
Accessible up to the door	Width and depth of cab: 100 and 132 cm
Two doors with widths of 64 cm and 53 cm	No handrail
List 2. Connects reception with u	upper floors
Accessible up to the door	Height of call buttons: 95-120 cm
Width of door: 81 cm	Width and depth of cab: 105 and 141 cm
Height of lift buttons: 108 cm and 112 cm	Height of handrail: 90 cm
Service lift. Connects reception and restaurant	with adapted room
Accessible up to the door	Width and depth of cab: 92 and 130 cm
Width of door: 80 cm	Height of handrail: 91 cm

Other amenities	Location	2.100000	Main characteristics
Reception	Ground floor		Height of reception desk: 104 cm
Cafeteria	0 0 0 0 0 0 0 0 0	via a ramp with a width of 200 cm , a	







Plaza Mayor







ACCESSIBILITY - PHYSICALLY DISABLED





PETIT PALACE MAYOR HOTEL

Calle Mayor, 46 Calle Mayor, 4 28013 Madrid

Telephone: 91 542 69 99 **Fax:** 91 542 67 12

Web: www.hthoteles.com

Metro with lift: Sol

Bus: 3 and 148



- The entrance has **2** sets of automatic sliding glass doors. The first is 1.10 m wide and the second is 1.29 m wide.
- The door leading onto the street is marked with the hotel's logo, although not in a contrasting colour although both doors are blue.
- The slope between the 2 doors has an adequate incline of 6.9%.
- There is a doormat correctly fixed to the floor in front of the interior door.



CESSIBILITY - HEARING IMPAIRED

Room) 	
•	TV which communicates with reception: no	
•	TV has alarm clock with visual alert: no	
Bedside plug socket: yes	Entrance door with peephole: no	
	Light signals to indicate a knock at the door: no	
Communal WCs		
	Cubicle doors with a gap underneath to see if there is someone inside: no	
Lifts) D	
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no	
Emergency system		
Emergency alarm systems with visual alerts: no		







Other	Location	Access	Main
amenities	•		characteristics
Reception	Ground floor	Accessible via a ramp with a width of 80 cm, a length of < 1 m and a non re- commended incline of 14%	•
Restaurant / Breakfast buffet	Basement -1	via a lift and	Ramp 1: length of 4.09 m, width of 1.39 m and an adequate incline of 6.9%. Ramp 2: length of 2.5 m, width of 1.28 m and an adequate incline of 10.5%. Height of buffet bar: 91 cm Height of table: 76 cm Height beneath table: 72 cm Width beneath table: 70 cm Depth beneath table: 70 cm Tables with a central leg









ACCESSIBILITY - VISUALLY IMPAIRED

Signs			
Signs the same size: yes , average height of 100-180 cm and a font size of ≥ 1.5 cm			
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille		
Main stairs			
Edge of stairs marked with a	Side protection skirting board of		
non-slip strip in a contrasting	≥ 12 cm on both sides: yes		
colour: no	•		
Steps have a riser: yes	All steps are the same height: yes		
Steps have nosing: yes	•		
The space under the stairs is	Handrail on either side: yes		
blocked off: yes	•		
Continuous handrails on	Handrail extends at top and bottom		
half-landings: yes	of stairs: yes		
Strip of surface of a different texture and contrasting colour at the top			
and bottom of the stairs: no			
Lifts			
Cab with audio signals: no	Control buttons in contrasting		
	colour: yes		
Keypad with numbers in relief:	Keypad with numbers in Braille:		
yes	yes		















Plaza del Carmen, 4 Plaza do. 2 28013 Madrid

PETIT PALACE

Telephone: 91 523 88 45 Fax: 91 523 55 81

Web: www.hthoteles.com

Metro with lift: Sol Metro without lift: Gran Vía

Bus: 4



- The main entrance has 3 steps and there is an alternative ramp. The ramp is 85 cm wide, 1.95 cm long with a non-recommended incline of 24%. There is no handrail. The ends of the ramp are not indicated by a distinctively textured and contrastingly coloured floor surface.
- There is an automatic sliding glass door which is 1.60 m wide. It is not marked with stripes or a logo in a contrasting colour.



ACCESSIBILITY - HEARING IMPAIRED

Room	0 0
•	TV which communicates with reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert: no
Bedside plug socket: yes	Entrance door with peephole: no
	Light signals to indicate a knock
,	at the door: no
Communal WCs	o o
•	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visu	ual alerts: no



ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 111)	No. of adapted rooms: 1
On 1st floor, accessible via lift	Width of door: 78 cm
Clear turning circle inside (diameter): Ø 150 cm	Height of climate control: 163 cm
Height of bed: 50 cm	Space for access to the bed: left hand side 120 cm , right hand side 120 cm
Wardrobe doors: easy to open	Height of hanger rail: 155 cm
Height of wardrobe shelves and di	rawers: 30 cm
Bathroom in adapted room	•
Door: inward opening with width	Clear turning circle inside
of 70 cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 40 cm	Height of flush mechanism: 87 cm
Approach area: neither ≥ 80 cm	No grab bar on right hand side
Folding grab bar on left hand side	64 and 82 cm
Basin:	*Tana national Asia
Height and clearance beneath	Tap: mixer tap
the basin: 70 and 13 cm	Height of bothroom fittings: 77 cm
Height of the lower edge of the mirror: 94 cm	Height of bathroom fittings: 77 cm
Shower:	•
Approach area: 160 cm	Shower base: level with floor
Shower floor: non-slip	Shower stool or chair: no
Height and location of horizontal	Height and location of vertical grab
grab bar: 83 cm , on wall to side	bar: 85-140 cm , on same wall as
of tap	the tap
Tap: mixer tap	Height of tap: 120-80 cm on
. ар	accessible wall
Adjustable shower head height:	Folding shower screen
yes	
Adapted bathroom	No. of adapted toilets: 1
in communal area	•
On ground floor, accessible	Door: inward opening with a width
	of 74 cm
Clear turning circle inside (diameter	er): Ø 150 cm
Toilet:	
Seat height: 40 cm	Height of flush mechanism: 82 cm
Approach area: right hand side	Folding grab bar on right hand side:
91 cm	65 and 80 cm
No grab bar on left hand side	0
Basin:	<u>-</u>
Height and clearance beneath	Tap: mixer tap
the basin: 70 cm and 13 cm	0







Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 117 cm
Restaurant / Breakfast buffet	Basement -1	Accessible via lift	Height of buffet bar: 80 cm and 140 cm Height of table: 74 cm Height beneath table: 70 cm Width beneath table: 70 cm Depth beneath table: 70 cm
Meeting rooms (6)	Basement -1	Accessible via lift	Height of table: 77 cm Height beneath table: 74 cm Width beneath table: 210 cm Depth beneath table: 76 cm







Petit Palace Plaza del Carmen



ACCESSIBILITY - VISUALLY IMPAIRED

Signs			
Signs the same size: yes, average height of 145-175 cm and a font size			
of ≥ 1.5 cm			
Lettering in a colour which	Text and symbols: not in relief		
contrasts with the background: yes	s: and not in Braille		
Main stairs	•		
Edge of stairs marked with a	Side protection skirting board of		
non-slip strip in a contrasting	≥ 12 cm on both sides: yes		
colour: no	•		
Steps have a riser: yes	All steps are the same height: yes		
Steps have nosing: no			
The space under the stairs is	Handrail on either side: on only		
blocked off: no	one side		
Continuous handrails on	Handrail extends at top and bottom		
half-landings: no	of stairs: no		
Strip of surface of a different texture and contrasting colour at the top			
and bottom of the stairs: no			
Lifts			
Cab with audio signals: yes	Control buttons in contrasting		
	colour: no		
Keypad with numbers in relief:	Keypad with numbers in Braille:		
yes	no		





Posada del Peine













PETIT PALACE POSADA DEL PEINE HOTEL

Calle Postas, 17 28012 Madrid

Telephone: 91 523 81 51 Fax: 91 523 29 93

Web: www.hthoteles.com

Metro wit lift: Sol

Bus: 3 and 50

ACCESS

- The main entrance has a step, but there is an alternative connecting door with an access ramp. The ramp is 1 m long, with an acceptable incline of 8%. There is no handrail, and the ends of the ramp are not indicated by a distinctively textured and contrastingly coloured floor surface.
- There is a manually opened glass door main door is glazed and opens manually. It is not marked with stripes or a logo in a contrasting colour.
- The alternative door is **80 cm** wide, and is very heavy and difficult to open.

9

ACCESSIBILITY - HEARING IMPAIRED

Room	0 0
Internet connection: yes	TV which communicates with reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert: yes
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available services: yes	Light signals to indicate a knock at the door: no
Communal WCs	0 0
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	0
Visual signs indicating the floor and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: yes
Emergency system	
Emergency alarm systems with visual alerts: no	

442

Height of lift buttons: 100-120 cm Height of handrail: 100 cm





ACCOMMODATION



Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 110 cm
Restaurant / Breakfast buffet	Basement -1		Height of buffet bar: 45 cm and 90 cm Height of table: 72 cm Height beneath table: 70 cm Width beneath table: 80 cm Depth beneath table: 80 cm



ACCESSIBILITY - VISUALLY IMPAIRED

Signs			
	Signs the same size: yes , average height of 150-180 cm and a font size		
of ≥ 1.5 cm			
Lettering in a colour which	Text and symbols: not in relief		
contrasts with the background: yes	and not in Braille		
Main stairs	•		
Edge of stairs marked with a	Side protection skirting board of		
non-slip strip in a contrasting	≥ 12 cm on both sides: no		
colour: no	0		
Steps have a riser: yes	All steps are the same height: yes		
Steps have nosing: no	0 0		
The space under the stairs is	0		
blocked off: there is none	•		
Continuous handrails on	Handrail extends at top and bottom		
half-landings: yes	of stairs: no		
Strip of surface of a different texture	e and contrasting colour at the top		
and bottom of the stairs: no			
Lifts	•		
Cab with audio signals: yes	Control buttons in contrasting		
	colour: yes		
Keypad with numbers in relief:	Keypad with numbers in Braille:		
yes	no		







4 STAR HOTELS POSADA DEL DRAGÓN, BOUTIQUE HOTEL & BAR



Calle Cava Baja, 14 28005 Madrid

Telephone: 91 119 14 24 Fax: 91 119 14 25

Web: www.posadadeldragon.com

Metro without lift: La Latina and Tirso de Molina

Bus: 31, 50 and 65

ACCESS

- The entrance to the hotel is level with the street. It has a clearance width of **1.10 m**.
- The main entranceway has a **6 cm** high step, with an alternative entranceway next to the main one, namely the entrance to the restaurant.
- The alternative entranceway comprises an inward opening double wooden door. It has a clearance width of **1.53 m** and the ramped step has a **10.5%** incline.
- Neither of the entrances has a doorbell or a video intercom.
- There is an accessible route that takes guests straight to the reception and help desk.

9

ACCESSIBILITY - HEARING IMPAIRED

Room	0 0
	TV which communicates with reception: yes
	TV has alarm clock with visual alert: no
Bedside plug socket: yes	Entrance door with peephole: no
	Light signals to indicate a knock
services: no	at the door: no
Communal WCs	• 0 0
	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	•
Visual signs indicating the floor and direction of movement, both inside and outside the cab: only inside	to show that the emergency call
Emergency system	
Emergency alarm systems with visu	ual alerts: no







del Dragón









Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk:
Cafeteria	Ground floor	Accessible	Height of bar: 113 cm Height of table: 78 cm Height beneath table 73 cm Width beneath table: 80 cm Depth beneath table: 35 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 80 - 113 cm Height of table: 75 cm Height beneath table 70 cm Width beneath table: 80 cm Depth beneath table: 35 cm
Meeting rooms (1)	Ground floor	Accessible	Depending on the event. It is a small room suitable for small meetings and business dinners and lunches



ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 003)	Number of adapted rooms: 1
On the ground floor accessible via lift	Width of door: 77 cm
Clear turning circle inside (diameter): Ø 150 cm	Height of climate control: 155 cm
Height of bed: 55 cm	Space for access to the bed: right hand side 110 cm , left hand side 55 cm
Wardrobe doors: swing door opening to 90° with doorknob, difficult to open	Height of hanger rail: 170 cm
Min. and max. height of wardrobe s	shelves and drawers: 85 cm
Bathroom in adapted room	
Door: Sliding door with a width of	Clear turning circle inside
84 cm Toilet:	(diameter): Ø 150 cm
Seat height: 40 cm	Height of flush mechanism: 79 cm
Approach area: right hand side	Folding grab bar on the right hand
175 cm, and front 90 cm	side: 75 – 80 cm
Folding grab bar on the left hand	Distance between bars: 68 cm
side: 75 – 80 cm	0
Basin:	0 0
Height and clearance beneath the basin: 75 cm and 50 cm	Tap: mixer tap easy to use
Height of the lower edge of the mirror: 130 cm	Min. and max. height of bathroom fittings: 85 cm
Shower:	0
Width and depth of approach area: 110 cm and 170 cm	Shower base: level with the floor
Shower floor: non-slip	Shower chair or seat: fixed and folding seats
Height and location of horizontal grab bar: 70 cm on the same wall as the tap, L-shaped	Height and location of vertical grab bar: 70 - 90 cm on the wall to the side of the tap, diagonal
Tap: mixer tap easy to use	Height of the tap: 110 cm on the same wall as the fixed shower seat
Adjustable height shower head: 110 - 196 cm	Shower screen: no
Adapted bathroom in communal	areas
Located next to reception and cafeteria	On ground floor - accessible
Bathroom door: sliding door with a width of 72 cm	Cubicle door: inward opening with a width of 66 cm
Clear turning circle inside (diamete	r): Ø 150 cm





ACCESSIBILITY - VISUALLY IMPAIRED

Bedrooms	
Colour of door contrasts with	:Information about hotel services
adjacent walls: yes	available in Braille: no and in large print: no
Room lighting with dimmer switch:	TV remote control with large
no	numbers: yes and in contrasting colours: yes
Room free of projecting elements:	Audible signals to indicate
no	emergency alarm: yes
Signs	
	only available to indicate bedrooms
and for emergency signs. General	lack of signs. Average height of
170 cm and a font size of 3 cm	
Lettering in a colour which con-	Text and symbols: not in relief and
trasts with the background: yes	not in Braille
Main stairs	
Edge of stairs marked with a	Side protection skirting board of
non-slip strip in a contrasting colour	
no	just on one side
Steps have a riser: yes	
Steps have nosing: yes	All steps are the same height: yes
The space under the stairs is	Handrail on either side: no ,
blocked off: yes	only on one side
Continuous handrails on half-	Handrail extends past the top and
landings: yes	bottom of stairs: yes
	gly coloured strip at the top and bottom
of the stairs: no	•
Lifts	
Cab with audio signals: yes	Control buttons in contrasting colours: yes
	Keypad with numbers in Braille: yes
	e and contrasting colour at entrance
to lift: yes	
Emergency System	
A 111 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	•









■ PRAGA HOTEL



Calle de Antonio López, 65 28019 Madrid

Telephone: 91 469 06 00 **Fax:** 91 469 06 00

Web: www.h-santos.es

Metro without lift: Marqués de Vadillo

Bus: 23 and N15

ACCESS

- The main entrance has a ramp in front of the door. The ramp is 3 m wide, 1.09 m long and has a non-recommended incline of 15%. There is no handrail, and the ends of the ramp are not indicated by a distinctively textured and contrastingly coloured floor surface.
- There is an automatic sliding glass door which is **3 m** wide. It is marked with the hotel's logo in a contrasting colour.

9

ACCESSIBILITY - HEARING IMPAIRED

Room	0 0
Internet connection: yes	TV which communicates with
	reception: yes
TV with teletext decoder: yes	TV has alarm clock with visual alert:
	yes
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: no	at the door: no
Communal WCs	•
Door lock with visual aid to indicate	Cubicle doors with a gap
either free or occupied: no	underneath to see if there is
	someone inside: no
Lifts	•
Visual signs indicating the floor	Emergency button with a light
and direction of movement, both	to show that the emergency call
inside and outside the cab: yes	has been received: no
Emergency system	

Emergency alarm systems with visual alerts: no

Audible alarm system in place in case of emergency: yes











ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 421)	No. of adapted rooms: 5
On 4th floor, accessible via lift	Width of door: 83 cm
Clear turning circle inside (diameter): Ø 150 cm	Height of climate control: 120 cm
Height of bed: 54 cm	Space for access to the bed: left hand side 90 cm , right hand side 90 cm
Wardrobe doors: sliding	Height of hanger rail: 130 cm
Height of wardrobe shelves and di	
Bathroom in adapted room	
Door: inward opening with width o 83 cm	f Clear turning circle inside (diameter): Ø 150 cm
Toilet:	•
Seat height: 42 cm	Height of flush mechanism: 100 cm
Approach area: on one side ≥ 80 cm	Folding grab bar on approach side
Fixed grab bar on opposite side	Distance between bars: 69 cm
Basin:	•
Height and clearance beneath the basin: 73 cm and 23 cm	Tap: mixer tap
Height of the lower edge of the mirror: 91 cm	Height of bathroom fittings: 100-124 cm
Bath:	•
Height of bath: 45 cm	Horizontal grab bar on approach side
No transfer chair or platform	Tap: mixer tap
Lifts	•
Accessible up to the door	Height of call buttons: 144 cm
Width of door: 70 cm	Width and depth of cab: 112 and 85 cm
Height of lift buttons: 121-149 cm	•

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 116 cm
Cafeteria	Ground floor	Not accessible, with stairs	Height of table: 74.5 cm Height beneath table: 71 cm Width beneath table: 120 cm Depth beneath table: 20 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of table: 75 cm Height beneath table: 70 cm Width beneath table: 120 cm Depth beneath table: 71 cm
Meeting rooms (1)	Ground floor	Accessible	
Parking	Basement -1	via service	There are no parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)







ACCESSIBILITY - VISUALLY IMPAIRED

Signs	
Signs the same size: yes, average	height of 160-200 cm and a font size
of ≥ 1.5 cm	
Lettering in a colour which	Text and symbols: not in relief
contrasts with the background: yes	and not in Braille
Main stairs	•
Edge of stairs marked with a	Side protection skirting board of
non-slip strip in a contrasting	≥ 12 cm on both sides: yes
colour: no	•
Steps have a riser: no	All steps are the same height: yes
Steps have nosing: no	• •
The space under the stairs is	•
blocked off: there is none	•
Continuous handrails on	Handrail extends at top and bottom
half-landings: yes	of stairs: no
Strip of surface of a different texture	e and contrasting colour at the top
and bottom of the stairs: no	
Lifts	•
Cab with audio signals: yes	Control buttons in contrasting
	colour: yes
Keypad with numbers in relief:	Keypad with numbers in Braille:
yes	yes














PULLMAN MADRID AIRPORT & FERIA HOTEL

Avenida de la Capital de España, 10 28042 Madrid

Telephone: 91 721 00 70 **Fax:** 91 721 05 15

Web: www.pullmanhoteles.com

Metro with lift: Campo de las Naciones

Bus: 122, 112 and 10

ACCESS

- The main entrance is accessible and has a level surface.
- There is an automatic revolving glass door which is ≥ 90 cm wide.
- There are 2 alternative swing doors on either side of the revolving door, each of which is 82 cm wide.
- None of the doors are marked with horizontal strips or a logo in a contrasting colour.

ACCESSIBILITY - HEARING IMPAIRED

Room	• •
Internet connection: yes	TV which communicates with reception: yes
TV with teletext decoder: yes	TV has alarm clock with visual alert: no
Bedside plug socket: yes	Entrance door with peephole: yes
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	•
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	•
Visual signs indicating the floor and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: yes
Emergency system	
Emergency alarm systems with vis	ual alerts: no

Emergency alarm systems with visual alerts: **no**





ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 218)	No. of adapted rooms: 4
On 2 nd floor, accessible via lift	Width of door: 86 cm
Clear turning circle inside	Height of climate control:
(diameter): Ø 150 cm	:146-154 cm
Height of bed: 60 cm	Space for access to the bed: left hand side ≥ 90 cm, right hand side ≥ 90 cm
Wardrobe doors: handles, difficult to open	Height of hanger rail: 190 cm
Bathroom in adapted room	
Door: inward opening with width of	Clear turning circle inside
90 cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 45 cm	Height of flush mechanism: 100 cm
Approach area: none ≥ 80 cm	Fixed grab bar at a height of 50-73 cm
Basin:	•
Height and clearance beneath the basin: 65 cm and 30 cm	Tap: mixer tap
Height of the lower edge of the mirror: 96 cm	Height of bathroom fittings: 126-140 cm
Bath:	
Height of bath: 54 cm	No horizontal grab bar
Transfer chair or platform: yes	Vertical grad bar at height of 76-97 cm
Tap: mixer tap at height of 97 cm	•
Lifts (Panoramic)	
Accessible up to the door	Height of call buttons: 112-116 cm
Width of door: 79 cm	Width and depth of cab: 117 and 128 cm
Height of lift buttons: 109-121 cm	0
ricignit of int buttons. 103-121 cm	







Pullman Madrid Airport & Feria

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk:
Communal WCs		Accessible	None of them are adapted for wheelchair users
Cafeteria	Ground floor		Height of bar: 116 cm Height of table: 50 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height buffet bar: 86 cm Height of table: 73 cm Height beneath table: 70 cm Width beneath table: 80 cm Depth beneath table: 15 cm
Meeting rooms (6)	Ground floor	Accessible	e e e e
Pool		Accessible via lift and ramp with an incline of 9%. No handrail	No hoist for getting into the pool. No specially adapted changing rooms or toilets
Parking		Accessible via lift and ramp with an incline of 11%. No handrail	There are parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)









CCESSIBILITY - VISUALLY IMPAIRED

Signs	
Signs the same size: yes, average	height of 165-170 cm and a font size
of ≥ 1.5 cm	
Lettering in a colour which	Text and symbols: not in relief
contrasts with the background: no	and not in Braille
Main stairs	•
Edge of stairs marked with a	Side protection skirting board of
non-slip strip in a contrasting	≥ 12 cm on both sides: no
colour: no	•
Steps have a riser: yes	All steps are the same height: yes
Steps have nosing: no	•
The space under the stairs is	•
blocked off: no	•
Continuous handrails on	Handrail extends at top and bottom
half-landings: no	of stairs: no
Strip of surface of a different textur	e and contrasting colour at the top
and bottom of the stairs: no	
Lifts	•
Cab with audio signals: yes	Control buttons in contrasting
	colour: yes
Keypad with numbers in relief:	Keypad with numbers in Braille:
yes	no













Calle de Sevilla, 4 28014 Madrid

Telephone: 91 532 90 40 Fax: 91 531 28 34

Web: www.hotelesquo.com

Metro without lift: Sevilla

Bus: 3 and 150

ACCESS

- The main entrance has 2 steps and no alternative ramp. There is a manually opened glass door which is 1.45 m wide. It is not marked with horizontal strips or a logo in a contrasting colour.
- There is an alternative, level entrance on Calle de Arlabán at the side of the hotel. It has a wooden swing door which is 77 cm wide. To get in, one must use an entry-phone which is located at a height of 1.60 m.
- Between the entrance and the reception area is a ramp **1.35 m** long, with an acceptable incline of 8%. There is no handrail, and the ends of the ramp are not indicated by a distinctively textured and contrastingly coloured floor surface.

ACCESSIBILITY - HEARING IMPAIRED

Room	• • •
Internet connection: no	TV which communicates with reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert:
Bedside plug socket: yes	Entrance door with peephole: yes
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	•
•	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	• •
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visi	ual alerts: no

MADRID FOR ALL











ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room	No. of adapted rooms: 2
Accessible via lift	Width of door: 78 cm
Clear turning circle inside	Height of climate control:
(diameter): Ø 150 cm	137-154 cm
Height of bed: 57 cm	Height of wardrobe shelves and
3	drawers: 25-145 cm
Wardrobe doors: with knobs,	Height of hanger rail: 145 cm
difficult to use	
Bathroom in adapted room	
Door: width of 81 cm	Clear turning circle inside
	(diameter): Ø 150 cm
Toilet:	(u.u.meter): 22 Tee em
Seat height: 40 cm	Height of flush mechanism: 81 cm
Approach area: none ≥ 80 cm	Folding grab bar on approach side
Fixed grab bar on opposite side	Distance between bars: 83 cm
Basin:	Biotarios botwoon baro. 33 cm
Height and clearance beneath	Tap: mixer tap
the basin: 68 and 19 cm	Tap. Illixer tap
Height of the lower edge	Height of bathroom fittings:
of the mirror: 90 cm	132-162 cm
Bath:	132-102 CIII
Height of bath: 48 cm	No horizontal grab bar
Transfer platform: no	Tap difficult to use at height of
Transier platform. No	55 cm
Adapted bathroom	No. of adapted toilets: 1
in communal areas	No. of adapted tollets. I
	Door: width of 77 cm
On first floor, accessible via lift	
Clear turning circle inside (diamet	er). w 130 cm
	* Height of flush mechanism: 90
Seat height: 40 cm	Height of flush mechanism: 80 cm
Approach area: on one side	Folding grab bar on approach side
150 cm	f annua ah
Fixed grab bar on opposite side of	i approach
Basin:	. T
Height and clearance beneath	Tap: mixer tap
the basin: 80 cm and 29 cm	
Height of the lower edge	Height of bathroom fittings:
of the mirror: 92 cm	100-150 cm
Lifts	
Accessible up to the door	Height of call buttons: 101 cm
Width of door: 80 cm	Width and depth of cab:
	112 and 119 cm
Height of lift buttons: 94-130 cm	Height of handrail: 83 cm

Other amenities	Location	Access	Main characteristics
Reception		Accessible via ramp described above	Height of reception desk: 112 cm
Cafeteria	Basement -1		Height of bar: 98 cm Height of table: 77 cm Height beneath table: 65 cm Width beneath table: 88 cm Depth beneath table: 70 cm



ACCESSIBILITY - VISUALLY IMPAIRED ____

Signs	
Signs the same size: yes , average	e height of 154-194 cm and a font size
of ≥ 1.5 cm	
Lettering in a colour which	Text and symbols: not in relief
contrasts with the background: yes	s: and not in Braille
Main stairs	•
Edge of stairs marked with a	:Side protection skirting board of
non-slip strip in a contrasting	≥ 12 cm on both sides: no
colour: no	0
Steps have a riser: yes	All steps are the same height: yes
The space under the stairs is block	ked off: yes
Continuous handrails on	Handrail extends at top and bottom
half-landings: no	of stairs: no
Strip of surface of a different textu	re and contrasting colour at the top
and bottom of the stairs: no	
Lifts	
Cab with audio signals: no	Control buttons in contrasting
	colour: no
Keypad with numbers in relief:	Keypad with numbers in Braille:
yes	yes



















Calle Moratín, 52 Calle Ivioratii, 28014 Madrid

Telephone: 91 524 26 26 Fax: 91 369 73 71

Web: www.radissonblu.com/pradohotel-madrid

Metro with lift: Atocha Renfe

Bus: 27 and 34



ACCESS

■ The entrance to the hotel is level with the street. It has a clearance width of 1.40 m and a slope with a 3.5% incline.

- There is a large set of inward opening wooden double doors that are always open with a clearance width of over 1.20 m. Next are two sets of identical automatic double glass doors, each with a clearance width of 120 cm. They are marked with double horizontal stripes but not in contrasting colours. The distance between each set of doors is 1.65 m.
- There is a doorbell at a height of 1.42 m.
- Before the doors is a doormat that is securely affixed to the floor.
- There is an accessible route that takes guests straight to the reception and help desk.

ACCESSIBILITY - HEARING IMPAIRED

Room	
	TV which communicates with reception: yes
•	TV has alarm clock with visual alert: yes
Bedside plug socket: yes	Entrance door with peephole: no
	Light signals to indicate a knock
services: no	at the door: no
Communal WCs	
•	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	
Visual signs indicating the floor and direction of movement, both inside and outside the cab: no	
Emergency system	



ACCESSIBILITY - PHYSICALLY DISABLED


Adapted room (No. 302)	Number of adapted rooms: 2	
On the 3 rd floor accessible via lift	Width of door: 77 cm	
Clear turning circle inside	Height of climate control: 160 cm	
(diameter): Ø 150 cm	•	
Height of bed: 56 cm	Space for access to the bed: right	
	hand side 100 cm	
Wardrobe doors: swing door	Height of hanger rail: 182 cm	
opening to 90° with doorknob	*	
Min. and max. height of wardrobe	shelves and drawers: 30 cm and	
90 cm		
Bathroom in adapted room	*	
Door: opens outwards with a width		
of 76 cm	(diameter): Ø 150 cm	
Toilet:	* Hatalat at the house have a larger 400 and	
Seat height: 40 cm	Height of flush mechanism: 100 cm	
Approach area: on right hand side	Folding grab bar on the right hand	
115 cm, on left hand side 110 cm	side: 56 – 76 cm	
and front 105 cm Folding grab bar on the left hand	Distance between bars: 65 cm	
side: 56 – 76 cm	Distance between bars. 65 cm	
Basin:	0	
Height and clearance beneath the	Tap: mixer tap easy to use	
basin: 69 cm and 60 cm	rap. Illixer tap easy to use	
Height of the lower edge of the	Min. and max. height of bathroom	
mirror: 107 cm	fittings: 75 cm	
Shower:	• mango. 10 om	
Width and depth of approach area:	Shower base: level with the floor	
120 cm and ≥ 120 cm		
Shower floor: non-slip	Shower chair or seat: fixed and	
•	folding seats	
Height and location of horizontal	Height and location of vertical grab	
grab bar: 95 cm on the same wall	bar: 95 - 183 cm to the side of the	
as the tap	tap on the same wall	
Tap: mixer tap easy to use	Height of the tap: 110 cm and	
	perpendicular to fixed shower seat	
Non-adjustable height shower	Shower screen: no	
head: 110 cm	0 0	
Adapted bathroom in	Total number of adapted toilets: 1	
communal areas	•	
Located next to the spa via lift	On basement floor -1 - Accessible	
Bathroom door: none	Cubicle door: sliding door with a	
	width of 77 cm	
Clear turning circle inside (diameter): Ø 150 cm		

Emergency alarm systems with visual alerts: no









Other amenities	Location	Access	: Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 119 cm
Cafeteria	Mezzanine	Accessible via lift	Height of bar: 116 cm Height of table: 43 cm Height beneath table 41 cm Width beneath table: 80 cm
Restaurant / Breakfast buffet	Mezzanine	Accessible via lift	Height of buffet bar: 72 - 87 cm Height of table: 76 cm Height beneath table 71 cm Width beneath table: 80 cm Depth beneath table: 30 cm
Meeting rooms 1 large one can be converted into three smaller ones	Mezzanine	Accessible via lift	Furniture changes depending on the event
	Basement -1	Accessible via lift	Hoist available for getting into the pool. No specially adapted changing rooms or toilets







ACCESSIBILITY - VISUALLY IMPAIRED

Bedrooms	
Colour of door contrasts with adjacent walls: no	Information about hotel services available in Braille: no and in large print: no
Room lighting with dimmer switch: no	TV remote control with large numbers: yes and in contrasting colours: yes
Room free of projecting elements: no	Audible signals to indicate emergency alarm: yes
Signs	
Signs the same size: yes , average 3 cm	height of 170 cm and a font size of
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille
Main stairs	
Edge of stairs marked with a non-slip strip in a contrasting colour	Side protection skirting board of :12 cm on both sides: yes
no	•
Steps have a riser: yes	•
Steps have nosing: no	All steps are the same height: yes
The space under the stairs is blocked off: yes	Handrail on either side: yes
Continuous handrails on half- landings: no	Handrail extends past the top and bottom of stairs: no
Distinctively textured and contrastin of the stairs: no	gly coloured strip at the top and bottom
Lifts	•
Cab with audio signals: yes	Control buttons in contrasting colours: yes
	Keypad with numbers in Braille: no
Distinctively textured and contrasti yes , on one of the lifts, contrasting	ngly coloured strip at entrance to lift: colour but not texture
Emergency System	
Audible alarm system in place in ca	ase of emergency: yes

462 463 **MADRID FOR ALL** ACCESSIBLE TOURISM GUIDE





RAFAEL HOTELES ATOCHA

Calle de Méndez Álvaro, 30 Madrid

Telelphone: 91 468 81 00 **Fax:** 91 468 81 20

Web: www.rafaelhoteles.com

Metro with lift: Palos de la Frontera

Bus: 8 and 102

ACCESS

- The main entrance has a step with an alternative ramp. The ramp is 3.44 m wide, 55 cm long with a non-recommended incline of 16%. The ends of the ramp are indicated by a distinctively textured floor surface, but there is no handrail.
- There is an automatic sliding glass door which is **1.66 m** wide. It is marked with horizontal strips and a logo.



ACCESSIBILITY - HEARING IMPAIRED

Room	0 0 0	
•	TV which communicates with reception: no	
,	TV has alarm clock with visual alert:	
Bedside plug socket: yes	Entrance door with peephole: no	
Written information on available	Light signals to indicate a knock	
services: yes	at the door: no	
Communal WCs	• •	
•	Cubicle doors with a gap underneath to see if there is someone inside: no	
Lifts	•	
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no	
Emergency system		
Emergency alarm systems with visual alerts: no		







ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 101)	No. of adapted rooms: 4
On 1st floor, accessible via lift	Width of door: 78.5 cm
Clear turning circle inside	Height of climate control: 137 cm
(diameter): Ø 150 cm	and another next to the bed
(4.4	86-93 cm
Height of bed: 53 cm	Space for access to the bed: right
rieight er sea. ee em	hand side 98 cm , left hand side
	123 cm
Wardrobe doors: sliding	Height of hanger rail: 174 cm
Height of wardrobe shelves and dr	awers: 68 cm
Bathroom in adapted room	aworo. 30 3111
Door: outward opening with width	Clear turning circle inside
of 78.5 cm	(diameter): Ø 150 cm
Toilet:	(diameter). Ø 130 cm
	Height of flush machanisms 77 am
Seat height: 41 cm	Height of flush mechanism: 77 cm
Approach area: left hand side	Fixed grab bar on right hand side:
110 cm, front 150 cm	85 cm
Folding grab bar on left hand	Distance between bars: 78.5 cm
side: 70-85 cm	•
Basin:	<u> </u>
Height and clearance beneath	Tap: mixer tap
the basin: 74 and 60 cm	
Height of the lower edge	Height of bathroom fittings:
of the mirror: 93 cm	81-135 cm
Shower:	•
Approach area: 120 cm	Shower base: level with floor
Shower floor: non-slip	Shower stool or chair: fixed
	and folding
Height and location of horizontal	: Has a vertical grab bar which is
grab bar: 120 cm , on the same	used for adjusting the height of the
wall as the tap	shower head
Tap: mixer tap	Height of tap: 100 cm on
	accessible wall
Adjustable shower head height:	Folding shower screen
yes	9
Adapted bathroom	No. of adapted toilets: 1
in communal area	. To to a daptod to lioto.
On ground floor , accessible	Door: outward opening with a width
on ground noor, acceptable	of 80.5 cm
Clear turning circle inside (diamete	
Tollet:	· ·
Seat height: 41 cm	Height of flush mechanism: 76 cm
Approach area: on one side	Folding grab bar on approach side:
114 cm, front 78 cm	65 cm
114 CIII, IIOIII 70 CIII	, UJ CIII







Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 102 cm
Cafeteria	Ground floor	Accessible	Height of bar: 115 cm Height of table: 70 cm Height beneath table: 67.5 cm Width beneath table: 60 cm Depth beneath table: 12 cm Tables with a central leg
Restaurant	Ground floor	Accessible	Height of table: 77 cm Height beneath table: 75 cm Width beneath table: 97 cm Depth beneath table: 90 cm
Breakfast buffet room (Cibeles Room)	First floor	Accessible via lift	Height of buffet bar: 74 cm Height of table: 74 cm Height beneath table: 72 cm Width beneath table: 60 cm Depth beneath table: 78 cm
Meeting rooms (7)	4 on ground floor, 3 on first floor	Accessible	Height of table: 74 cm Height beneath table: 72 cm Width beneath table: 60 cm Depth beneath table: 78 cm
Pool	Ground floor	Accessible	No hoist for getting into the pool. No specially adapted changing rooms or toilets
Parking	Basement -1	Accessible via lift	There is 1 parking space for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)







ACCESSIBILITY - VISUALLY IMPAIRED

Signs			
Signs the same size: yes , average height of 176-185 cm and a font size of 5 cm			
Lettering in a colour which contrasts with the background: no	Text and symbols: not in relief and not in Braille		
Main stairs	• •		
Edge of stairs marked with a non-slip strip in a contrasting colour: yes	Side protection skirting board of ≥ 12 cm on both sides: no		
Steps have a riser: yes Steps have nosing: no	All steps are the same height: yes		
The space under the stairs is blocked off: yes	Handrail on either side: on only one side		
Continuous handrails on half-landings: yes	Handrail extends at top and bottom of stairs: no		
Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no			
Lifts	• • •		
Cab with audio signals: no	Control buttons in contrasting colour: yes		
Keypad with numbers in relief: yes	Keypad with numbers in Braille: yes		

466 MADRID FOR ALL ACCESSIBLE TOURISM GUIDE 467





RAFAEL HOTELES ORENSE

Calle de Pedro Teixeira, 5 28020 Madrid

Telephone: 91 597 15 68 Fax: 91 597 12 95

Web: www.rafelhoteles.com

Metro without lift: Santiago Bernabéu

Bus: 5, 126 and 149

ACCESS

- The entrance has a single step and some stairs. There is no ramp or
- There are 2 sets of automatic sliding glass doors, which are 1.87 m wide. They are marked with horizontal strips or a logo in a contrasting colour.



ACCESSIBILITY - HEARING IMPAIRED

Room	• •
Internet connection: yes	TV which communicates with reception: yes
TV with teletext decoder: yes	TV has alarm clock with visual alert: yes
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	•
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	0
Visual signs indicating the floor and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with vis	ual alerts: no







ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 113)	No. of adapted rooms: 1
On 1 st floor, not accessible – see Lift section	Width of door: 75 cm
Clear turning circle inside (diameter): Ø 150 cm	Height of climate control: 100 cm
Height of bed: 60 cm	Space for access to the bed: right hand side 84 cm , left hand side 93 cm
Wardrobe doors: handles, easy to use	Height of hanger rail: 129 cm
Bathroom in adapted room	•
Door: outward opening with width of 75 cm	Clear turning circle inside (diameter): Ø 150 cm
Toilet:	•
Seat height: 42 cm	Height of flush mechanism: 100 cm
Approach area: left hand side 63 cm	Fixed grab bar on right hand side
Folding grab bar on left hand side	Distance between bars: 72 cm
Basin:	
Height and clearance beneath the basin: 76 and 29 cm	Tap: mixer tap
Height of the lower edge of the mirror: 93 cm	Height of bathroom fittings: 93 cm
Shower:	
Folding shower screen	Shower base: level with floor
Shower floor: non-slip	Shower stool or chair: fixed
Height and location of horizontal grab bar: 70 cm	Height and location of vertical grab bar: 70-148 cm
Tap: mixer tap	Adjustable shower head height: yes
Lifts	•
On ground floor there are 2 steps which hamper access to the lift	Height of call buttons: 107-110 cm
Width of door: 80 cm	Width and depth of cab: 98 and 134 cm
Height of lift buttons: 113-144 cm	•





ACCOMMODATION



Other	Location	Access	: Main
amenities			characteristics
Reception	Ground floor	Accessible	Height of reception desk: 107-121 cm
Cafeteria / Restaurant	Ground floor	no alternative	Height of bar: 112 cm Height of table: 73 cm Height beneath table: 68 cm Width beneath table: 58 cm Depth beneath table: 81 cm
Meeting rooms (4)	Ground floor	Up stairs, no alternative ramp	0 0 0 0 0 0 0
Parking	Basement -1 and -2	Accessible via lift	There are no parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)



ACCESSIBILITY - VISUALLY IMPAIRED

Signs				
Signs the same size: yes , average height of 170-180 cm and a font size				
of 3.5 cm				
Lettering in a colour which	Text and symbols: not in relief			
contrasts with the background: no	and not in Braille			
Main stairs	•			
Edge of stairs marked with a	Side protection skirting board of			
non-slip strip in a contrasting	≥ 12 cm on both sides: no			
colour: yes	•			
Steps have a riser: yes	All steps are the same height: yes			
Steps have nosing: no	0			
The space under the stairs is	Handrail on either side: no			
blocked off: there is none	•			
Continuous handrails on	Handrail extends at top and bottom			
half-landings: there is none	of stairs: there is none			
Strip of surface of a different texture	e and contrasting colour at the top			
and bottom of the stairs: no				
Lifts	•			
Cab with audio signals: no	Control buttons in contrasting			
_	colour: yes			
Keypad with numbers in relief:	Keypad with numbers in Braille:			
yes	no			










★★★ 4 STAR HOTELS



RAFAEL HOTELES VENTAS

Calle de Alcalá, 269 Madrid

Telephone: 91 326 16 20 **Fax:** 91 326 18 19

Web: www.rafaelhoteles.com

Metro without lift: El Carmen

Bus: 38, 106, 146, 110, 210 and N5

ACCESS

- The entrance has various steps and a ramp which is **88 cm** wide, **2.20 m** long and has a non-recommended incline of **18%**. The ramp has a handrail and is indicated by a distinctively textured and contrastingly coloured floor surface.
- There are 2 sets of manually operated swing glass doors which measure 1.16 m wide and 57 cm wide respectively. They are not marked with horizontal strips or a logo in a contrasting colour.

9

ACCESSIBILITY - HEARING IMPAIRED

Room	0 0 0
	TV which communicates with reception: no
•	TV has alarm clock with visual alert: no
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	• 0 0
	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	0 0 0
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visu	ual alerts: no

470 MADRID FOR ALL









Hoteles Ventas



Adapted room	No. of adapted rooms: 3
Accessible via lift	Width of door: 75 cm
Clear turning circle inside (diameter): Ø 150 cm	Height of climate control: 147 cm
Height of bed: 50 cm	Space for access to the bed: left hand side 70 cm , right hand side 220 cm
Height of hanger rail: 170 cm	
Bathroom in adapted room	0
Door: width of 91 cm	Clear turning circle inside (diameter): Ø 150 cm
Toilet: Insufficient transfer space	e
Seat height: 41 cm	Approach area: none ≥ 80 cm
No grab bars	0
Basin:	
Height and clearance beneath the basin: 65 cm	Tap: mixer tap
Height of the lower edge	Height of bathroom fittings:
of the mirror: 90 cm	70-120 cm
Bath:	
Height of bath: 41 cm	Tap: mixer tap at height of 60 cm
Transfer chair or platform: no	0
Lifts	•
Accessible up to the door	Height of call buttons: 90-160 cm
Width of door: 80 cm	Width and depth of cab: 108 and 130 cm

ACCESSIBILITY - PHYSICALLY DISABLED

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk:
Cafeteria / Restaurant	Ground floor	Accessible via a ramp with a width of 1.15 m, a length of 4.20 m and an adequate incline of 5%	•
Meeting rooms (4)	Ground floor	Accessible via a ramp with a width of 1.15 m, a length of 4.20 m and an adequate incline of 5%	
Parking	Basement -1	Accessible via lift	There is 1 parking space for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)



Signs				
Signs the same size: yes , average height of 150-180 cm and a font size of ≥ 1.5 cm				
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille			
Main stairs	•			
Edge of stairs marked with a	Side protection skirting board of			
non-slip strip in a contrasting	≥ 12 cm on both sides: yes			
colour: no	•			
Steps have a riser: yes	All steps are the same height: yes			
Strip of surface of a different textur	e and contrasting colour at the top			
and bottom of the stairs: no	•			
Lifts				
Cab with audio signals: no	Control buttons in contrasting			
	colour: yes			
Keypad with numbers in relief:	Keypad with numbers in Braille:			
yes	yes			





SANTOS MAYDRIT HOTEL

Calle de la Piragua, 1 28042 Madrid

Telephone: 91 196 92 00 **Fax:** 91 196 92 22

Web: www.h-santos.es

Metro with lift: El Capricho

Bus: 114 and 115

ACCESS

- The entrance is accessible and has a level surface.
- It has an automatic revolving main door. There are 2 alternative swing doors 1 m wide on either side of the revolving door.
- The swing doors are made of glass and are marked with the hotel's logo in a contrasting colour.



ACCESSIBILITY - HEARING IMPAIRED

Room	0 0 0
3	TV which communicates with reception: no
• • • • • • • • • • • • • • • • • • • •	TV has alarm clock with visual alert: yes
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	• •
•	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	0
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no
Emergency system	•
Emergency alarm systems with visu	ual alerts: no







ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 101)	No. of adapted rooms: 3
On 1st floor, accessible via lift	Width of door: 84 cm
Clear turning circle inside (diameter): Ø 150 cm	Height of climate control: 110 cm
Height of bed: 60 cm	Space for access to the bed: right hand side 180 cm , left hand side 92 cm
Wardrobe doors: no doors	Height of hanger rail: 170 cm
Height of wardrobe shelves and dr	awers: 40-50 cm
Bathroom in adapted room	
Door: sliding with width of 75 cm	Clear turning circle inside (diameter): Ø 150 cm
Toilet:	
Seat height: 40 cm	Height of flush mechanism: 100 cm
Approach area: right hand side 160 cm , front 110 cm	Folding grab bar on right hand side: 90 cm
Fixed grab bar on left hand side: 90 cm	Distance between bars: 85 cm
Basin:	:
Height and clearance beneath the basin: 78 and 53 cm	Tap: mixer tap
Height of the lower edge of the mirror: 91 cm	Height of bathroom fittings: 85 cm
Shower:	•
Approach area: 150 cm	Shower base: level with floor
Shower floor: non-slip	Shower stool or chair: fixed on wall to side of tap
Height and location of horizontal grab bar: 95 cm , on wall to the side of the tap	Height and location of vertical grab bar: 95-167 cm , on wall to the side of the tap
Tap: mixer tap	Height of tap: 90 cm on accessible wall
Adjustable shower head height: yes	No shower screen or curtain
Lifts	No. of lifts: 2, connecting all floors
Accessible up to the door	Height of call buttons: 110 cm
Width of door: 89 cm	Width and depth of cab: 130 and 160 cm
Height of lift buttons: 90-114 cm	Height of handrail: 90 cm





0.11			
	Location	Access	: Main
amenities	•		characteristics
Reception	Ground floor	Accessible	Height of reception desk: 120 cm
Communal WCs	Ground floor	Accessible	None of them are adapted for wheelchair users
Cafeteria	Ground floor	Accessible via two lengths of ramp with a ength of 147 cm a width of 290 cm and an incline of 6%. Handrail on one side	Height of bar: 116 cm Height of table: 75 cm Height beneath table: 73 cm Width beneath table: 70 cm Depth beneath table: 40 cm Tables with a central leg
Restaurant / Breakfast buffet	Ground floor	Accessible via ramp as described above	Height of buffet bar: 70-90 cm Height of table: 75 cm Height beneath table: 73 cm Width beneath table: 70 cm Depth beneath table: 40 cm Tables with a central leg
Meeting rooms (2)	Ground floor	Accessible	Height of table: 73 cm Height beneath table: 71 cm Width beneath table: 180 cm Depth beneath table: 50 cm
Pool	Ground floor	via ramp as described above	No hoist for getting into the pool. No specially adapted changing rooms or toilets
Parking	Basement -1 and -2	Accessible via lift	There are 6 parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)







ACCESSIBILITY - VISUALLY IMPAIRED —

height of 160-180 cm and a font size Text and symbols: not in relief
Text and symbols: not in relief
and not in Braille
•
Side protection skirting board of ≥ 12 cm on both sides: no
All steps are the same height: yes
Handrail on either side: on only one side
Handrail extends at top and bottom of stairs: no
re and contrasting colour at the top
•
Control buttons in contrasting colour: yes
Keypad with numbers in Braille: no

476 MADRID FOR ALL ACCESSIBLE TOURISM GUIDE





SENATOR ESPAÑA HOTEL

Gran Vía, 70 28013 Madrid

Telephone: 91 522 82 65 **Fax:** 91 522 82 64

Web: www.playasenator.com

Metro with lift: Plaza de España

Bus: 1, 2, 33, 44, 46, 74, 75, 148 and 202

ACCESS

- There is a single step in the main entrance. A mobile ramp is available, the use of which must be requested in advance. The ramp is 90 cm long and has a non-recommended incline of 16%.
- There is a manually opened glass door which is 1.64 m wide. It carries markings in a contrasting colour.

CCESSIBILITY - HEARING IMPAIRED

	Room	0 0
	· · · · · · · · · · · · · · · · · · ·	TV which communicates with
		reception: no
	TV with teletext decoder: yes	TV has alarm clock with visual alert:
		yes
ĺ	Bedside plug socket: yes	Entrance door with peephole: no
	Written information on available	Light signals to indicate a knock
	services: yes	at the door: no
	Communal WCs	
	Door lock with visual aid to indicate	Cubicle doors with a gap
	either free or occupied: no	underneath to see if there is
		someone inside: no
	Lifts	
	Visual signs indicating the floor	Emergency button with a light
	and direction of movement, both	to show that the emergency call
	inside and outside the cab: yes	has been received: no
	Emergency system	
	Emergency alarm systems with visu	ual alerts: no







ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 101)	No. of adapted rooms: 3
Accessible via lift	Width of door: 78 cm
Clear turning circle inside	Height of climate control:
(diameter): Ø 150 cm	147-155 cm
Height of bed: 55 cm	Space for access to the bed: right
	hand side 97 cm
Height of wardrobe shelves	Height of hanger rail: 185 cm
and drawers: 124-125 cm	•
Bathroom in adapted room	
Door: sliding with a width of	Clear turning circle inside
80 cm	∜(diameter): Ø 150 cm
Toilet:	•
Seat height: 42 cm	•
Approach area: on one side	Folding grab bar on approach side
123 cm	
Fixed grab bar on opposite side	Distance between bars: 55 cm
Basin:	•
Height of bathroom fittings:	Tap: mixer tap
154 cm	•
Height of the lower edge of the mir	ror: 90 cm
Bath:	•
Height of bath: 47 cm	No horizontal grab bar
Height of vertical grab bar:	Tap: mixer tap at height of 75 cm
52-69 cm	•
Adapted bathroom	No. of adapted toilets: 2
in communal area	
On floors -1 and -2, accessible	Door: width of 92 cm
via lift. There are also 3 steps,	•
with alternative ramp	
Clear turning circle inside (diamete	er): Ø 150 cm
Toilet:	
Seat height: 42 cm	Height of flush mechanism: 76 cm
Approach area: right hand side 93 cm	Folding grab bar on right hand side
Folding grab bar on left hand side	Distance between bars: 58 cm
Basin:	Dictarios between bars. 55 cm
Height and clearance beneath	Tap: automatic with sensor
the basin: 75 cm and 30 cm	iap. aatomatio with ochool
Height of the lower edge	Height of bathroom fittings:
of the mirror: 100 cm	112-129 cm
OF GIO HILLOTT 100 OH	120 0







Other amenities	Location	7.10000	Main characteristics
Reception	Ground floor	,	Height of reception desk: 113 cm
Cafeteria	Ground floor		Height of bar: 108 cm Height of table: 70 cm Width beneath table: 110 cm Depth beneath table: 67 cm
Restaurant / Breakfast buffet	Basement -1	via lift	Height of table: 74 cm Height beneath table: 72 cm Width beneath table: 74 cm Depth beneath table: 33 cm
Pool and Spa		Accessible via lift. Followed by three steps and no alternative ramp	No hoist for getting into the pool. No specially adapted changing rooms or toilets. Narrow doorways and not sufficiente space for a wheelchair to turn around











ACCESSIBILITY - VISUALLY IMPAIRED

Signs		
Signs the same size: yes, average height of 132-175 cm and a font		
of 2-3-5 cm		
	Text and symbols: not in relief	
contrasts with the background: yes and not in Braille		
Main stairs	• •	
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting	≥ 12 cm on both sides: yes	
colour: no	•	
Steps have a riser: yes	All steps are the same height: yes	
Steps have nosing: yes	0	
The space under the stairs is	Handrail extends at top and bottom	
blocked off: there is none	of stairs: yes	
Lifts	•	
Cab with audio signals: no	Control buttons in contrasting	
	colour: yes	
Keypad with numbers in relief:	Keypad with numbers in Braille:	
yes	yes	





SENATOR GRAN VÍA HOTEL

Gran Vía, 21 Gran Vıa, ∠ı 28010 Madrid

Telephone: 91 531 41 51 Fax: 91 524 07 99

Web: www.hotelsenatorgranvia.com

Metro with lift: Callao Metro without lift: Gran Vía

Bus: 1, 2, 3, 40, 46, 74, 146, 149, 202, N16, N17 and N18

ACCESS

- The entrance is accessible and has a level surface.
- The main door revolves. Next to it is a manually opening swing door, which is more than 80 cm wide.
- Both doors are glazed and are not marked with horizontal strips or a logo in a contrasting colour.



CESSIBILITY - HEARING IMPAIRED

Room	•
Internet connection: no	TV which communicates with reception: no
TV with teletext decoder: no	TV has alarm clock with visual alert: yes
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available services: yes	Light signals to indicate a knock at the door: no
Communal WCs	
Door lock with visual aid to indicate either free or occupied: no	e Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	
Visual signs indicating the floor and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visual alerts: no	







Adapted room (No. 801)	No. of adapted rooms: 1
On 8th floor, accessible via lift	Width of door: 80 cm
Clear turning circle inside	Height of climate control:
(diameter): Ø 150 cm	with remote control
Height of bed: 54 cm	Space for access to the bed: right
	hand side 100 cm, left hand side
	:100 cm
Wardrobe doors: sliding	Height of hanger rail: 185 cm
Height of wardrobe shelves and dra	awers: 50 cm
Bathroom in adapted room	
Door: outward opening with	Clear turning circle inside
width of 76.5 cm	(diameter): Ø 150 cm
Toilet:	
Seat height: 42 cm	Height of flush mechanism: 74 cm
Approach area: neither side	Folding grab bar on right hand side
not front ≥ 80 cm	
Folding grab bar on left hand side	Distance between bars: 69 cm
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 86 and 52 cm	•
Height of the lower edge	Height of bathroom fittings:
of the mirror: 111 cm	120-125 cm
Shower:	
No grab bars	Shower base: level with floor
Shower floor: non-slip	Shower stool or chair: fixed
Adapted bathroom in communal	area
Accessible via lift	Door: width of 76.5 cm
Clear turning circle inside (diamete	r): Ø 150 cm
Toilet:	
Seat height: 42 cm	Height of flush mechanism: 75 cm
Approach area: on one side 72 cm	Folding grab bar on approach side
Fixed grab bar on opposite side	Distance between bars: 75.5 cm
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 67 cm and 52 cm	•
Height of the lower edge	Height of bathroom fittings:
of the mirror: 88 cm	101-110 cm
0 0	101-110 0111

MADRID FOR ALL ACCESSIBLE TOURISM GUIDE





Lifts	• •
Accessible up to the door	Height of call buttons: 118-125 cm
Width of door: 89 cm	Width and depth of cab:
	111 and 206 cm
Height of lift buttons: 103-129 cm	0

Other amenities	Location	Access	Main characteristics
Reception	Ground floor		Height of reception desk: 94.5-117 cm
Cafeteria	Ground floor		Height of table: 74 cm Depth beneath table: 30 cm
Restaurant / Breakfast buffet	Ground floor	via a ramp	Height of table: 76 cm Height beneath table: 72 cm Depth beneath table: 34 cm
Meeting rooms (1)	Ground floor	Accessible	









ACCESSIBILITY - VISUALLY IMPAIRED ___

Signs				
S	Signs the same size: yes, average height of 150-200 cm and a font size			
0	f ≥ 1.5 cm			
		Text and symbols: not in relief		
C	ontrasts with the background: no	and not in Braille		
	lain stairs	0 0 0		
Е	dge of stairs marked with a	All steps are the same height: yes		
	on-slip strip in a contrasting	•		
C	olour: no	• •		
Н	landrail extends at top and bottom	of stairs: yes		
S	trip of surface of a different texture	e and contrasting colour at the top		
а	nd bottom of the stairs: no			
L	ifts			
C	ab with audio signals: no	Control buttons in contrasting		
		colour: yes		
K	eypad with numbers in relief:	Keypad with numbers in Braille:		
У	es	yes		

484 485 **MADRID FOR ALL** ACCESSIBLE TOURISM GUIDE





PUERTA MADRID

SILKEN PUERTA MADRID HOTEL

Calle de Juan Rizi, 5 Calle de Juan 28027 Madrid

Telephone: 91 743 83 00 **Fax:** 91 743 83 01

Web: www.hoteles-silken.com

Metro: Suances

Bus: 114 and 115

ACCESS

- The entrance is accessible and has a level surface.
- There is a revolving main door which is 2.20 m wide. There is a control for the door, located at 1.0 m from the ground, which can stop the door or reduce the speed of its revolutions.
- Next to the revolving door is a manually opened swing door 1.31 m wide.
- Both doors are made of glass and are not marked with horizontal strips or a logo in a contrasting colour.



CESSIBILITY - HEARING IMPAIRED

Room	e e
Internet connection: yes	TV which communicates with reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert: no
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	• •
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	•
Visual signs indicating the floor and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with vis	ual alerts: no







ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room	No. of adapted rooms: 4
On 18th floor, accessible via lift	Width of door: 85.5 cm
Clear turning circle inside	Height of climate control: 153 cm
(diameter): Ø 150 cm	•
Height of bed: 49 cm	Space for access to the bed: right
	hand side 97 cm , left hand side
	166 cm
Wardrobe doors: with knobs,	Height of hanger rail: 170 cm
difficult to open	0
Height of wardrobe shelves and di	rawers: 15-169 cm
Bathroom in adapted room	
Door: sliding with a width of	Clear turning circle inside
80 cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 42 cm	Height of flush mechanism: 80 cm
Approach area: on one side	No grab bar for transfer from the
105 cm, on front 170 cm	chair
Basin:	0
Height and clearance beneath	Tap: mixer tap
the basin: 72 and 30 cm	•
Height of the lower edge	Height of bathroom fittings:
of the mirror: 30 cm	130-155 cm
Bath:	•
Height of bath: 44 cm	Height of horizontal grab bar:
	70-75 cm
Transfer platform: no	Adjustable shower-head height:
	yes, 70 cm
Tap: mixer tap	Shower curtain
Adapted bathroom in communa	l area
On floor -1 accessible via lift	Door: sliding door, width of
	96.5 cm
Clear turning circle inside (diameter	er): Ø 150 cm
Toilet:	
Seat height: 42 cm	•
Approach area: on one side	No grab bar for transfer to the chair
114 cm , front 85 cm	•
Basin:	0
Height and clearance beneath	Tap: mixer tap
the basin: 60 cm and 23.5 cm	0
Height of the lower edge	Height of bathroom fittings: 124 cm
of the mirror: 85 cm	•







Other amenities	Location	Access	: Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 111 cm
Cafeteria	Ground floor	Accessible	Height of bar: 112 cm Height of table: 40 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 85 cm Height of table: 76 cm Height beneath table: 73 cm Width beneath table: 104 cm Depth beneath table: 53 cm
Meeting rooms (4)	Ground floor	Accessible	Height of table: 73 cm Height beneath table: 61 cm Width beneath table: 140 cm Depth beneath table: 50 cm
Parking	Basement -1	Accessible via lift	There are no parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)





Puerta Madrid





ACCESSIBILITY - VISUALLY IMPAIRED

Signs			
Signs the same size: yes , average height of 150-180 cm and a font size			
of ≥ 1.5 cm			
Lettering in a colour which	Text and symbols: not in relief		
contrasts with the background: yes	s: and not in Braille		
Main stairs	•		
Edge of stairs marked with a	Side protection skirting board of		
non-slip strip in a contrasting	≥ 12 cm on both sides: yes		
colour: yes	•		
Steps have a riser: yes	All steps are the same height: yes		
Steps have nosing: no	•		
The space under the stairs is	Handrail on either side: yes		
blocked off: there is none	•		
Continuous handrails on	Handrail extends at top and bottom		
half-landings: yes	of stairs: yes		
Strip of surface of a different texture and contrasting colour at the top			
and bottom of the stairs: yes			
Lifts	•		
Cab with audio signals: yes	Control buttons in contrasting		
	colour: yes		
Keypad with numbers in relief:	Keypad with numbers in Braille:		
yes	yes		

488 MADRID FOR ALL ACCESSIBLE TOURISM GUIDE 489









Clement Barajas





Calle de Timón, 35 28042 Madrid

Telephone: 91 301 07 21 **Fax:** 91 305 88 77

Web: www.tach-hotel.es

Metro with lift: Barajas

Bus: 105 and 115



ACCESS

- The main entrance of the hotel is accessible and has a level surface.
- Entry is gained through two sets of automatic sliding glass doors, which are 1.20 m wide. They are marked with an arrow in a contrasting colour.



CESSIBILITY - HEARING IMPAIRED

Room		
	TV which communicates with reception: no	
-	TV has alarm clock with visual alert:	
Bedside plug socket: yes	Entrance door with peephole: yes	
Written information on available	Light signals to indicate a knock	
services: yes	at the door: no	
Communal WCs		
	Cubicle doors with a gap underneath to see if there is someone inside: no	
Lifts		
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no	
Emergency system		
Emergency alarm systems with visual alerts: no		



Adapted room (No. 101)	No. of adapted rooms: 2
On 1st floor, accessible via lift	Width of door: 76 cm
Clear turning circle inside	Height of climate control: 165 cm
(diameter): Ø 150 cm	0 0
Height of bed: 55 cm	Space for access to the bed: space
	between the beds 100 cm
Wardrobe doors: sliding, with	Height of hanger rail: 170 cm
handles, difficult to open	•
Height of wardrobe shelves and dra	awers: 60-180 cm
Bathroom in adapted room	
Door: outward opening with	Clear turning circle inside
width of 77 cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 44 cm	Height of flush mechanism: 100 cm
Approach area: right hand side	Folding grab bar opposite toilet at a
117 cm , front 40 cm	height of 70-86 cm
No side grab bar	
Basin:	•-
Height and clearance beneath the	Tap: mixer tap
basin: 78 and 50 cm	*
Height of the lower edge of the	Height of bathroom fittings: 90 cm
mirror: 110 cm	•
Shower:	Chaver been level with floor
Approach area: 130 cm Shower floor: non-slip	Shower base: level with floor Shower stool or chair: mobile
Height and location of horizontal	No vertical grab bar
grab bar: 90 cm on wall to side	ino vertical grab bal
of tap	• •
Tap: mixer tap	Height of tap: 120 cm
Adjustable shower-head height: yes	
Adapted bathroom	No. of adapted toilets: 1
in communal area	ino. of adapted tollets. I
On ground floor , accessible	Door: inward opening with a width
on ground noor, accounts	of 90 cm
Clear turning circle inside (diamete	
Toilet: Fixed grap bar is 60 cm av	way an cannot be used
Seat height: 47 cm	Height of flush mechanism: 100 cm
Approach area: left hand side	No grab bar on right hand side
155 cm, front 105 cm	
Folding grab bar on left hand side:	80 cm
Basin:	
Height and clearance beneath	Tap: mixer tap
the basin: 60 cm and 60 cm	0
Height of the lower edge	Height of bathroom fittings:
of the mirror: 110 cm	90-110 cm







Other amenities	Location	Access	: Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 70 and 110 cm
Cafeteria / Dining	Ground floor	Accessible	Height of bar: 110 cm Height of table: 76 cm Height beneath table: 70 cm Width beneath table: 70 cm Depth beneath table: 30 cm Tables with central leg
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 91 cm Height of table: 76 cm Height beneath table: 70 cm Width beneath table: 70 cm Depth beneath table: 30 cm Tables with central leg
Meeting rooms (1)	Ground floor	Accessible	Height of table: 73 cm Height beneath table: 70 cm Width beneath table: 190 cm Depth beneath table: 52 cm
Parking	Basement -1	Accessible via lift	There are 3 parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)







Tach Clement Barajas



ACCESSIBILITY - VISUALLY IMPAIRED _

Signs			
	height of 160-180 cm and a font size		
of ≥ 1.5 cm			
Lettering in a colour which	Text and symbols: not in relief		
contrasts with the background: yes	and not in Braille		
Main stairs	•		
Edge of stairs marked with a	Side protection skirting board of		
non-slip strip in a contrasting	≥ 12 cm on both sides: yes		
colour: yes	•		
Steps have a riser: yes	All steps are the same height: yes		
Steps have nosing: yes	•		
The space under the stairs is	Handrail on either side: yes		
blocked off: yes	•		
Continuous handrails on	Handrail extends at top and bottom		
half-landings: yes	of stairs: no		
Strip of surface of a different texture and contrasting colour at the top			
and bottom of the stairs: no			
Lifts	•		
Cab with audio signals: no	Control buttons in contrasting		
	colour: yes		
Keypad with numbers in relief:	Keypad with numbers in Braille:		
yes	no		





TRYP MADRID ALAMEDA AEROPUERTO

Avenida de Logroño, 100 28042 Madrid

Telephone: 91 747 48 00 Fax: 91 747 89 82

Web: www.tryphotels.com

Metro with lift: Barajas

Bus: 105 and 11

ACCESS

- The entrance to the hotel is level with the street. It has a clearance width of **1.50 m**.
- The main entranceway has two **17 cm** high steps, with an alternative ramp provided to the right of the steps.
- The ramp is accessible, **3.15 m** in length with a **10.7%** incline. It has a clearance width of **1.20 m** with a handrail on one side that does not extend past either end of the ramp. At the foot of the ramp, there is a small grate that collects rainwater, but the slots run in the direction of travel potentially causing wheelchair wheels to become stuck.
- The main entranceway is not accessible and consists of a rotating glass door with a clearance width of 1.35 m. On either side of the swing door are single manually opened glass doors. Each has a clearance width of 63 cm. All doors are marked with the hotel logo in contrasting colours.
- Before the doors is a doormat that is not securely affixed to the ground.
- There is an accessible route that takes guests straight to the reception and help desk.







Madrid Alameda Aeropuerto



ACCESSIBILITY - HEARING IMPAIRED

Room	
,	TV which communicates with reception: yes
	TV has alarm clock with visual alert:
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: no	at the door: no
Communal WCs	
	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	
_	
Emergency system	
Emergency alarm systems with visu	ual alerts: no



ACCESSIBILITY - PHYSICALLY DISABLED-

Adapted room (No. 145)	Number of adapted rooms: 1
On the ground floor access	Width of door: 85 cm
feasible using a ramp and lift	•
Clear turning circle inside	Height of climate control: 154 cm
(diameter): Ø 150 cm	0
Height of bed: 54 cm	Space for access to the bed: right hand side 180 cm left hand side 98 cm
	Height of hanger rail: 170 cm
sliding doors without handle	^
Min. and max. height of wardrobe shelves and drawers: 40 cm and	
176 cm	
Bathroom in adapted room	0
	Clear turning circle inside
of 87 cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 40 cm	Height of flush mechanism: 75 cm
Approach area: on right hand side	Folding grab bar on the right hand
135 cm and front 91 cm	side: 50 – 70 cm
Fixed bevelled grab bar on the left hand side at a height of 70-90 cm	Distance between bars: 75 cm













Basin:	
Height and clearance beneath the	Tap: mixer tap easy to use
basin: 64 cm and 57 cm	•
Height of the lower edge of the	Min. and max. height of bathroom
mirror: 87 cm	fittings: 100 cm and 120 cm
Shower:	•
Width and depth of approach area: 120 cm and 130 cm	•
Shower floor: non-slip	Shower chair or seat: fixed and folding seats
Height and location of horizontal	Height and location of vertical grab
grab bar: 47 – 68 cm on wall next	bar: 115 – 153 cm
to tap, on same wall as tap and	0 0
one on either side	0
Tap: mixer tap easy to use	Height of the tap: 125 cm and perpendicular to fixed shower seat
Adjustable height shower head:	Shower screen: just a shower
145 - 195 cm	curtain
Adapted bathroom in	Total number of adapted toilets: 2,
communal areas	an adapted cubicle in toilets closest
	to reception desk and Gym. Male
I posted post to the recention and	toilets share similar characteristics.
Located next to the reception and	On ground floor. Access feasible via two sets of ramps measuring
gym	510 cm and 465 cm in length with
	14% inclines. Both are 130 cm wide
Bathroom door: inward opening	Cubicle door: outward opening with
with a width of 86 cm	a width of 83 cm
Clear turning circle inside (diamete	
Toilet:	,
Seat height: 40 cm	Height of flush mechanism: 110 cm
Approach area: left hand side	Fixed bevelled grab bar at a height
110 cm and frontal 76 - 98 cm	of 107 cm
Folding grab bar on the left hand	Distance between bars: 64 cm
side at a height of 53 – 74 cm	•
Basin:	•
Height and clearance beneath the basin: 68 cm and 60 cm	Tap: mixer tap easy to use
Height of the lower edge of the	Min. and max. height of bathroom
mirror: 95 cm	fittings: 120 cm and 140 cm
	· · · · · · · · · · · · · · · · · · ·

	Mauriu Alameua Aeropuerto
Lifts	Total number of lifts: 2
Floors served: all floors	Access feasible via two sets of ramps measuring 510 cm and 465 cm in length with 14% inclines. Both are 130 cm wide with a handrail on one side but it does not extend past either end. Neither ends of the ramp have a distinctively textured and contrastingly coloured strip
Height of call buttons: 102 – 109 cm	Width of door: 80 cm
Width and depth of cab: 100 and 121 cm	Min. and max. height of the call buttons: 105 cm and 120 cm
Height of handrail: none	Mirror opposite the door: no

Other amenities	Location	Access	: Main : characteristics
Reception	Ground floor	Accessible	Height of reception desk:
Cafeteria	Lower part of ground floor	Access feasible via a ramp – described earlier in Adapted bathroom in communal areas	Height of bar: 104 cm Height of table: 76 cm Height beneath table 72 cm Width beneath table: 60 cm Depth beneath table: 37 cm
Restaurant / Breakfast buffet	Lower part of ground floor	Access feasible via a ramp – described earlier in Adapted bathroom in communal areas	Height of buffet bar: 90 cm Height of table: 76 cm Height beneath table 72 cm Width beneath table: 60 cm Depth beneath table: 37 cm

496

ACCESSIBLE TOURISM GUIDE 497



Parking

Basement

-1 and -2

floors







★★★★ 4 STAR HOTELS

Madrid Alameda Aeropuerto



ACCESSIBILITY - VISUALLY IMPAIRED

Bedrooms		
Colour of door contrasts with adjacent walls: no	Information about hotel services available in Braille: no and in large print: no	
Room lighting with dimmer switch: no	TV remote control with large numbers: yes and in contrasting colours: yes	
Room free of projecting elements: no	Audible signals to indicate emergency alarm: yes	
Signs		
Signs the same size: yes , average <mark>3 cm</mark>	height of 170 cm and a font size of	
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille	
Main stairs	•	
Edge of stairs marked with a non-slip strip in a contrasting colour	Side protection skirting board of :12 cm on both sides: yes	
no		
Steps have a riser: yes	•	
Steps have nosing: no	All steps are the same height: yes	
The space under the stairs is blocked off: yes	Handrail on either side: no, on one side only	
Continuous handrails on half- landings: no	Handrail extends past the top and bottom of stairs: no	
Distinctively textured and contrastingly coloured strip at the top and bottom of the stairs: no		
Lifts		
Cab with audio signals: no	Control buttons in contrasting colours: yes	
Keypad with numbers in relief: yes Keypad with numbers in Braille: yes		
Distinctively textured and contrastingly coloured strip at entrance to lift:		
no		
Emergency System		
Audible alarm system in place in case of emergency: yes		



		bathroom in communal areas	0 0 0 0 0 0 0 0 0
	Lower part of ground floor	feasible via a ramp – described	Accessible shower but no specially adapted changing rooms or toilets. Access to the sauna means negotiating a 10 cm step

communal areas Accessible

There are 2 parking space

reserved for people with

reduced mobility (PRM),

indicated by the disabled parking sign (ISA). The reserved parking spaces have a lateral approach area

of **120 cm**

described earlier in **Adapted**

498 499 **MADRID FOR ALL ACCESSIBLE TOURISM GUIDE**











VINCCI CAPITOL HOTEL

Calle Gran Vía, 41 Calle Gran Via 28013 Madrid

Telephone: 91 521 83 91 **Fax:** 91 521 77 29

Web: www.vinccihoteles.com **Web:** www.vinceinotoics.s... **E-mail:** capitol@vinccihoteles.com

Metro with lift: Sol and Callao

Bus: 1, 2, 3, 46, 74 and 146



- The main entrance along the Gran Vía has 3 steps. Wheelchair users can access the hotel along calle Jocometre.
- In front of the door is a ramp 84 cm long, 1.71 m wide with a steep incline of 21.2%.
- The door is made of glass, opens outwards and is **79 cm** wide. It is marked with the hotel's logo, but not in a contrasting colour.

CESSIBILITY - HEARING IMPAIRED

Room	0 0
Internet connection: yes	TV which communicates with reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert: no
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available services: yes	Light signals to indicate a knock at the door: no
Communal WCs	•
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Panoramic Lift	
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no
Lifts	
and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visual alerts: yes	

MADRID FOR ALL



ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 601)	No. of adapted rooms: 3	
On 6 th floor, accessible via lift	Width of door: 77 cm	
Clear turning circle inside	Height of climate control: 160 cm	
(diameter): Ø 150 cm	•	
Height of bed: 58 cm	Space for access to the bed: right	
•	hand side 155 cm , left hand side	
	91 cm	
Wardrobe doors: swing doors	Height of hanger rail: two heights	
180°, easy to open	123 cm and 200 cm	
Height of wardrobe shelves and dr	awers: there are none	
Bathroom in adapted room		
Door: sliding with width of 77 cm	Clear turning circle inside	
-	(diameter): Ø 150 cm	
Toilet. The sink, located right ne	xt to the toilet hampers lateral whe-	
elchair access	•	
Seat height: 47 cm	Height of flush mechanism: 90 cm	
Approach area: front 150 cm ,	Folding grab bar on right hand side:	
right hand side 21 cm	74 cm	
Fixed grab bar on left hand side:	Distance between bars: 61 cm	
74 cm	•	
Basin:	•	
Height and clearance beneath	Tap: mixer tap	
the basin: 80 and 55 cm	•	
Height of the lower edge	Height of bathroom fittings:	
of the mirror: 110 cm	83-165 cm	
Shower:	•	
Approach area: 150 cm	Shower base: level with floor	
Shower floor: non-slip	Shower chair: mobile	
Height and location of horizontal	Height and location of vertical grab	
grab bar: 84 cm on same wall	bar: there is none	
as tap	•	
Tap: mixer tap	Height of tap: 100 cm on accessible	
·	wall	
Adjustable shower-head height:	No shower screen	
yes	•	
Adapted bathroom	No. of adapted toilets: 1	
in communal area	•	
On first floor, accessible via lift	Door: inward opening with a width	
ŕ	of 87 cm	
Clear turning circle inside (diameter): Ø 150 cm		
Toilet:	•	
Seat height: 40 cm	Height of flush mechanism: 80 cm	
Approach area: front 150 cm	No grab bar on right hand side	
Fixed grab bar on left hand side: 8		







Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 120 cm
Restaurant / Cafeteria	First floor	Accessible via lift	Height of bar: 122 cm Height of table: 75 cm Height beneath table: 70 cm Width beneath table: 603 cm Depth beneath table: 48 cm
Breakfast buffet	First floor	Accessible via lift	Height of buffet bar: 93 cm Height of table: 77 cm Height beneath table: 73 cm Width beneath table: 80 cm Depth beneath table: 37 cm







ACCESSIBILITY - VISUALLY IMPAIRED

Signs	
	icating the room number average
height of 50-150 cm and a font size	e of 35 cm
	Text and symbols: not in relief
contrasts with the background: yes	and not in Braille
Main stairs	• •
	Side protection skirting board of
non-slip strip in a contrasting	≥ 12 cm on both sides: yes
colour: yes, without	0 0
contrasting colour	0
Steps have a riser: yes	All steps are the same height: no
Steps have nosing: yes	0
The space under the stairs is	Handrail on either side: yes
blocked off: yes	6 6 a
Strip of surface of a different texture	e and contrasting colour at the top
and bottom of the stairs: no	
Lifts	
Cab with audio signals: no	Control buttons in contrasting
	colour: yes
Keypad with numbers in relief:	Keypad with numbers in Braille:
yes	yes









★★★★ 4 STAR HOTELS

ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 201)	No. of adapted rooms: 3
On 2 nd floor, accessible via lift	Width of door: 80 cm
Clear turning circle inside (diameter): Ø 150 cm	Height of climate control: 150 cm
Height of bed: 55 cm	Space for access to the bed: left hand side 240 cm
Wardrobe doors: handles, easy to open	Height of hanger rail: 190 cm
Height of wardrobe shelves and dr	awers: 150 cm
Bathroom in adapted room	
Door: sliding with width of 87 cm	Clear turning circle inside (diameter): Ø 150 cm
	ext to the toilet hampers lateral whe-
elchair access	
Seat height: 41 cm	Height of flush mechanism: 78 cm
Approach area: right hand side 100 cm , front 57 cm	Folding grab bar on right hand side: 57-73 cm
Fixed grab bar on left hand side:	Distance between bars: 65 cm
57 cm	•
Basin:	
Height and clearance beneath the basin: 73 and 46 cm	Tap: mixer tap
	Tap: mixer tap Height of bathroom fittings: 100 cm
the basin: 73 and 46 cm Height of the lower edge	•
the basin: 73 and 46 cm Height of the lower edge of the mirror: 80 cm	•
the basin: 73 and 46 cm Height of the lower edge of the mirror: 80 cm Shower:	Height of bathroom fittings: 100 cm Shower base: with a 2 cm lip
the basin: 73 and 46 cm Height of the lower edge of the mirror: 80 cm Shower: Approach area: 105 cm	Height of bathroom fittings: 100 cm Shower base: with a 2 cm lip around it
the basin: 73 and 46 cm Height of the lower edge of the mirror: 80 cm Shower: Approach area: 105 cm Shower floor: non-slip	Height of bathroom fittings: 100 cm Shower base: with a 2 cm lip around it Shower chair: mobile Has a vertical grab bar which is used for adjusting the height of the
the basin: 73 and 46 cm Height of the lower edge of the mirror: 80 cm Shower: Approach area: 105 cm Shower floor: non-slip No horizontal grab bar Tap: mixer tap Adapted bathroom	Height of bathroom fittings: 100 cm Shower base: with a 2 cm lip around it Shower chair: mobile Has a vertical grab bar which is used for adjusting the height of the shower head Height of tap: 120 cm on
the basin: 73 and 46 cm Height of the lower edge of the mirror: 80 cm Shower: Approach area: 105 cm Shower floor: non-slip No horizontal grab bar Tap: mixer tap Adapted bathroom in communal area	Height of bathroom fittings: 100 cm Shower base: with a 2 cm lip around it Shower chair: mobile Has a vertical grab bar which is used for adjusting the height of the shower head Height of tap: 120 cm on accessible wall
the basin: 73 and 46 cm Height of the lower edge of the mirror: 80 cm Shower: Approach area: 105 cm Shower floor: non-slip No horizontal grab bar Tap: mixer tap Adapted bathroom	Height of bathroom fittings: 100 cm Shower base: with a 2 cm lip around it Shower chair: mobile Has a vertical grab bar which is used for adjusting the height of the shower head Height of tap: 120 cm on accessible wall
the basin: 73 and 46 cm Height of the lower edge of the mirror: 80 cm Shower: Approach area: 105 cm Shower floor: non-slip No horizontal grab bar Tap: mixer tap Adapted bathroom in communal area	Height of bathroom fittings: 100 cm Shower base: with a 2 cm lip around it Shower chair: mobile Has a vertical grab bar which is used for adjusting the height of the shower head Height of tap: 120 cm on accessible wall No. of adapted toilets: 2 Door: inward opening with a width of 83 cm
the basin: 73 and 46 cm Height of the lower edge of the mirror: 80 cm Shower: Approach area: 105 cm Shower floor: non-slip No horizontal grab bar Tap: mixer tap Adapted bathroom in communal area On ground floor, accessible Clear turning circle inside (diameter Toilet: Seat height: 41 cm	Height of bathroom fittings: 100 cm Shower base: with a 2 cm lip around it Shower chair: mobile Has a vertical grab bar which is used for adjusting the height of the shower head Height of tap: 120 cm on accessible wall No. of adapted toilets: 2 Door: inward opening with a width of 83 cm er): Ø 150 cm Height of flush mechanism: 79 cm
the basin: 73 and 46 cm Height of the lower edge of the mirror: 80 cm Shower: Approach area: 105 cm Shower floor: non-slip No horizontal grab bar Tap: mixer tap Adapted bathroom in communal area On ground floor, accessible Clear turning circle inside (diameter Toilet:	Height of bathroom fittings: 100 cm Shower base: with a 2 cm lip around it Shower chair: mobile Has a vertical grab bar which is used for adjusting the height of the shower head Height of tap: 120 cm on accessible wall No. of adapted toilets: 2 Door: inward opening with a width of 83 cm er): Ø 150 cm



VINCCI SOHO HOTEL

Calle del Prado, 18 Calle del Frau. 28014 Madrid

Telephone: 91 141 41 00 Fax: 91 141 41 01

Web: www.vinccihoteles.com

Metro without lift: Antón Martín

Bus: 6, 10, 14 26, 27, 32, 34, 37 and 45

ACCESS

- The main entrance is accessible and has a level surface.
- There is an automatic, sliding, glass door which is **1.45 m** wide. It is not marked with horizontal strips or a logo in a contrasting colour.
- The reception area is reached by way of a ramp which is **4.0 m** wide, 1.60 m long and which has a non-recommended incline of 17.6%. There is no handrail, and its ends are not indicated by a distinctively textured or contrastingly coloured floor surface.



CESSIBILITY - HEARING IMPAIRED

	•
Room	0 0 0
	TV which communicates with reception: no
•	TV has alarm clock with visual alert: yes
Bedside plug socket: no	Entrance door with peephole: no
	Light signals to indicate a knock at the door: no
Communal WCs	
	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	0
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visu	ual alerts: no

504

79 cm

84 cm, front **130 cm**









Folding grab bar on left hand side: 79 cm Basin: Height and clearance beneath the basin: 70 cm and 42 cm Height of the lower edge of the mirror: 100 cm Lifts Lift 1 No. of lifts 2. Connect reception with upper floors as far as the 4th floor Accessible up to the door Width of door: 80 cm Height of lift buttons: 114 cm Height of lift buttons: 114 cm Height of loor: 80 cm Width and depth of cab: 110 and 115 cm Height of loor: 80 cm Width of door: 80 cm Width and depth of call buttons: 94-120 cm Width of door: 80 cm Height of lift buttons: 94 cm Lift 3 Height of lift buttons: 94 cm Lift 3 No. of lifts 2. Connect reception with upper floors as far as the 6th floor Width and depth of cab: 92 and 131 cm Height of lift buttons: 94 cm Lift 3 No. of lifts 2. Connect reception with upper floors as far as the 6th floor Width and depth of cab: 92 and 131 cm Height of handrail: 80 and 103 cm No. of lifts 2. Connect 1st floor with upper floors as far as the 4th floor Width and depth of cab: 98 and 122 cm Height of lift buttons: 111 cm Height of lift buttons: 110 cm Height of lift buttons: 111 cm		•
Height and clearance beneath the basin: 70 cm and 42 cm Height of the lower edge of the mirror: 100 cm Lifts Lift 1 Accessible up to the door Width of door: 80 cm Height of lift buttons: 114 cm Lift 2 No. of lifts 2. Connect reception with upper floors as far as the 4th floor Height of call buttons: 112 cm Width and depth of cab: 110 and 115 cm Height of lift buttons: 114 cm Lift 2 No. of lifts 2. Connect reception with upper floors as far as the 6th floor No. of lifts 2. Connect reception with upper floors as far as the 6th floor Height of call buttons: 94-120 cm Width and depth of cab: 92 and 131 cm Height of lift buttons: 94 cm Lift 3 No. of lifts 2. Connect reception with upper floors as far as the 6th floor Height of call buttons: 94-120 cm Width and depth of cab: 92 and 103 cm No. of lifts 2. Connect 1th floor Width and depth of cab: 92 and 131 cm Height of call buttons: 111 cm Width are 4 steps with no alternative ramp Width of door: 80 cm Width and depth of cab: 98 and 122 cm		Distance between bars: 61 cm
Height of the lower edge of the mirror: 100 cm Lifts Lift 1 No. of lifts 2. Connect reception with upper floors as far as the 4th floor Height of lift buttons: 114 cm Lift 2 No. of lifts 2. Connect reception with upper floors as far as the 4th floor Height of lift buttons: 114 cm Lift 2 No. of lifts 2. Connect reception with upper floors as far as the 6th floor No. of lifts 2. Connect reception with upper floors as far as the 6th floor Height of lift buttons: 90 cm Width of door: 80 cm Width of door: 80 cm Height of lift buttons: 94 cm Height of lift buttons: 94 cm Height of lift buttons: 94 cm Height of handrail: 80 and 103 cm Height of call buttons: 111 cm No. of lifts 2. Connect 1th floor Width and depth of cab: 92 and 131 cm Height of lift buttons: 94 cm Width and depth of call buttons: 111 cm Width of door: 80 cm Width and depth of cab: 98 and 122 cm	Basin:	0
Lifts Lift 1 No. of lifts 2. Connect reception with upper floors as far as the 4th floor Height of call buttons: 112 cm Width of door: 80 cm Height of lift buttons: 114 cm Lift 2 No. of lifts 2. Connect reception with upper floors as far as the 6th floor Height of handrail: 90 cm No. of lifts 2. Connect reception with upper floors as far as the 6th floor Height of call buttons: 94-120 cm Width of door: 80 cm Width and depth of cab: 92 and 131 cm Height of lift buttons: 94 cm Lift 3 No. of lifts 2. Connect reception with upper floors as far as the 6th floor Height of handrail: 80 and 103 cm No. of lifts 2. Connect 1th floor with upper floors as far as the 4th floor Height of call buttons: 111 cm Width and depth of cab: 98 and 122 cm	_	Tap: mixer tap
Lift 1 No. of lifts 2. Connect reception with upper floors as far as the 4th floor Width of door: 80 cm Height of lift buttons: 114 cm Height of lift buttons: 114 cm Lift 2 No. of lifts 2. Connect reception with upper floors as far as the 6th floor Accessible up to the door Width of door: 80 cm Width of door: 80 cm Height of lift buttons: 94 cm Lift 3 No. of lifts 2. Connect reception with upper floors as far as the 6th floor Height of call buttons: 94-120 cm Width and depth of cab: 92 and 131 cm Height of handrail: 80 and 103 cm No. of lifts 2. Connect 1th floor Width and depth of call buttons: 111 cm Width of door: 80 cm Width and depth of cab: 98 and 122 cm		Height of bathroom fittings: 100 cm
Accessible up to the door Width of door: 80 cm Height of call buttons: 112 cm Width and depth of cab: 110 and 115 cm Height of lift buttons: 114 cm Lift 2 No. of lifts 2. Connect reception with upper floors as far as the 6th floor Height of door: 80 cm Width of door: 80 cm Height of lift buttons: 94 cm Lift 3 No. of lifts 2. Connect 1th floor Width and depth of cab: 92 and 131 cm Height of lift buttons: 94 cm Lift 3 No. of lifts 2. Connect 1th floor with upper floors as far as the 4th floor No. of lifts 2. Connect 1th floor with upper floors as far as the 4th floor Width and depth of cab: 98 and 122 cm		•
Width of door: 80 cm Height of lift buttons: 114 cm Lift 2 No. of lifts 2. Connect reception with upper floors as far as the 6th floor Height of door: 80 cm Width of door: 80 cm Height of lift buttons: 94 cm Lift 3 No. of lifts 2. Connect reception with upper floors as far as the 6th floor Height of call buttons: 94-120 cm Width and depth of cab: 92 and 131 cm Height of lift buttons: 94 cm Lift 3 No. of lifts 2. Connect 1th floor with upper floors as far as the 4th floor Not accessible, opposite the lift are 4 steps with no alternative ramp Width of door: 80 cm Width and depth of cab: 98 and 122 cm	Lift 1	reception with upper floors as
Height of lift buttons: 114 cm Lift 2 No. of lifts 2. Connect reception with upper floors as far as the 6th floor Height of call buttons: 94-120 cm Width of door: 80 cm Height of lift buttons: 94 cm Lift 3 No. of lifts 2. Connect with upper floors as far as the 6th floor Height of lift buttons: 94 cm Lift 3 No. of lifts 2. Connect 1th floor with upper floors as far as the 4th floor Not accessible, opposite the lift are 4 steps with no alternative ramp Width of door: 80 cm Width and depth of cab: 98 and 122 cm	Accessible up to the door	Height of call buttons: 112 cm
Lift 2 No. of lifts 2. Connect reception with upper floors as far as the 6th floor Accessible up to the door Width of door: 80 cm Height of lift buttons: 94 cm Height of lift buttons: 94 cm Lift 3 No. of lifts 2. Connect 1th floor with upper floors as far as the 4th floor Not accessible, opposite the lift are 4 steps with no alternative ramp Width of door: 80 cm No. of lifts 2. Connect 1th floor with upper floors as far as the 4th floor Height of call buttons: 111 cm Width and depth of cab: 98 and 122 cm	Width of door: 80 cm	· ·
reception with upper floors as far as the 6th floor Accessible up to the door Width of door: 80 cm Height of lift buttons: 94 cm Height of lift buttons: 94 cm Lift 3 No. of lifts 2. Connect 1th floor with upper floors as far as the 4th floor Not accessible, opposite the lift are 4 steps with no alternative ramp Width of door: 80 cm Width and depth of cab: 98 and 122 cm	Height of lift buttons: 114 cm	Height of handrail: 90 cm
Width of door: 80 cm Height of lift buttons: 94 cm Lift 3 No. of lifts 2. Connect 1st floor with upper floors as far as the 4st floor are 4 steps with no alternative ramp Width of door: 80 cm Width and depth of cab: 92 and 131 cm Height of handrail: 80 and 103 cm No. of lifts 2. Connect 1st floor with upper floors as far as the 4st floor Height of call buttons: 111 cm Width and depth of cab: 98 and 122 cm	Lift 2	reception with upper floors as
Width of door: 80 cm Height of lift buttons: 94 cm Lift 3 No. of lifts 2. Connect 1st floor with upper floors as far as the 4st floor are 4 steps with no alternative ramp Width of door: 80 cm Width and depth of cab: 92 and 131 cm Height of handrail: 80 and 103 cm No. of lifts 2. Connect 1st floor with upper floors as far as the 4st floor Height of call buttons: 111 cm Width and depth of cab: 98 and 122 cm	Accessible up to the door	Height of call buttons: 94-120 cm
No. of lifts 2. Connect 1st floor with upper floors as far as the 4st floor Not accessible, opposite the lift are 4 steps with no alternative ramp Width of door: 80 cm No. of lifts 2. Connect 1st floor with upper floors as far as the 4st floor Height of call buttons: 111 cm Width and depth of cab: 98 and 122 cm		Width and depth of cab:
No. of lifts 2. Connect 1st floor with upper floors as far as the 4st floor Not accessible, opposite the lift are 4 steps with no alternative ramp Width of door: 80 cm No. of lifts 2. Connect 1st floor with upper floors as far as the 4st floor Height of call buttons: 111 cm Width and depth of cab: 98 and 122 cm	Height of lift buttons: 94 cm	Height of handrail: 80 and 103 cm
are 4 steps with no alternative ramp Width of door: 80 cm Width and depth of cab: 98 and 122 cm		No. of lifts 2. Connect 1st floor with upper floors as far as the
98 and 122 cm	are 4 steps with no alternative	Height of call buttons: 111 cm
Height of lift buttons: 100 cm Height of handrail: 80 and 103 cm	Width of door: 80 cm	
	1.1 - 1 - 1 - 4 - 4 110 1	* Height of handrail, 00 and 402 am

Other amenities	Location	Access	Main characteristics
Reception	•	Accessible via ramp described earlier	Height of reception desk: 105 cm

Cafeteria / Diner	Ground floor	Accessible from reception	Height of bar: 117 cm Height of table: 40 cm Height beneath table: 38 cm Width beneath table: 40 cm Depth beneath table: 40 cm
Restaurant / Breakfast buffet	Ground floor	Accessible from reception	Height of buffet bar: 82 and 112 cm Height of table: 74 cm Height beneath table: 69 cm Width beneath table: 70 cm Depth beneath table: 80 cm
Meeting rooms (2)	Ground floor	via a ramp	Height of table: 74 cm Height beneath table: 70 cm Width beneath table: 200 cm Depth beneath table: 45 cm



ACCESSIBILITY - VISUALLY IMPAIRED ____

Signs			
Signs the same size: yes , average height of 40 and 180 cm and a font			
size of ≥ 1.5 cm			
Lettering in a colour which	Text and symbols: not in relief		
contrasts with the background: yes	and not in Braille		
Main stairs	•		
Edge of stairs marked with a	Side protection skirting board of		
non-slip strip in a contrasting	≥ 12 cm on both sides: no		
colour: no	•		
Steps have a riser: yes	All steps are the same height: yes		
Steps have nosing: no	•		
The space under the stairs is	Handrail on either side: yes		
blocked off: yes	•		
Continuous handrails on	Handrail extends at top and bottom		
half-landings: yes	of stairs: no		
Strip of surface of a different textur	e and contrasting colour at the top		
and bottom of the stairs: no	•		
Lifts			
Cab with audio signals: yes	Control buttons in contrasting		
	colour: yes		
Keypad with numbers in relief:	Keypad with numbers in Braille:		
yes	yes, but only in lifts no. 2 and no. 3		











VINCCI SOMA HOTEL













- The entrance to the hotel is level with the street. It has a clearance width of 2 m.
- The main entrance to the hotel has a slight lip of between 2 and 3 cm given that the street outside is on a light slope. This is followed by four 16 cm steps that can be navigated via the stair lift.
- There are two sets of automatic, sliding double glass doors. The first door has a clearance width of 1.90 m, and the second, a width of **1.35 m.** They are marked with the hotel logo in a non-contrasting colour.
- There is a doorbell at a height of 1.22 m.
- Between the two sets of doors is a doormat that is securely affixed to the floor.
- There is an accessible route via the stair lift that takes visitors straight to the reception and help desk.

ACCESSIBILITY - HEARING IMPAIRED

Room	0 0
,	TV which communicates with reception: yes
-	TV has alarm clock with visual alert: yes
Bedside plug socket: yes	Entrance door with peephole: no
	Light signals to indicate a knock at the door: yes
Communal WCs	• •
•	Cubicle doors with a gap underneath to see if there is someone inside: yes
Lifts	•
Emergency system	
Emergency alarm systems with visi	ual alerts: ves

MADRID FOR ALL







ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 322)	No. of adapted rooms: 3
On the 3rd floor , accessible via a	Width of door: 94 cm
ramp described under the "Lift"	•
section	0 0
Clear turning circle inside	Height of climate control: 154 cm
(diameter): Ø 150 cm	•
Height of bed: 50 cm	Space for access to the bed: right
	hand side 85 cm left hand side
	145 cm
Wardrobe doors: sliding, easy to	Height of hanger rail: 185 cm
open without handle	• •
Min. and max. height of wardrobe s	shelves and drawers: 37 cm and
190 cm	
Bathroom in adapted room	•
Door: Outward opening with	Clear turning circle inside
a width of 92 cm	(diameter): Ø 150 cm
Toilet:	
Seat height: 40 cm	Height of flush mechanism: 74 cm
Approach area: right hand side	Folding grab bar on the right hand
140 cm, front 100 cm	side: 52 - 69 cm
Fixed vertical grab bar on the left	Distance between bars: 74 cm
hand side: 70 - 115 cm	•
Basin:	* *
Height and clearance beneath	Tap: mixer tap easy to use
Height and clearance beneath the basin: 67 and 45 cm	•
Height and clearance beneath the basin: 67 and 45 cm Height of the lower edge	Min. and max. height of
Height and clearance beneath the basin: 67 and 45 cm Height of the lower edge of the mirror: 120 cm	•
Height and clearance beneath the basin: 67 and 45 cm Height of the lower edge of the mirror: 120 cm Shower:	Min. and max. height of bathroom fittings: 97 cm
Height and clearance beneath the basin: 67 and 45 cm Height of the lower edge of the mirror: 120 cm Shower: Width and depth of approach area:	Min. and max. height of bathroom fittings: 97 cm
Height and clearance beneath the basin: 67 and 45 cm Height of the lower edge of the mirror: 120 cm Shower: Width and depth of approach area: 190 cm and 190 cm	Min. and max. height of bathroom fittings: 97 cm Shower base: with a 7 cm step
Height and clearance beneath the basin: 67 and 45 cm Height of the lower edge of the mirror: 120 cm Shower: Width and depth of approach area:	Min. and max. height of bathroom fittings: 97 cm Shower base: with a 7 cm step Shower chair or seat: fixed and
Height and clearance beneath the basin: 67 and 45 cm Height of the lower edge of the mirror: 120 cm Shower: Width and depth of approach area: 190 cm and 190 cm Shower floor: non-slip	Min. and max. height of bathroom fittings: 97 cm Shower base: with a 7 cm step Shower chair or seat: fixed and folding seats
Height and clearance beneath the basin: 67 and 45 cm Height of the lower edge of the mirror: 120 cm Shower: Width and depth of approach area: 190 cm and 190 cm Shower floor: non-slip Height and location of horizontal	Min. and max. height of bathroom fittings: 97 cm Shower base: with a 7 cm step Shower chair or seat: fixed and folding seats Height and location of vertical grab
Height and clearance beneath the basin: 67 and 45 cm Height of the lower edge of the mirror: 120 cm Shower: Width and depth of approach area: 190 cm and 190 cm Shower floor: non-slip	Min. and max. height of bathroom fittings: 97 cm Shower base: with a 7 cm step Shower chair or seat: fixed and folding seats Height and location of vertical grab bar: 60 – 135 cm on same wall as
Height and clearance beneath the basin: 67 and 45 cm Height of the lower edge of the mirror: 120 cm Shower: Width and depth of approach area: 190 cm and 190 cm Shower floor: non-slip Height and location of horizontal grab bar: none	Min. and max. height of bathroom fittings: 97 cm Shower base: with a 7 cm step Shower chair or seat: fixed and folding seats Height and location of vertical grab bar: 60 – 135 cm on same wall as tap and on adjoining wall
Height and clearance beneath the basin: 67 and 45 cm Height of the lower edge of the mirror: 120 cm Shower: Width and depth of approach area: 190 cm and 190 cm Shower floor: non-slip Height and location of horizontal	Min. and max. height of bathroom fittings: 97 cm Shower base: with a 7 cm step Shower chair or seat: fixed and folding seats Height and location of vertical grab bar: 60 – 135 cm on same wall as tap and on adjoining wall Height of the tap: 100 cm, on same
Height and clearance beneath the basin: 67 and 45 cm Height of the lower edge of the mirror: 120 cm Shower: Width and depth of approach area: 190 cm and 190 cm Shower floor: non-slip Height and location of horizontal grab bar: none Tap: mixer tap easy to use	Min. and max. height of bathroom fittings: 97 cm Shower base: with a 7 cm step Shower chair or seat: fixed and folding seats Height and location of vertical grab bar: 60 – 135 cm on same wall as tap and on adjoining wall Height of the tap: 100 cm, on same wall as fixed seat
Height and clearance beneath the basin: 67 and 45 cm Height of the lower edge of the mirror: 120 cm Shower: Width and depth of approach area: 190 cm and 190 cm Shower floor: non-slip Height and location of horizontal grab bar: none Tap: mixer tap easy to use Adjustable height shower head:	Min. and max. height of bathroom fittings: 97 cm Shower base: with a 7 cm step Shower chair or seat: fixed and folding seats Height and location of vertical grab bar: 60 – 135 cm on same wall as tap and on adjoining wall Height of the tap: 100 cm, on same
Height and clearance beneath the basin: 67 and 45 cm Height of the lower edge of the mirror: 120 cm Shower: Width and depth of approach area: 190 cm and 190 cm Shower floor: non-slip Height and location of horizontal grab bar: none Tap: mixer tap easy to use Adjustable height shower head: 100 - 185 cm	Min. and max. height of bathroom fittings: 97 cm Shower base: with a 7 cm step Shower chair or seat: fixed and folding seats Height and location of vertical grab bar: 60 – 135 cm on same wall as tap and on adjoining wall Height of the tap: 100 cm, on same wall as fixed seat Shower screen: only a curtain
Height and clearance beneath the basin: 67 and 45 cm Height of the lower edge of the mirror: 120 cm Shower: Width and depth of approach area: 190 cm and 190 cm Shower floor: non-slip Height and location of horizontal grab bar: none Tap: mixer tap easy to use Adjustable height shower head: 100 - 185 cm Adapted bathroom in	Min. and max. height of bathroom fittings: 97 cm Shower base: with a 7 cm step Shower chair or seat: fixed and folding seats Height and location of vertical grab bar: 60 – 135 cm on same wall as tap and on adjoining wall Height of the tap: 100 cm, on same wall as fixed seat
Height and clearance beneath the basin: 67 and 45 cm Height of the lower edge of the mirror: 120 cm Shower: Width and depth of approach area: 190 cm and 190 cm Shower floor: non-slip Height and location of horizontal grab bar: none Tap: mixer tap easy to use Adjustable height shower head: 100 - 185 cm Adapted bathroom in communal area	Min. and max. height of bathroom fittings: 97 cm Shower base: with a 7 cm step Shower chair or seat: fixed and folding seats Height and location of vertical grab bar: 60 – 135 cm on same wall as tap and on adjoining wall Height of the tap: 100 cm, on same wall as fixed seat Shower screen: only a curtain No. of adapted toilets: 1
Height and clearance beneath the basin: 67 and 45 cm Height of the lower edge of the mirror: 120 cm Shower: Width and depth of approach area: 190 cm and 190 cm Shower floor: non-slip Height and location of horizontal grab bar: none Tap: mixer tap easy to use Adjustable height shower head: 100 - 185 cm Adapted bathroom in communal area Location: next to cafeteria/buffet	Min. and max. height of bathroom fittings: 97 cm Shower base: with a 7 cm step Shower chair or seat: fixed and folding seats Height and location of vertical grab bar: 60 – 135 cm on same wall as tap and on adjoining wall Height of the tap: 100 cm, on same wall as fixed seat Shower screen: only a curtain No. of adapted toilets: 1 First floor - accessible via lift
Height and clearance beneath the basin: 67 and 45 cm Height of the lower edge of the mirror: 120 cm Shower: Width and depth of approach area: 190 cm and 190 cm Shower floor: non-slip Height and location of horizontal grab bar: none Tap: mixer tap easy to use Adjustable height shower head: 100 - 185 cm Adapted bathroom in communal area	Min. and max. height of bathroom fittings: 97 cm Shower base: with a 7 cm step Shower chair or seat: fixed and folding seats Height and location of vertical grab bar: 60 – 135 cm on same wall as tap and on adjoining wall Height of the tap: 100 cm, on same wall as fixed seat Shower screen: only a curtain No. of adapted toilets: 1 First floor - accessible via lift Cubicle door: outward opening with
Height and clearance beneath the basin: 67 and 45 cm Height of the lower edge of the mirror: 120 cm Shower: Width and depth of approach area: 190 cm and 190 cm Shower floor: non-slip Height and location of horizontal grab bar: none Tap: mixer tap easy to use Adjustable height shower head: 100 - 185 cm Adapted bathroom in communal area Location: next to cafeteria/buffet	Min. and max. height of bathroom fittings: 97 cm Shower base: with a 7 cm step Shower chair or seat: fixed and folding seats Height and location of vertical grab bar: 60 – 135 cm on same wall as tap and on adjoining wall Height of the tap: 100 cm, on same wall as fixed seat Shower screen: only a curtain No. of adapted toilets: 1 First floor - accessible via lift Cubicle door: outward opening with a width of 94 cm





ACCOMMODATION



Toilet:	•
Seat height: 40 cm	Height of flush mechanism: 74 cm
Approach area: right hand side 100 cm and front 100 cm	Folding grab bar on the right hand side: 62 – 80 cm
Folding grab bar on the left hand si	
Basin:	
Height and clearance beneath the basin: 64 cm and 45 cm	Tap: mixer tap easy to use
Height of the lower edge of the mirror: 117 cm	Min. and max. height of bathroom fittings: 80 cm and 120 cm
Lifts	Total number of lifts: 3 – with similar characteristics
Floors served: all floors. Two serve the main building including the parking level, the other, from reception to the upper floors	Via a ramp: 2.55 m long, 1.10 m wide and a 21.2% incline to be able to navigate the three 17 cm steps
Height of call buttons: 112 - 117 cm	Width of door: 80 cm
Width and depth of cab: 106 and 135 cm	Min. and max. height of the call buttons: 97 cm and 120 cm
Height of handrail: 90 cm	Mirror opposite the door: no, on the side wall

side wall			
Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible via an alternative stair lift to navigate the four steps	Height of reception desk: 125 cm
Cafeteria	1st floor	Accessible via lift	Height of bar: 110 cm Height of table: 82 cm Height beneath table 67 cm Width beneath table: 73 cm Depth beneath table: 31 cm
Restaurant / Breakfast buffet	1st floor	Accessible via lift	Height of buffet bar: 76 - 90 cm Height of table: 82 cm Height beneath table 67 cm Width beneath table: 73 cm Depth beneath table: 31 cm
Meeting rooms (7)	1st floor	Accessible via a ramp that is 120 cm long with a clearance width of 100 cm and a 17.6% incline	Furniture depending on the event
Gym	1st floor	Accessible via a ramp	No specially adapted changing rooms or toilets
		MADRID FOR A	LL





Parking Basement Accessible There are 3 reserved parking spaces reserved for people with reduced mobility (PRM), indicated by the disabled parking sign (ISA). The reserved parking spaces have a lateral approach area of 120 cm		0 0 0 0 0 0 0 0 0	that is 265 cm long with a clearance width of 94 cn and a 24.9% incline	0
	Parking	Basement -1	Accessible via lift	with reduced mobility (PRM), indicated by the disabled parking sign (ISA). The reserved parking spaces have a lateral approach area



ACCESSIBILITY - VISUALLY IMPAIRED

Bedrooms			
Colour of door contrasts with adjacent walls: yes	Information about hotel services available in Braille: no and in large print: no		
Room lighting with dimmer switch: no	TV remote control with large numbers: yes and in contrasting colours: yes		
Room free of projecting elements: no	Audible signals to indicate emergency alarm: yes		
Signs Signs the same size: yes, average 3 - 6 cm	height of 165 cm and a font size of		
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille		
Main stairs	•		
Edge of stairs marked with a non-slip strip in a contrasting colour no	Side protection skirting board of ≥ 12 cm on both sides: no, just on one side		
Steps have a riser: yes	· Just on one orde		
Steps have nosing: yes	All steps are the same height: yes		
The space under the stairs is blocked off: yes	Handrail on either side: yes		
Continuous handrails on half- landings: yes	Handrail extends past the top and bottom of stairs: no		
Distinctively textured and contrastingly coloured strip at the top and bottom of the stairs: no			
Lifts	•		
Cab with audio signals: yes	Control buttons in contrasting colours: yes		
Keypad with numbers in relief: yes Keypad with numbers in Braille: no			
Distinctively textured and contrastingly coloured strip at entrance to lift:			
no			
Emergency System			
Audible alarm system in place in ca	Audible alarm system in place in case of emergency: yes		









VINCCI VÍA 66 HOTEL

Gran Vía, 66 Gran Via, oo 28013 Madrid

Telephone: 91 550 42 99 Fax: 91 183 55 40

Web: www.vinccihoteles.com

Metro with lift: Callao

Bus: 1, 2, 44, 46, 74, 75, 133, 138, 148 and C

ACCESS

- The main entrance has 2 steps and no alternative ramp.
- There is an automatic, sliding, glass door which is **1.12 m** wide.
- Next to the door is an alternative entrance with a slight step. There is a double manually opened swing glass door, each side of which is 60 cm wide. The doors are not marked with horizontal strips or a logo in a contrasting colour.

ACCESSIBILITY - HEARING IMPAIRED

Room	0 0 0
Internet connection: yes	TV which communicates with reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert: yes
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available services: yes	Light signals to indicate a knock at the door: no
Communal WCs	0 0 0
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Service Lift	o o
Visual signs indicating the floor and direction of movement, both inside and outside the cab: no	Emergency button with a light to show that the emergency call has been received: no
Lifts	0 0
	Emergency button with a light to show that the emergency call has been received: yes
Emergency system	
Emergency alarm systems with visual alerts: no	



ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room	No. of adapted rooms: 3
On 3 rd floor, accessible via service	
lift as opposed to steps and lift	0
Clear turning circle inside	Height of climate control: 137 cm
(diameter): Ø 150 cm	•
Height of bed: 55 cm	Space for access to the bed: left hand side 95 cm
Height of hanger rail: 195 cm	0 0
Bathroom in adapted room	•
Door: sliding with a width of 95 cm	Clear turning circle inside (diameter): Ø 150 cm
Toilet:	•
Seat height: 40 cm	Height of flush mechanism: 110 cm
Approach area: left hand side 86 cm , front 120 cm	Folding grab bar on right hand side: 76 cm
Folding grab bar on left hand side: 76 cm	Distance between bars: 65 cm
Basin:	•
Height and clearance beneath the basin: 81 and 40 cm	Tap: mixer tap
Height of the lower edge	Height of bathroom fittings:
of the mirror: 94 cm	74-95 cm
Bath:	•
Height of bath: 54 cm	Height of horizontal grab bar: 65-80 cm
Transfer platform: no	Has a vertical grab bar which is used for adjusting the height of the shower head
Tap: mixer tap at height of 60 cm on narrow wall	Shower screen
Adapted bathroom in communal area	No. of adapted toilets: 1
On first floor , accessible via service lift as opposed to steps and lift	Door: outward opening with a width of 85 cm
Clear turning circle inside (diameter	r): Ø 150 cm
Toilet:	
Seat height: 40 cm	Height of flush mechanism: 100 cm
Approach area: right hand side 80 cm , front 120 cm	Folding grab bar on right hand side: 76 cm
Folding grab bar on left hand side: 76 cm	Distance between bars: 73 cm











Basin:	•
Height and clearance beneath	Tap: requires a twist of the wrist
the basin: 75 cm and 40 cm	•
Height of the lower edge	Height of bathroom fittings:
of the mirror: 120 cm	78-100 cm
Lifts	
Service lifts (as an alternative to	navigating steps that lead to stan-
dard lift. Service must first be re	
Accessible up to the door	Height of call buttons: 130-140 cm
Width of door: 82 cm	Width and depth of cab:
	118 and 118 cm
Height of handrail: 88 cm	
Lift (standard)	No. of lifts: 3
Accessible up to the door	Height of call buttons: 100 cm
using service lift	
Width of door: 80 cm	Width and depth of cab:
	137 and 92 cm
Height of lift buttons: 80-114 cm	No handrail

Other amenities	Location	Access	: Main : characteristics
Reception	Ground floor	Accessible via ramp described earlier	Height of reception desk: 116 cm
Cafeteria	First floor	Accessible via service lift and regular lift	Height of tables: 41-72 cm There are various kinds of tables
Restaurant / Breakfast buffet	First floor	Accessible via service lift and regular lift	Height of buffet bar: 90 cm Height of table: 73 cm Height beneath table: 69 cm Width beneath table: 69 cm Depth beneath table: 35 cm Tables with a central leg
Meeting rooms (2)	Second floor	Accessible via service lift and regular lift	Height of table: 73 cm Height beneath table: 65 cm Width beneath table: 300 cm Depth beneath table: 90 cm



ACCESSIBILITY - VISUALLY IMPAIRED _____

★★★★ 4 STAR HOTELS

height of 180 cm and a font size Text and symbols: not in relief s and not in Braille
Text and symbols: not in relief and not in Braille
s and not in Braille
0
Side protection skirting board of ≥ 12 cm on both sides: yes
All steps are the same height: yes
Handrail on either side: no
Handrail extends at top and bottom of stairs: no
re and contrasting colour at the top
•
Control buttons in contrasting colour: yes
Keypad with numbers in Braille:
•
Control buttons in contrasting colour: yes
Keypad with numbers in Braille: yes

514 515 MADRID FOR ALL ACCESSIBLE TOURISM GUIDE
















5 STAR HOTELS

- **AC** Palacio del Retiro
- **AC Santo Mauro**
- Eurostars Madrid
 Tower
- **Gran Meliá Fénix**
- **Hesperia Madrid**
- **Hilton Madrid Airport**
- **Management** Hospes
- **B** Husa Princesa
- **Intercontinental Madrid**
- **Meliá Castilla**
- **Meliá Madrid Princesa**
- **122 Miguel Ángel**
- **III NH Palacio de Tepa**

- **14** Ritz Madrid
- III Sheraton Madrid
 Mirasierra Hotel & Spa
- Silken Puerta
 América Madrid
- The Westin Palace Madrid
- 18 Único
- 19 Urban
- 20 Villa Magna





AC PALACIO DEL RETIRO HOTEL

Calle de Alfonso XII, 14 28014 Madrid

Telephone: 91 523 74 60 Fax: 91 523 74 31

Web: www.ac-hotels.com

Metro without lift: Banco de España

Bus: 1, 2, 9, 15, 19, 20, 51, 52, 74, 146 and

ACCESS

- The entrance is easily accessible and has a level surface.
- There is an automatic, sliding, glass main door, which is 1.15 m wide. It is not marked with either horizontal strips or a logo in a contrasting colour.



ACCESSIBILITY - HEARING IMPAIRED

Room	
Internet connection: yes	Light signals to indicate a knock at the door: no
TV with teletext decoder: yes	
Written information on available services: yes	Bedside plug socket: yes
Communal WCs	
	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	
and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visual alerts: no	





ACCESSIBILITY - PHYSICALLY DISABLED -

Adapted room	Number of adapted rooms: 2
Accessible via a chairlift preceded	Width of door: 87 cm
by a step and 2.2 m long ramp	•
with an adequate incline of 6%,	•
that then leads to the main lift	
Clear turning circle inside	Height of climate control: 159 cm
(diameter): Ø 150 cm	•
Height of bed: 58 cm	Space for access to the bed: right
	hand side 70 cm , left hand side
Heliolot of a saturation 407 and	90 cm
Height of coatrack: 167 cm	•
Bathroom in adapted room Door: width of 78.5 cm	°Class to main a simple in side
Door: width of 78.5 cm	Clear turning circle inside
Toilet:	(diameter): Ø 150 cm
Does not have an adequate later	al annroach area
Seat height: 41 cm	ai appioacii aiea :
Width of approach: on one side	Folding grab bar on the approach
53 cm	side
Fixed grab bar on the opposite side	
Basin:	5
Height of the lower edge	Height of bathroom fittings:
of the mirror: 109 cm	100-114 cm
Shower:	:
Shower chair or seat: fixed	Shower base: level with the floor
Shower floor: non-slip	No grab bars
Adapted bathroom	Number of adapted toilets: 1
in communal areas	
Accessible via a chairlift preceded	Door width: 90 cm
by a step and 2.2 m long ramp	•
with an adequate incline of 6%	•
that then leads to the main lift	•
Clear turning circle inside (diamete	er): Ø 150 cm
Toilet:	
Seat height: 41 cm	*Falding and began a 2th a 2th a
	Folding grab bars on either side of
80 cm, left hand side 80 cm	the toilet
Basin:	Hoight of hothroom fittings: 102 cm
Height of the lower edge of the mirror: 97 cm	Height of bathroom fittings: 102 cm
Height and clearance beneath	Tap: mixer tap
the basin: 77 cm and 25 cm	iap. iiiixei tap
ule Dasiii. II Cili aliu 23 Cili	•







Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 113 cm
Cafeteria	Ground floor	With a stairlift preceded by a step and the ramp described above	
Restaurant	Ground floor	Accessible	Height of table: 74 cm Height beneath table 70 cm Width beneath table: 102 cm Depth beneath table: 97 cm
Meeting rooms	Basement floor (-1)	With a stairlift preceded by a step and the ramp described above	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0







ACCESSIBILITY - VISUALLY IMPAIRED -

Signs		
Signs the same size: yes, average height of 157-187 cm and a font size		
of ≥ 1.5 cm		
Lettering in a colour which	Text and symbols: not in relief	
contrasts with the background: yes	and not in Braille	
Main stairs	• •	
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting	≥ 12 cm on both sides: yes	
colour: no	0 0 A	
All steps are the same height: yes	Continuous handrails on	
	half-landings: no	
Strip of surface of a different texture and contrasting colour at the top		
and bottom of the stairs: no		
Lifts	0 0 0	
Cab with audio signals: no	Keypad with numbers in Braille:	
	yes	
Keypad with numbers in relief: yes		





AC SANTO MAURO HOTEL

Calle de Zurbano, 36 Calle ue Zuizza 28014 Madrid

Telephone: 91 319 69 00 **Fax:** 91 308 54 77

Web: www.ac-hotels.com

Metro without lift: Rubén Darío

Bus: 7

ACCESS

- The main entrance has a series of individual steps and a staircase with no alternative ramp.
- The glass door opens on both sides, each of which are **80 cm** wide. It does not open automatically, and is not marked with either horizontal strips or a logo in a contrasting colour.



ACCESSIBILITY - HEARING IMPAIRED

Room	•	
Internet connection: yes	TV has alarm clock with visual alert:	
	no	
TV with teletext decoder: yes	Entrance door with peephole: yes	
Bedside plug socket: yes	Light signals to indicate a knock	
	at the door: no	
Written information on available se	rvices: yes	
Communal WCs	•	
Door lock with visual aid to indicate	Cubicle doors with a gap	
either free or occupied: no	underneath to see if there is	
	someone inside: no	
Lifts	•	
Visual signs indicating the floor	Emergency button with a light	
and direction of movement, both	to show that the emergency call	
inside and outside the cab: yes	has been received: no	
Emergency system		
Emergency alarm systems with visual alerts: no		





Mauro

ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room Accessible outside the hotel, via an alternative 5.9 m long ramp with an adequate incline of 7%. Handrail at a height of 90 cm Clear turning circle inside (diameter): Ø 150 cm Height of bed: 61 cm Wardrobe doors: Difficult to open Height of coatrack: 156 cm Height of wardrobe shelves and drawers: 13 and 83 cm Bathroom in adapted room Door: width of 82 cm Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 42 cm Width of approach: on one side 93 cm No grab bar on the opposite side Basin: Height and clearance beneath the basin: 77 cm and 55 cm Height of the lower edge of the mirror: 100 cm Shower: Shower floor: non-slip Adjustable shower-head height: Shower floor: non-slip Night of door: 130 cm Width of door: 130 cm Height of climate control: 148 and 153 cm Height of coatrack: 156 cm Height of coatrack: 156 cm Height of flush mechanism: 79 cm Folding grab bar on the approach side at a height of 76 and 91 cm Tap: mixer tap Height of bathroom fittings: Shower chair: yes		
Accessible outside the hotel, via an alternative 5.9 m long ramp with an adequate incline of 7%. Handrail at a height of 90 cm Clear turning circle inside (diameter): Ø 150 cm Height of bed: 61 cm Height of bed: 61 cm Wardrobe doors: Difficult to open Height of wardrobe shelves and drawers: 13 and 83 cm Bathroom in adapted room Door: width of 82 cm Clear turning circle inside (diameter): Ø 150 cm Clear turning circle inside (diameter): Ø 150 cm Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 42 cm Width of approach: on one side 93 cm No grab bar on the opposite side Basin: Height and clearance beneath the basin: 77 cm and 55 cm Height of the lower edge of the mirror: 100 cm Shower: Shower floor: non-slip Shower base: a step	Adapted room	
alternative 5.9 m long ramp with an adequate incline of 7%. Handrail at a height of 90 cm Clear turning circle inside (diameter): Ø 150 cm Height of bed: 61 cm Wardrobe doors: Difficult to open Height of coatrack: 156 cm Height of wardrobe shelves and drawers: 13 and 83 cm Bathroom in adapted room Door: width of 82 cm Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 42 cm Width of approach: on one side 93 cm No grab bar on the opposite side Basin: Height and clearance beneath the basin: 77 cm and 55 cm Height of the lower edge of the mirror: 100 cm Shower: Shower floor: non-slip Space for access to the bed: right hand side 118 cm Leight of coatrack: 156 cm Space for access to the bed: right hand side 118 cm Height of coatrack: 156 cm Height of flush mechanism: 79 cm Folding grab bar on the approach side at a height of 76 and 91 cm Tap: mixer tap Height of bathroom fittings: 86-124 cm Shower: Shower floor: non-slip Shower base: a step	A	
adequate incline of 7%. Handrail at a height of 90 cm Clear turning circle inside (diameter): Ø 150 cm Height of bed: 61 cm Wardrobe doors: Difficult to open Height of coatrack: 156 cm Height of wardrobe shelves and drawers: 13 and 83 cm Bathroom in adapted room Door: width of 82 cm Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 42 cm Width of approach: on one side 93 cm No grab bar on the opposite side Basin: Height and clearance beneath the basin: 77 cm and 55 cm Height of the lower edge of the mirror: 100 cm Shower: Shower floor: non-slip Shower base: a step		
a height of 90 cm Clear turning circle inside (diameter): Ø 150 cm Height of bed: 61 cm Space for access to the bed: right hand side 118 cm, left hand side 116 cm Wardrobe doors: Difficult to open Height of coatrack: 156 cm Height of wardrobe shelves and drawers: 13 and 83 cm Bathroom in adapted room Door: width of 82 cm Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 42 cm Width of approach: on one side 93 cm No grab bar on the opposite side Basin: Height and clearance beneath the basin: 77 cm and 55 cm Height of the lower edge of the mirror: 100 cm Shower: Shower floor: non-slip Shower base: a step		
Clear turning circle inside (diameter): Ø 150 cm Height of bed: 61 cm Space for access to the bed: right hand side 118 cm, left hand side 116 cm Wardrobe doors: Difficult to open Height of coatrack: 156 cm Height of wardrobe shelves and drawers: 13 and 83 cm Bathroom in adapted room Door: width of 82 cm Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 42 cm Width of approach: on one side 93 cm No grab bar on the opposite side Basin: Height and clearance beneath the basin: 77 cm and 55 cm Height of the lower edge of the mirror: 100 cm Shower: Shower floor: non-slip Shower base: a step	•	- 0 0
Height of bed: 61 cm Height of bed: 61 cm Wardrobe doors: Difficult to open Height of coatrack: 156 cm Height of wardrobe shelves and drawers: 13 and 83 cm Bathroom in adapted room Door: width of 82 cm Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 42 cm Width of approach: on one side 93 cm No grab bar on the opposite side Basin: Height and clearance beneath the basin: 77 cm and 55 cm Height of the lower edge of the mirror: 100 cm Shower: Shower floor: non-slip Shower base: a step		0 0
Height of bed: 61 cm Wardrobe doors: Difficult to open Height of coatrack: 156 cm Height of wardrobe shelves and drawers: 13 and 83 cm Bathroom in adapted room Door: width of 82 cm Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 42 cm Width of approach: on one side 93 cm No grab bar on the opposite side Basin: Height and clearance beneath the basin: 77 cm and 55 cm Height of the lower edge of the mirror: 100 cm Shower: Shower floor: non-slip Specific raccess to the bed: right hand side 118 cm, left hand side 116 cm Height of coatrack: 156 cm Height of flush mechanism: 79 cm Folding grab bar on the approach side at a height of 76 and 91 cm Tap: mixer tap Height of bathroom fittings: Shower floor: non-slip Shower base: a step		
Wardrobe doors: Difficult to open Height of coatrack: 156 cm Height of wardrobe shelves and drawers: 13 and 83 cm Bathroom in adapted room Door: width of 82 cm Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 42 cm Height of flush mechanism: 79 cm Width of approach: on one side 93 cm Folding grab bar on the approach side at a height of 76 and 91 cm No grab bar on the opposite side Basin: Height and clearance beneath the basin: 77 cm and 55 cm Height of the lower edge of the mirror: 100 cm Shower: Shower floor: non-slip Shower base: a step		
Wardrobe doors: Difficult to open Height of coatrack: 156 cm Height of wardrobe shelves and drawers: 13 and 83 cm Bathroom in adapted room Door: width of 82 cm Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 42 cm Height of flush mechanism: 79 cm Width of approach: on one side 93 cm Folding grab bar on the approach side at a height of 76 and 91 cm No grab bar on the opposite side Basin: Height and clearance beneath the basin: 77 cm and 55 cm Height of the lower edge of the mirror: 100 cm 86-124 cm Shower: Shower floor: non-slip Shower base: a step	Height of bed: 61 cm	
Wardrobe doors: Difficult to open Height of coatrack: 156 cm Height of wardrobe shelves and drawers: 13 and 83 cm Bathroom in adapted room Door: width of 82 cm		
Height of wardrobe shelves and drawers: 13 and 83 cm Bathroom in adapted room Door: width of 82 cm Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 42 cm Width of approach: on one side 93 cm No grab bar on the opposite side Basin: Height and clearance beneath the basin: 77 cm and 55 cm Height of the lower edge of the mirror: 100 cm Shower: Shower floor: non-slip Clear turning circle inside (diameter): Ø 150 cm Folding grab bar on the approach side at a height of 76 and 91 cm Folding grab bar on the approach side at a height of 76 and 91 cm Folding grab bar on the approach side at a height of 5 and 91 cm Folding grab bar on the approach side at a height of 5 and 91 cm Folding grab bar on the approach side at a height of 5 and 91 cm Folding grab bar on the approach side at a height of 5 and 91 cm Folding grab bar on the approach side at a height of 5 and 91 cm Folding grab bar on the approach side at a height of 5 and 91 cm Folding grab bar on the approach side at a height of 5 and 91 cm Folding grab bar on the approach side at a height of 5 and 91 cm Folding grab bar on the approach side at a height of 6 and 91 cm Folding grab bar on the approach side at a height of 6 and 91 cm Folding grab bar on the approach side at a height of 76 and 91 cm Folding grab bar on the approach side at a height of 76 and 91 cm Folding grab bar on the approach side at a height of 76 and 91 cm Folding grab bar on the approach side at a height of 76 and 91 cm Folding grab bar on the approach side at a height of 76 and 91 cm		
Bathroom in adapted room Door: width of 82 cm Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 42 cm Width of approach: on one side 93 cm No grab bar on the opposite side Basin: Height and clearance beneath the basin: 77 cm and 55 cm Height of the lower edge of the mirror: 100 cm Shower: Shower floor: non-slip Clear turning circle inside (diameter): Ø 150 cm Folding grab bar on the approach side at a height of 76 and 91 cm Tap: mixer tap Height of bathroom fittings: 86-124 cm Shower base: a step		
Clear turning circle inside (diameter): Ø 150 cm Toilet: Seat height: 42 cm Width of approach: on one side 93 cm No grab bar on the opposite side Basin: Height and clearance beneath the basin: 77 cm and 55 cm Height of the lower edge of the mirror: 100 cm Shower: Shower floor: non-slip Clear turning circle inside (diameter): Ø 150 cm Folding grab bar on the approach side at a height of 76 and 91 cm Folding grab bar on the approach side at a height of 76 and 91 cm Folding grab bar on the approach side at a height of 576 and 91 cm Folding grab bar on the approach side at a height of 576 and 91 cm Folding grab bar on the approach side at a height of 576 and 91 cm Folding grab bar on the approach side at a height of 576 and 91 cm Fabruary Folding grab bar on the approach side at a height of 576 and 91 cm Fabruary Folding grab bar on the approach side at a height of 576 and 91 cm Fabruary Fabruary Folding grab bar on the approach side at a height of 576 and 91 cm Fabruary Fabruar		awers: 13 and 83 cm
Toilet: Seat height: 42 cm Width of approach: on one side 93 cm No grab bar on the opposite side Basin: Height and clearance beneath the basin: 77 cm and 55 cm Height of the lower edge of the mirror: 100 cm Shower: Shower floor: non-slip (diameter): Ø 150 cm Height of flush mechanism: 79 cm Folding grab bar on the approach side at a height of 76 and 91 cm Tap: mixer tap Height of bathroom fittings: 86-124 cm Shower base: a step	Bathroom in adapted room	
Toilet: Seat height: 42 cm Width of approach: on one side 93 cm No grab bar on the opposite side Basin: Height and clearance beneath the basin: 77 cm and 55 cm Height of the lower edge of the mirror: 100 cm Shower: Shower floor: non-slip Height of flush mechanism: 79 cm Folding grab bar on the approach side at a height of 76 and 91 cm Folding grab bar on the approach side at a height of 76 and 91 cm Folding grab bar on the approach side at a height of 76 and 91 cm Height of bathroom fittings: Shower base: a step	Door: width of 82 cm	
Toilet: Seat height: 42 cm Width of approach: on one side 93 cm No grab bar on the opposite side Basin: Height and clearance beneath the basin: 77 cm and 55 cm Height of the lower edge of the mirror: 100 cm Shower: Shower floor: non-slip Height of flush mechanism: 79 cm Folding grab bar on the approach side at a height of 76 and 91 cm Folding grab bar on the approach side at a height of 76 and 91 cm Folding grab bar on the approach side at a height of 76 and 91 cm Height of bathroom fittings: Shower base: a step		(diameter): Ø 150 cm
Width of approach: on one side 93 cm No grab bar on the opposite side Basin: Height and clearance beneath the basin: 77 cm and 55 cm Height of the lower edge of the mirror: 100 cm Shower: Shower floor: non-slip Folding grab bar on the approach side at a height of 76 and 91 cm Tap: mixer tap Height of bathroom fittings: 86-124 cm Shower base: a step	Toilet:	•
93 cm No grab bar on the opposite side Basin: Height and clearance beneath the basin: 77 cm and 55 cm Height of the lower edge of the mirror: 100 cm Shower: Shower floor: non-slip side at a height of 76 and 91 cm Height of 5 and 91 cm Height of bathroom fittings: 86-124 cm Shower base: a step	Seat height: 42 cm	Height of flush mechanism: 79 cm
No grab bar on the opposite side Basin: Height and clearance beneath the basin: 77 cm and 55 cm Height of the lower edge of the mirror: 100 cm Shower: Shower floor: non-slip Shower base: a step	Width of approach: on one side	Folding grab bar on the approach
No grab bar on the opposite side Basin: Height and clearance beneath the basin: 77 cm and 55 cm Height of the lower edge of the mirror: 100 cm Shower: Shower floor: non-slip Shower base: a step	93 cm	side at a height of 76 and 91 cm
Basin: Height and clearance beneath the basin: 77 cm and 55 cm Height of the lower edge of the mirror: 100 cm Shower: Shower floor: non-slip Shower base: a step	No grab bar on the opposite side	0
the basin: 77 cm and 55 cm Height of the lower edge of the mirror: 100 cm Shower: Shower floor: non-slip Shower base: a step		•
Height of the lower edge of the mirror: 100 cm Shower: Shower floor: non-slip Height of bathroom fittings: 86-124 cm Shower base: a step	Height and clearance beneath	Tap: mixer tap
Height of the lower edge of the mirror: 100 cm Shower: Shower floor: non-slip Height of bathroom fittings: 86-124 cm Shower base: a step	the basin: 77 cm and 55 cm	v . 0 0
of the mirror: 100 cm Shower: Shower floor: non-slip Shower base: a step		Height of bathroom fittings:
Shower floor: non-slip Shower base: a step		
	Shower:	0
	Shower floor: non-slip	Shower base: a step
ves		•
No horizontal grab bar Has a vertical grab bar which is		Has a vertical grab bar which is
used for adjusting the height of the	J	
shower head		
Lifts of the main building	Lifts of the main building	• One wor need
Accessible up to the door Height of call buttons: 133 cm		Height of call buttons: 133 cm
Width of door: 69.5 cm Width and depth of cab:		
101 and 88.5 cm	Tridar or door. Oolo on	
Height of control buttons: 118-116 cm	Height of control buttons: 118-116	
Trought of control buttons. 110-110 cm	ridgitt of control buttons. 110-110 C	7111

522 MADRID FOR ALL ACCESSIBLE TOURISM GUIDE





Other	• • • • • • • • •		•
Other	Location	Access	Main
amenities			characteristics
Reception	Ground floor) (Height of reception desk:
		entranceway	91 cm and 123 cm
	•	via stairs	
Communal	Ground floor		None of them are adapted for
WCs	•	reception via	wheelchair users
		a narrow	
		passageway	
		67 cm wide	
Cafeteria	Ground floor	On the same	Height of table: 73 cm
		floor as	Height beneath table 70 cm
	•	reception	Width beneath table: 49 cm
	•	but	Depth beneath table: 30 cm
		accessed	_ op 20.13a table. 00 0
		via narrow	
		passageways	
Restaurant /	Ground floor		Width of doorway: 62 cm
Breakfast	Ground noor	floor as	Height of table: 73 cm
buffet		reception	Height beneath table 66 cm
bullet		but	Width beneath table: 78 cm
		accessed	Depth beneath table: 90 cm
		via narrow	
B.4. (*	0 10	passageways	
Meeting	Ground floor	Accessible	
rooms (1)			
Parking	Basement	Not	There are no parking spaces
	floor (-1)	accessible,	for people with limited
	•	via stairs	mobility (PRM) , indicated by
			the disabled parking sign
			(ISA). Valet parking







ACCESSIBILITY - VISUALLY IMPAIRED -

Signs the same size: yes , average height of 170 cm and a font size of ≥ 1.5 cm			
Text and symbols: not in relief and not in Braille			
0			
Side protection skirting board of ≥ 12 cm on both sides: no			
All steps are the same height: yes			
Handrail on either side: on either side			
Handrail extends at top and bottom of stairs: no			
re and contrasting colour at the top			
0			
Keypad with numbers in Braille: yes			

524 525 MADRID FOR ALL ACCESSIBLE TOURISM GUIDE





EUROSTARS MADRID TOWER HOTEL

Paseo de la Castellana, 259 B 28046 Madrid

Telephone: 91 334 27 00 B 91 334 27 01

Web: www.eurostarsmadridtower.com

Metro with lift: Chamartín

Bus: 13, 67, 124, 134, 147, 176 and 178



- The main entrance of the hotel is easily accessible and has a level
- There is an automatic, revolving, glass main door with an opening of 1.70 m.
- There are also 2 glass swing doors, one on either side of the revolving door, which each measure 80 cm wide.
- Neither of these doors are marked with either horizontal strips or a logo in a contrasting colour.



ACCESSIBILITY - HEARING IMPAIRED

Room	• •
Internet connection: yes	TV which communicates with
	reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert:
	yes
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	•
Door lock with visual aid to indicate	Cubicle doors with a gap
either free or occupied: no	underneath to see if there is
	someone inside: no
Lifts	0
Visual signs indicating the floor	Emergency button with a light
	to show that the emergency call
inside and outside the cab: yes	has been received: yes
Emergency system	
Emergency alarm systems with visi	ual alerts: no








ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 701)	Number of adapted rooms: 10
On 7th floor accessible via lift	Width of door: 73 cm
Clear turning circle inside	Height of climate control: 150 cm
(diameter): Ø 150 cm	• • • • • • • • • • • • • • • • • • •
Height of bed: 70 cm	Space for access to the bed: right
	hand side 70 cm , left hand side
	140 cm
Wardrobe doors: folding with	Height of coatrack: 190 cm
door knobs, difficult to open	• •
Height of wardrobe shelves and dra	awers: 80-100 cm
Bathroom in adapted room	
Door: sliding door with a width of	Clear turning circle inside
78 cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 40 cm	Height of flush mechanism: 100 cm
Width of approach: right hand side	Folding grab bar on the right hand
80 cm, front 150 cm	side at a height of 70-85 cm
Fixed grab bar on the right hand	Distance between bars: 69 cm
side at a height of 70-85 cm	•
Basin:	• •
Height and clearance beneath	Tap: mixer tap
the basin: 80 cm and 70 cm	0
Height of the lower edge	Height of bathroom fittings: 80 cm
of the mirror: 80 cm	•
Bath:	
Height of bath: 45 cm	Height and location of horizontal
	grab bar: 70 cm (all the way
	around)
Mobile, rotating bath chair	Has no vertical grab bar
with back rest	01 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Mixer tap at 60 cm on narrow wall	Shower head at 140 cm . Height
NI	cannot be adjusted
No screen or curtain	Niverban of adopted tollate.
Adapted bathroom	Number of adapted toilets: 3. 2 on
in communal areas	floor -1 next to the meeting rooms,
	and another of similar
On Oath flands and the little	characterisitics on 30th floor
On 30 th floor, accessible via lift	Door: inward opening with a width
Olean terrelanda la	of 76 cm
Clear turning circle inside (diamete	ר): ש ז סט כm
Tollet:	I loight of flugh mostless 400
Seat height: 42 cm	Height of flush mechanism: 100 cm
	Folding grab bar on right hand side:
82 cm, front 140 cm	74-90 cm
Fixed grab bar on left hand side: 74	+-an cili







Other	Location	Access	Main
amenities	•	•	: characteristics
Reception	Ground floor	Accessible	Height of reception desk:
	•	•	:115 cm
Cafeteria /	Basement	Accessible	Bar height: 110 cm
Terrace	floor (-1)		Height of table: 45 cm
Restaurant /	Floor 30	Accessible	: Height buffet bar: 72 -100 cm
Breakfast	•	0 0	Height of table: 75 cm
buffet	•	0	Height beneath table 74 cm
	•	9 9	Width beneath table: 70 cm
	•		Depth beneath table: 35 cm
	•		Tables with central leg
Meeting	Basement	Accessible	Height of table: 73 cm
rooms (28)	floor (-2)	0	Height beneath table 72 cm
	•	9 9	Width beneath table: 141 cm
	•		Depth beneath table: 46 cm
Gym / Spa	Floor 29	Accessible	No specially adapted
- ,	•		changing rooms or toilets for
	•	0	wheelchair users. No hoist for
	•	•	getting into the pool.
Parking	Basement	Accessible	There are 6 parking spaces
	•		floor (-3) for people with
	•	b	limited mobility (PRM),
	•	•	indicated by the disabled
	•		parking sign (ISA) on the
	•		floor
	-		* 11001







ACCESSIBILITY - VISUALLY IMPAIRED -

Signs			
Signs the same size: yes , average height of 110-200 cm and a font size			
of ≥ 1.5 cm			
Lettering in a colour which	Text and symbols: not in relief		
contrasts with the background: ye	s and not in Braille		
Main stairs			
Edge of stairs marked with a	Side protection skirting board of		
non-slip strip in a contrasting	≥ 12 cm on both sides: yes		
colour: no	•		
Steps have a riser: yes	All steps are the same height: yes		
Steps have nosing: no	•		
The space under the stairs is	Handrail on either side: yes		
blocked off: yes	•		
Continuous handrails on	Handrail extends at top and bottom		
half-landings: no	of stairs: no		
Strip of surface of a different texture and contrasting colour at the top			
and bottom of the stairs: no			
Lifts			
Cab with audio signals: yes	Control buttons in contrasting		
	colour: yes		
Keypad with numbers in relief:	Keypad with numbers in Braille:		
no	no		





GRAN MELIÁ FÉNIX HOTEL

Calle de Hermosilla, 2 28001 Madrid

Telephone: 91 431 67 00 **Fax:** 91 576 06 61

Web: www.solmelia.com

Metro without lift: Colón and Serrano

Bus: 5, 14, 27, 45 and 150

ACCESS

- The entrance is easily accessible and has a level surface.
- There is an automatic, sliding glass door **1.30 m** wide. It is marked with either horizontal strips or a logo in a contrasting colour.



ACCESSIBILITY - HEARING IMPAIRED

Room	•	
•	TV which communicates with reception: no	
TV with teletext decoder: yes	TV has alarm clock with visual alert:	
Bedside plug socket: yes	Entrance door with peephole: no	
	Light signals to indicate a knock at the door: no	
Communal WCs	at the door. no	
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no	
Lifts	•	
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no	
Emergency system	ilas been received. no	
Emergency alarm systems with visual alerts: no		







ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room	Number of adapted rooms: 4
Accessible via lift	Width of door: 87 cm
Clear turning circle inside	Height of climate control: tactile,
(diameter): Ø 150 cm	70 cm
Height of bed: 56 cm	Space for access to the bed:
	on one side 200 cm
Wardrobe doors: difficult to open	Height of coatrack: 198 cm
Bathroom in adapted room	0 0 0
Door: with a width of 89 cm	Clear turning circle inside
	(diameter): Ø 150 cm
Toilet:	0 0
Seat height: 47 cm	Height of flush mechanism: 92 cm
Width of approach: on one side	Folding grab bar on the right hand
97 cm	side with an adjustable height
Folding grab bar on the left hand	Distance between bars: 65 cm
side with an adjustable height	•
Basin:	0 0
Height and clearance beneath	Tap: mixer tap
the basin: 68 cm and 80 cm	0
Height of the lower edge	Height of bathroom fittings:
of the mirror: 82 cm	between 76 cm and 135 cm
Shower:	•
Shower floor: non-slip	Shower base: a step
Tap: mixer tap on accessible	Shower chair: yes, fixed to wall
wall	with adjustable height
Height and location of horizontal	Has a vertical grab bar which is
grab bar: 90 cm , on wall to side	used for adjusting the height of the
of the tap	shower head
Adapted bathroom in communal	
Accessible via lift	Door: with a width of 81 cm
Clear turning circle inside (diamete	r): Ø 150 cm
Toilet:	
Seat height: 45 cm	Height of flush mechanism: 90 cm
Width of approach: right hand side	Folding grab bar on right hand side:
Width of approach: right hand side 68 cm , left hand side 66 cm	Folding grab bar on right hand side: 75 and 89 cm
Width of approach: right hand side 68 cm , left hand side 66 cm Folding grab bar on left hand side:	Folding grab bar on right hand side: 75 and 89 cm
Width of approach: right hand side 68 cm , left hand side 66 cm Folding grab bar on left hand side: 75-89 cm	Folding grab bar on right hand side: 75 and 89 cm
Width of approach: right hand side 68 cm, left hand side 66 cm Folding grab bar on left hand side: 75-89 cm Basin:	Folding grab bar on right hand side: 75 and 89 cm Distance between bars: 56 cm
Width of approach: right hand side 68 cm, left hand side 66 cm Folding grab bar on left hand side: 75-89 cm Basin: Height and clearance beneath	Folding grab bar on right hand side: 75 and 89 cm
Width of approach: right hand side 68 cm, left hand side 66 cm Folding grab bar on left hand side: 75-89 cm Basin: Height and clearance beneath the basin: 65 cm and 22 cm	Folding grab bar on right hand side: 75 and 89 cm Distance between bars: 56 cm Tap: mixer tap
Width of approach: right hand side 68 cm, left hand side 66 cm Folding grab bar on left hand side: 75-89 cm Basin: Height and clearance beneath the basin: 65 cm and 22 cm Height of the lower edge	Folding grab bar on right hand side: 75 and 89 cm Distance between bars: 56 cm
Width of approach: right hand side 68 cm, left hand side 66 cm Folding grab bar on left hand side: 75-89 cm Basin: Height and clearance beneath the basin: 65 cm and 22 cm	Folding grab bar on right hand side: 75 and 89 cm Distance between bars: 56 cm Tap: mixer tap





Lifts	•	
Accessible up to the door	Height of call buttons: 121 cm	
Width of door: 81 cm	Width and depth of cab:	
	115 and 142 cm	
Height of control buttons: 105 and 129 cm		

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 106 cm
Cafeteria	Ground floor	Accessible	Height of table: 68 cm Height beneath table 62.5 cm Width beneath table: 81 cm Depth beneath table: 26 cm Table with central leg
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of table: 75 cm Height beneath table 73 cm Width beneath table: 100 cm Depth beneath table: 69.5 cm
Meeting rooms	Basement floor (-1)	Accessible via lift	0 0 0
Parking	Basement floor (-1)	Accessible via lift	There are no parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA). Valet parking







ACCESSIBILITY - VISUALLY IMPAIRED -

e height of 176-193 cm and a font size			
Text and symbols: not in relief s and not in Braille			
Side protection skirting board of ≥ 12 cm on both sides: it is not continuous			
All steps are the same height: yes			
Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no			
Control buttons in contrasting colour: yes			
Keypad with numbers in Braille: yes			

532 <u>MADRID FOR ALL</u> <u>ACCESSIBLE TOURISM GUIDE</u> 533









Paseo de la Castellana, 57 Paseo o Madrid

Telephone: 91 210 88 00 Fax: 91 210 88 99

Web: www.hesperia-madrid.com

Metro with lift: Gregorio Marañón

Bus: 7, 14, 27, 40, 45, 147 and 150



ACCESS

- The main entrance has a single step (located before the door), and no alternative ramp. There are 2 access doors. One is 1.40 m wide, and opens automatically. The other is > 80 cm wide, and is opened manually. Both doors are made of glass, and are marked with horizontal strips of contrasting colour.
- From the entrance to reception there are 2 sections of 3 steps with no alternative ramp.
- There is an alternative route without steps which leads from a door next to the main entrance. This door has a width of more than > 80 cm, and leads to a corridor 1.10 m wide which in turn leads to the reception, the lifts and the cafe-bar.

ACCESSIBILITY - HEARING IMPAIRED

Room	•	
Internet connection: yes	TV which communicates with reception: no	
TV with teletext decoder: yes	TV has alarm clock with visual alert: no	
Bedside plug socket: yes	Entrance door with peephole: yes	
Written information on available	Light signals to indicate a knock	
services: yes	at the door: yes	
Communal WCs		
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no	
Lifts		
Visual signs indicating the floor and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no	
Emergency system		
Emergency alarm systems with visual alerts: no		







ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room	Number of adapted rooms: 2
Accessible via lift	Width of door: 77 cm
Clear turning circle inside	Height of climate control: 150 cm
(diameter): Ø 150 cm	• •
Height of bed: 61 cm	Space for access to the bed: right
	hand side 85 cm , left hand side
	114 cm
Height of coatrack: 183 cm	0
Bathroom in adapted room	
Door: with a width of 100 cm	Clear turning circle inside
	(diameter): Ø 150 cm
Toilet:	*
Seat height: 40 cm	Height of flush mechanism: 92 cm
Width of approach: on one side	Folding grab bar on the approach
136 cm	side with an adjustable height
No grab bar on the opposite side	•
Basin:	*
Height of the lower edge	Height of bathroom fittings:
of the mirror: 90 cm	84-121 cm
Bath:	*
Height of bath: 40 cm	Horizontal grab bar: 120 cm
Mixer tap	Has no vertical grab bar
Adapted bathroom in communa	
Accessible via lift	Door: with a width of 80 cm
Clear turning circle inside (diameter	
Toilet: no adequate lateral appro	
Seat height: 44 cm	Width of approach: only frontal
Chard much have an left have decide	approach, > 80 cm
Fixed grab bar on left hand side	Folding grab bar on right hand side
Basin:	ollainht af hathmann fittings.
Height of the lower edge	Height of bathroom fittings:
of the mirror: 111 cm	83-110 cm
Lifts	Number of lifts: 2
Lift 1. to the meeting rooms	*
Accessible up to the door via	Width and depth of cab:
an alternative entrance	115 and 142 cm
Width of door: 81 cm	Height of control buttons:
	90-160 cm





Lift 2	
Accessible up to the door via	Width and depth of cab:
an alternative entrance	135 and 140 cm
Width of door: 78 cm	Height of control buttons:
	90-160 cm

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible via alternative entrance	Height of reception desk: 120 cm
Cafeteria	Ground floor	Accessible from reception	Height of table: 76 cm Height beneath table 72 cm Width beneath table: 57 cm Depth beneath table: 120 cm
Restaurant	Ground floor	Accessible from inside and from outside via a ramp with an incline of 8%	Height of table: 76 cm Height beneath table 71 cm Width beneath table: 61 cm Depth beneath table: 110 cm
Meeting rooms	0 0 0 0 0 0 0 0	Accessible from reception via lift	0 0 0 0 0 0
Parking	Basement floor (-1)	Accessible via lift	There are 2 parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)








ACCESSIBILITY - VISUALLY IMPAIRED -

Signs		
	height of 160-169 cm and a font size	
of ≥ 1.5 cm		
Lettering in a colour which	Text and symbols: not in relief	
contrasts with the background: yes	and not in Braille	
Main stairs	•	
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting	≥ 12 cm on both sides: it is not	
colour: no	continuous	
Continuous handrails on	All steps are the same height: yes	
half-landings: no	•	
Strip of surface of a different texture and contrasting colour at the top		
and bottom of the stairs: no		
Lifts		
Cab with audio signals: no	Keypad with numbers in Braille:	
	yes	
Keypad with numbers in relief: yes		

536 MADRID FOR ALL ACCESSIBLE TOURISM GUIDE 537





HILTON MADRID AIRPORT HOTEL

Avenida de la Hispanidad, 2 - 4 Aveniua ue ia . . 28042 Madrid

Telephone: 91 153 40 00 Fax: 91 153 40 01

Web: www.hilton.com

Bus: 114

ACCESS

- The main entrance to the hotel is level.
- There is an automatic revolving door. There is one alternative swing door 80 cm wide on either side of the revolving door.
- The swing doors are glass, and are not marked with strips or a logo in a contrasting colour.



ACCESSIBILITY - HEARING IMPAIRED

Room	o o
	TV which communicates with reception: ves
TV with teletext decoder: yes	TV has alarm clock with visual alert: yes
Bedside plug socket: yes	Entrance door with peephole: yes
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	•
	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	0
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visu	ual alerts: no







ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 134)	Number of adapted rooms: 6
Accessible via lift	Width of door: 92 cm
Clear turning circle inside	Height of climate control: 130 cm
(diameter): Ø 150 cm	
Height of bed: 60 cm	Space for access to the bed: right
	hand side 170 cm , left hand side
	106 cm
Wardrobe doors: sliding doors	Height of coatrack: 185 cm with
with knobs, difficult to open	hangers suitable for long sleeves
Height of wardrobe shelves and dr	awers: 20-70 cm
Bathroom in adapted room	
Door: sliding, curved door with a	Clear turning circle inside
width of 92 cm	(diameter): Ø 150 cm
Toilet: located between two wall	
Seat height: 42 cm	Height of flush mechanism: 85 cm
Width of approach: frontal	Fixed grab bar on the right hand
approach only 60 cm	side with a height of 80 cm
Fixed grab bar on the left hand	Distance between bars: 69 cm
side with a height of 80 cm	•
	the basin that stops a wheelchair
users from approaching and bei	
Height and clearance beneath	Tap: difficult to use
the basin: no space	•
Height of the lower edge	Height of bathroom fittings:
of the mirror: 90 cm	50-80 cm
Shower: its small size, inadequa	ate approach area stop wheelchair
users from being able to use it	
Width of approach to shower:	Shower base: level with floor
98 cm	•
Shower floor: non-slip	Shower chair or stool: no
Height and location of horizontal	Height and location of vertical grab
grab bar: 93 cm, on wall to side	bar: 60-160 cm , on same wall as
of the tap	tap
Tap: difficult to use	Height of tap: 100-130 cm on
•	accessible wall
Adjustable shower-head height:	Fixed shower screen
yes	•
Adapted bathroom	No. of adapted bathrooms 2
in communal areas	•
On 1st floor, accessible via lift	Door: folds out, with a width of
,	84 cm
Clear turning circle inside (diamete	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	,





	•
Toilet:	•
Seat height: 40 cm	Height of flush mechanism: 85 cm
Width of approach: right hand side	Folding grab bar on right hand side,
95 cm, left hand side none, front	height of 66 and 77 cm
155 cm	•
Fixed grab bar on left hand side,	Distance between bars: 76 cm
height of 77 cm	•
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 66 cm and 35 cm	•
Height of the lower edge	Height of bathroom fittings: 100 cm
of the mirror: 80 cm	•
Panoramic lifts	Number of lifts: 3
Accessible up to the door	Height of call buttons: 100 cm
Width of door: 120 cm	Width and depth of cab:
	128 and 228 cm
Height of control buttons:	Height of handrail: 80-90 cm
90-160 cm	
00 100 0111	

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 118 cm
Cafeteria	Ground floor	Accessible	Bar height: 114 cm
Restaurant / Buffet breakfast	Ground floor	Accessible	Buffet bar height: 87 cm
Meeting rooms (15)	Ground floor	Accessible	• • • • • • • • • • • • • • • • • • •
Pool and Gym	First floor	Accessible via lift	No hoist for getting into the pool. No specially adapted changing rooms or toilets
Parking floor	Basement (-1)	Accessible via lift	There are 2 parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)







ACCESSIBILITY - VISUALLY IMPAIRED -

Signs		
Signs the same size: yes , average height of 180 cm and a font size of ≥ 1.5 cm		
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille	
Main stairs	•	
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting	≥ 12 cm on both sides: yes	
colour: no	•	
Steps have a riser: yes	All steps are the same height: yes	
Steps have nosing: no	•	
The space under the stairs is	Handrail on either side: yes	
blocked off: there is none	•	
Continuous handrails on	Handrail extends at top and bottom	
half-landings: no	of stairs: no	
Strip of surface of a different textur and bottom of the stairs: no	e and contrasting colour at the top	
Lifts	•	
Cab with audio signals: yes	Control buttons in contrasting	
	colour: yes	
Keypad with numbers in relief:	Keypad with numbers in Braille:	
yes	no	

540 541 MADRID FOR ALL ACCESSIBLE TOURISM GUIDE











ACCESSIBILITY - PHYSICALLY DISABLED -

Adapted room (No. 110)	Number of adapted rooms: 1
On 1 st floor, accessible via lift	Width of door: 77 cm
Clear turning circle inside	Height of climate control:
(diameter): Ø 150 cm	154-163 cm
Height of bed: 83 cm	Space for access to the bed: right
	hand side 115 cm , left hand side
	120 cm
	Height of coatrack: 170 cm
Height of wardrobe shelves and dra	
Bathroom in adapted room. Betw	
bedroom, there is a slope, naviga	
with a width of 1.38 cm, a depth of	of 68 cm and an adequate incline
of 10.5%	•
Door: sliding, with a width of	Clear turning circle inside
134 cm	(diameter): Ø 150 cm
Toilet: without adequate lateral a	
Seat height: 40 cm	Height of flush mechanism: 80 cm
Width of approach: right hand side	
40 cm, front ≥ 120 cm	side with a height of 50-72 cm
Fixed grab bar on the left hand	Distance between bars: 78 cm
side with a height of 72 cm	0 0 9a November - All Research
Basin: there is furniture beneath	
Height and clearance beneath	Tap: automatic with sensor
the basin: 76 cm and 26 cm	• • • I I - ! what of heathers are fittle was
Height of the lower edge	Height of bathroom fittings:
of the mirror: 140 cm	92-158 cm
Shower:	Chower hass lovel with flags
Width of approach to shower:	Shower base: level with floor
210 cm	Chower steel: mabile
Shower floor: non-slip	Shower stool: mobile
Height and location of horizontal	Height and location of vertical grab
grab bar: 50-73 cm , on wall to side of the tap	Dal. Hone
Tap: requires a twist of the wrist	Height of tap: 96-118 cm on
ιαρ. requires a twist of the wrist	accessible wall
Adjustable shower-head height:	A folding shower screen that does
no, height 118 cm	not impede getting into shower
no, noight i io oili	Thor impode getting into shower



HOSPES HOTEL

Plaza de la Independencia, 3 28001 Madrid

Telephone: 91 432 29 11 Fax: 91 432 29 12

Web: www.hospes.com

Metro without lift: Retiro

Bus: 1, 2, 9, 15, 20, 51, 52, 74, 146 and 202

ACCESS

- The main entrance is easily accessible and has a level surface.
- There are 2 doors, one after the other. The first is a manually operated double swing door, 1.50 m wide, which is always open. The second is an automatic, sliding glass door, which is marked with the hotel's logo in a non-contrasting colour.



ACCESSIBILITY - HEARING IMPAIRED

Room		
•	TV which communicates with reception: no	
,	TV has alarm clock with visual alert: yes	
Bedside plug socket: yes	Entrance door with peephole: no	
Written information on available	Light signals to indicate a knock	
services: yes	at the door: no	
Communal WCs		
•	Cubicle doors with a gap underneath to see if there is someone inside: no	
Lifts		
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no	
Emergency system		
Emergency alarm systems with visual alerts: no		



90-122 cm





Hospes





ACCESSIBILITY - VISUALLY IMPAIRED -

Signs		
Signs the same size: yes , average height of 145 cm and a font size of ≥ 1.5 cm		
Lettering in a colour which contrasts with the background: ye	Text and symbols: not in relief s and not in Braille	
Main stairs	•	
Edge of stairs marked with a non-slip strip in a contrasting colour: no	Side protection skirting board of ≥ 12 cm on both sides: yes	
Steps have a riser: yes Steps have nosing: yes	All steps are the same height: yes	
Handrail extends at top and bottor of stairs: no	n Handrail on either side: yes	
Strip of surface of a different textu and bottom of the stairs: no	re and contrasting colour at the top	
Lifts		
Cab with audio signals: yes	Control buttons in contrasting colour: yes	
Keypad with numbers in relief: yes	Keypad with numbers in Braille: yes	



r olding grab bar on left fland side,	Distance between bars. 10 cm
height of 50-73 cm	•
Basin:	•
Height and clearance beneath	Tap: difficult to use
the basin: 71 cm and 16 cm	• • • • • • • • • • • • • • • • • • •
Height of the lower edge	Height of bathroom fittings:
of the mirror: 110 cm	116-140 cm
Lifts	Number of lifts: 2
Accessible up to the door	Height of call buttons: 96-105 cm
Width of door: 80 cm	Width and depth of cab:
	99 and 123 cm
Height of control buttons:	Height of handrail: no handrail

Other	Location	Access	Main
amenities			characteristics
Reception	Ground floor	Accessible	Height of reception desk: 117 cm
Cafeteria / restaurant / buffet	Ground floor	Possible via stairs with chairlift	Buffet bar height: 75-90 cm Height of table: 75 cm Height beneath table 70 cm Width beneath table: 70 cm Depth beneath table: 30 cm
Meeting rooms (2)	Mezzanine	Accessible via lift	Height of table: 75 cm Height beneath table 70 cm Width beneath table: 70 cm Depth beneath table: 30 cm
Pool and Gym	Basement (-1)	Accessible via lift	No hoist for getting into the pool. No specially adapted changing rooms or toilets.

544 **545 MADRID FOR ALL** ACCESSIBLE TOURISM GUIDE









ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 302)	Number of adapted rooms: 5
On 3 rd floor, accessible via lift	Width of door: 83 cm
Clear turning circle inside	Height of climate control: next to
(diameter): Ø 150 cm	the bed
Height of bed: 55 cm	Space for access to the bed: right
	hand side 58 cm , left hand side
	110 cm
Wardrobe doors: easy to open	Height of coatrack: 185 cm
Height of wardrobe shelves and dra	awers: 20-80 cm
Bathroom in adapted room	•
Door: inward opening with a width	Clear turning circle inside
of 78 cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 45 cm	Height of flush mechanism: 100 cm
Width of approach: left hand side	Fixed grab bar on the right hand
150 cm , front 90 cm	side with a height of 73 cm
Folding grab bar on the left hand	Distance between bars: 66 cm
side with a height of 73 cm	•
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 68 cm and 40 cm	•
Height of the lower edge	Height of bathroom fittings:
of the mirror: 90 cm	72-100 cm
Bath:	*
Height of bath: 47 cm	Height and location of horizontal
	grab bar: 70 cm along long wall
Transfer bench: yes	Has a vertical grab bar which is
	used for adjusting the height of the
N4: 1 100 1 1 1 1	shower head
Mixer tap at 60 cm along short wal	Adjustable shower head along short
	wall
Has a screen that folds in both dire	
Adapted bathroom in communal	
On 1 st floor, accessible via lift	Door: opens inwards with a width of
Ole and terminal and all and the children of the	:77 cm
Clear turning circle inside (diamete	ר): ש ז 50 cm
Toilet:	*Height of flugh machanisms, 400
Seat height: 40 cm	Height of flush mechanism: 100 cm
Width of approach: left hand side	Fixed grab bar on right hand side,
135 cm, front 120 cm	height of 70 cm
Folding grab bar on left hand side,	Distance between bars: 70 cm
height of 70 cm	•



HUSA PRINCESA HOTEL

Calle de la Princesa, 40 Calle ue la 28008 Madrid

Telephone: 91 42 21 00 Fax: 91 542 35 01

Web: www.husaprincesa.com

Metro with lift: Argüelles

Bus: 1, 2, 21, 44, 133, 202 and C

ACCESS

- The main entrance has a single step with alternative ramps on either side. The ramps are 1.18 m wide, 2 m long, and have a non-recommended incline of **11%**. There is no handrail.
- There is another entrance to the hotel with an access ramp 2 m long, and with a non-recommended incline of 16%.
- There is a revolving door at the main entrance with an opening of > 80 cm. On either side is a manually operated swing door measuring > 80 cm wide.
- The alternative entrance is an automatic sliding door 1 m wide.
 All doors are glass, and are marked with contrastingly coloured horizontal strips.



ACCESSIBILITY - HEARING IMPAIRED

Room	
	TV which communicates with reception: no
•	TV has alarm clock with visual alert: yes
Bedside plug socket: yes	Entrance door with peephole: yes
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	
· · · · · · · · · · · · · · · · · · ·	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visu	ual alerts: no

MADRID FOR ALL







Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk:
Cafeteria	Ground floor	Accessible from the street with a ramp with a length of 2 m and an acceptable incline of 7%. From reception there are 4 steps and no ramp	Bar height: 112 cm Height of table: 76 cm Height beneath table 72 cm Width beneath table: 80 cm Depth beneath table: 70 cm
Restaurant / Buffet breakfast	Ground floor	Same as cafeteria	Buffet bar height: 89 cm Height of table: 77 cm Height beneath table 74 cm Width beneath table: 80 cm Depth beneath table: 30 cm
Meeting rooms (15)	First floor	Accessible via lift	Height of table: 76 cm Height beneath table 72 cm Width beneath table: 135 cm
Parking	Basement floor (-1)	Accessible via lift	There is 1 parking space for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)







ACCESSIBILITY - VISUALLY IMPAIRED -

Signs			
Signs the same size: no , with a font size of ≥ 1.5 cm			
Lettering in a colour which con-			
trasts with the background: yes/no	and not in Braille		
Main stairs			
Edge of stairs marked with a	Side protection skirting board of		
non-slip strip in a contrasting	≥ 12 cm on both sides: yes		
colour: no	•		
Steps have a riser: yes	All steps are the same height: yes		
Steps have nosing: yes			
The space under the stairs is	Handrail on either side: no		
blocked off: yes	•		
Continuous handrails on	Handrail extends at top and bottom		
half-landings: yes	of stairs: no		
Strip of surface of a different texture and contrasting colour at the top			
and bottom of the stairs: no	·		
Lifts	0		
Cab with audio signals: no	Control buttons in contrasting		
	colour: yes		
Keypad with numbers in relief:	Keypad with numbers in Braille:		
yes	yes		









INTERCONTINENTAL HOTEL

Paseo de Castellana, 49 28046 Madrid

Telephone: 91 700 73 00 **Fax:** 91 319 58 53

Web: www.madrid.intercontinental.com

Metro with lift: Gregorio Marañón

Bus: 7, 12, 14, 16, 27, 40, 45, 147 and

ACCESS

- The main entrance of the hotel has 2 individual steps, but there is a recess at ground level which allows easy access. There is a step of 6 cm in front of the main door.
- There is a revolving, manually operated main door. There is an alternative **90 cm** wide swing door.
- Both doors are glass, and are not marked with horizontal strips or logos in a contrasting colour.

9

ACCESSIBILITY - HEARING IMPAIRED

Room	
•	TV which communicates with
	reception: yes
TV with teletext decoder: yes	TV has alarm clock with visual alert:
	yes
Bedside plug socket: yes	Entrance door with peephole: yes
Written information on available	Light signals to indicate a knock
services: yes	at the door: yes
Communal WCs	·
Door lock with visual aid to indicate	Cubicle doors with a gap
either free or occupied: yes	underneath to see if there is
	someone inside: yes
Lifts	·
Visual signs indicating the floor	Emergency button with a light
and direction of movement, both	to show that the emergency call
inside and outside the cab: yes	has been received: no
Emergency system	
Emergency alarm systems with visu	ual alerts: no



ACCESSIBILITY - PHYSICALLY DISABLED -

Adapted room (No. 323)	Number of adapted rooms: 3
On 3 rd floor, accessible via lift	Width of door: 85.5 cm
Clear turning circle inside	Height of climate control:
(diameter): Ø 150 cm	47-152 cm
Height of bed: 57 cm	Space for access to the bed: right
	hand side 107 cm , left hand side
	107 cm
Wardrobe doors: difficult to	Height of coatrack: 174 cm
open	•
Height of wardrobe shelves and dr	awers: 20-174 cm
Bathroom in adapted room	
Door: width of 88 cm	Clear turning circle inside
	:(diameter): Ø 150 cm
Toilet: without adequate lateral a	
Seat height: 42 cm	Height of flush mechanism: 78 cm
Width of approach: on one side	Folding grab bar on the approach
85 cm	side with a height of 69-85 cm
Fixed grab bar on the opposite	Distance between bars: 66 cm
side with a height of 85 cm	0
Basin:	<u> </u>
Height and clearance beneath	Tap: mixer tap
the basin: 74 cm and 34 cm	•
Height of the lower edge	Height of bathroom fittings:
of the mirror: 106 cm	:125-144 cm
Shower:	
Shower floor: non-slip	Shower base: level with floor
Tap: mixer tap on accessible wall	Shower chair or stool: fixed and folding
Height and location of horizontal	Height and location of vertical grab
grab bar: 92 cm , on wall to side	bar: none
of the tap	•
Adapted bathroom in communal	areas
Accessible via lift	Door: sliding, with a width of
	95.5 cm
Clear turning circle inside (diamete	er): Ø 150 cm
Toilet:	
Seat height: 42 cm	Height of flush mechanism:
	automatic flush mechanism
Width of approach: one one side	Folding grab bar on approach side,
100 cm	height of 68-83 cm
No grab bar on opposite side	0
Basin:	•
Height and clearance beneath the basin: 90 cm and 20 cm	Tap: automatically activated







Other	Location	Access	Main
Reception	Ground floor	Accessible	characteristics Height of reception desk: 125 cm
Cafeteria	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Accessible via lift	Bar height: 110 cm Height of table: 70 cm Height beneath table 63.5 cm Width beneath table: 80 cm Depth beneath table: 33.5 cm Table with central leg
Restaurant	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Accessible via lift	Height of table: 73.5 cm Height beneath table 67 cm Width beneath table: 68 cm
Meeting rooms (12)	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Accessible via lift	0
Parking	0		Valet parking









Signs		
Signs the same size: yes , average height of 200 cm and a font size		
4 cm		
Lettering in a colour which	Text and symbols: not in relief	
contrasts with the background: yes	s and not in Braille	
Main stairs	• •	
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting	≥ 12 cm on both sides: on just	
colour: no	one side	
Steps have a riser: yes	All steps are the same height: yes	
Steps have nosing: no	•	
The space under the stairs is	Handrail on either side: on just	
blocked off: there is none	one side	
Continuous handrails on	Handrail extends at top and bottom	
half-landings: no	of stairs: no	
Strip of surface of a different textu	re and contrasting colour at the top	
and bottom of the stairs: no		
Lifts	0	
Cab with audio signals: yes	Control buttons in contrasting	
	colour: no	
Keypad with numbers in relief:	Keypad with numbers in Braille:	
yes	yes	











Telephone: 91 567 50 00 **Fax:** 91 567 50 51

Web: www.hotelmeliacastilla.com

Metro without lift: Cuzco

Bus: 5, 27, 147 and 149



ACCESS

- There are **5** steps and an alternative ramp at the main entrance. The ramp is 1.72 m long and 80 cm wide, with a non-recommended incline of 17%. There is a handrail on one side of the ramp, fixed at 95 cm high, and which does not extend past the ends.
- Its ends are not marked by a floor surface of distinctive texture and contrasting colour.
- There are 2 manually operated glass doors 80 cm wide.
- They are marked with circles in a contrasting colour.

ACCESSIBILITY - HEARING IMPAIRED

Room	•	
Internet connection: yes, paying	TV which communicates with reception: no	
TV with teletext decoder: yes	TV has alarm clock with visual alert: yes	
Bedside plug socket: yes	Entrance door with peephole: yes	
Written information on available	Light signals to indicate a knock	
services: yes	at the door: no	
Communal WCs		
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no	
Lifts	•	
Visual signs indicating the floor and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no	
Emergency system		
Emergency alarm systems with visual alerts: no		



ACCESSIBILITY - PHYSICALLY DISABLED

	THE CONTRACTOR OF THE CONTRACT
Adapted room (No. 205)	Number of adapted rooms: 6
On 2 nd floor , accessible via ramp	Width of door: 76 cm
that leads to lift	0
Clear turning circle inside	Height of climate control: 158 cm
(diameter): Ø 150 cm	o o
Height of bed: 50 cm	Space for access to the bed: right
_	hand side 75 cm , left hand side
	70 cm
Wardrobe doors: sliding, difficult	Height of coatrack: 167 cm
to open	o o
Height of wardrobe shelves and dra	awers: 50-80 cm
Bathroom in adapted room	
Door: sliding with a width	Clear turning circle inside
of 83 cm	(diameter): Ø 150 cm
Toilet: without adequate lateral a	pproach space as it is located bet-
ween two walls	
Seat height: 47 cm	Height of flush mechanism: 90 cm
Width of approach: frontal 100 cm	Folding grab bar on the right hand
	side with a height of 80-115 cm
Folding grab bar on the left hand	Distance between bars: 83 cm
side with a height of 80-115 cm	•
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 78 cm and 60 cm	•
Height of the lower edge	Height of bathroom fittings:
of the mirror: 95 cm	90-110 cm
Shower:	•
Width of approach to shower:	Shower base: level with the floor
125 cm	•
Shower floor: non-slip	Shower chair or stool: fixed
	and folding
Height and location of horizontal	Height and location of vertical grab
grab bar: 90 cm , on wall to side	bar: 90-125 cm , on wall to side of
of the tap next to the chair	the tap next to the chair
Tap: mixer tap	Height of tap: 90 cm
Adjustable shower-head height: ye	s, 150-200 cm
Adapted bathroom in communal	No. of adapted bathrooms 2
areas, taking as an example	•
the one in the reception	•
rooms, ground floor	•
One on ground floor, one on	Door: folding inwards with a width
floor -1, accessible via ramp	of 82 cm
described under lift section	• •
Clear turning circle inside (diamete	r): Ø 150 cm
Toilet:	
Seat height: 47 cm	Height of flush mechanism: 90 cm
<u>_</u>	









	and basement floor -1)	on Lift)	0 0 0 0 0 0
Outdoor pool and Gym	Basement floor (-1)	Accessible via lift and via ramp which is 10 m long, 1.14 m wide and a non-recommended incline of 17.6%	No hoist for getting into the pool. No specially adapted changing rooms or toilets
Parking	Basement floor (-1 and -2)	Accessible via ramp and lift	There are no parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)



ACCESSIBILITY - VISUALLY IMPAIRED ----

Signs		
Signs the same size: yes , average height of 190-200 cm and a font size of 8 and 10 cm		
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille	
Main stairs	0	
Edge of stairs marked with a non-slip strip in a contrasting colour: no	Side protection skirting board of ≥ 12 cm on both sides: yes (with the exception of the Albufera restaurante)	
Steps have a riser: yes (with the exception of the Albufera restaurante) Steps have nosing: no	All steps are the same height: yes	
The space under the stairs is blocked off: yes	There is a handrail in the centre of the stairway at a height of 105 cm, and along the edges a rope fixed firmly to the wall at a height ranging from 45 to 90 cm	
Continuous handrails on half-landings: yes	Handrail extends at top and bottom of stairs: no	
Strip of surface of a different texturand bottom of the stairs: no	re and contrasting colour at the top	
Lifts		
Cab with audio signals: yes	Control buttons in contrasting colour: yes	
Keypad with numbers in relief: yes	Keypad with numbers in Braille: yes	



Width of approach: left hand side 70 cm , right hand side 60 cm , front 150 cm	Folding grab bar on the right hand side, height of 60-80 cm
Folding grab bar on the left hand side, height of 60-80 cm	Distance between bars: 68 cm
Basin:	•
Height and clearance beneath the basin: 80 cm and 50 cm	Tap: automatically activated
Height of the lower edge of the mirror: 117 cm	Height of bathroom fittings: 90-100 cm
Lifts	0 0
Accessible up to the door via 2 lengths of ramp, the 1st 150 cm long, 88 cm wide and a non-recommended incline of 28.6%. The 2nd, 90 cm long, 88 cm wide and a non-recommended incline of 28.6% and there is no handrail	Height of call buttons: 90-120 cm
Width of door: 80 cm (Access to rooms)	Width and depth of cab:
Width of door: 80 cm (Access to parking)	Width and depth of cab:
Width of door: 89 cm (Access to meeting rooms)	Width and depth of cab: 156 and 140 cm
Height of control buttons: 90-120 cm	Height of handrail: 95 cm

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 107 cm
Cafeteria	Ground floor	via a ramp	Bar height: 110 cm Height of table: 72 cm Height beneath table 69 cm Width beneath table: 86 cm Depth beneath table: 80 cm
Restaurant La Brasserie	Ground floor	via a ramp (see section	Height of table: 71 cm Height beneath table 68 cm Width beneath table: 76 cm Depth beneath table: 40 cm
Restaurant Albufera	Ground floor	accessible,	Height of table: 72 cm Height beneath table: 64 cm Width beneath table: 110 cm Depth beneath table: 80 cm Round tables available
Meeting rooms (28)	On multiple floors (ground floor	Accessible via a ramp (see section	0 0 0 0 0 0











ACCESSIBILITY - PHYSICALLY DISABLED

Clear turning circle inside (diameter): Ø 150 cm	Height of climate control: 85 cm
Height of bed: 65 cm	Space for access to the bed: right hand side 180 cm , left hand side 99 cm
Wardrobe doors: sliding, easy to open	Height of coatrack: 160 cm
Height of wardrobe shelves and dra	awers: 30-155 cm
Bathroom in adapted room	•
Door: sliding with a width of 76 cm	Clear turning circle inside (diameter): Ø 150 cm
Toilet:	`
Seat height: 44 cm	Height of flush mechanism: 100 cm
Width of approach: front 150 cm ,	Folding grab bar on both sides with
on right hand side 84 cm , on left	a height of 75 cm
hand side 120 cm	0
Distance between bars: 70 cm	0
Basin:	
Height and clearance beneath	Tap: mixer tap
the basin: 85 cm and 60 cm	•
Height of the lower edge	Height of bathroom fittings:
of the mirror: 114 cm	80-120 cm
Shower:	0
Width of approach area > 150 cm	Shower base: level with floor, a difference of 4 cm
Shower floor: non-slip	Shower chair or stool: adjustable height chair attached to the wall
Height and location of horizontal	Tap: mixer tap
grab bar: 83 cm, next to the chair	
Adjustable shower-head height:	Height of tap: 110 cm on
yes	accessible wall
A folding shower screen that does i	not impede getting into shower
Lifts	Number of lifts: 3
Accessible up to the door	Height of call buttons: 90-120 cm
Width of door: 77 cm	Width and depth of cab:
	123 and 140 cm

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 125 cm





Telephone: 91 541 82 00 **Fax:** 91 541 19 88

Web: www.solmelia.com

Metro with lift:
Ventura Rodríguez

Bus: 2, 44, 133 and 202

ACCESS

MADRID PRINCESA

- The main entrance is easily accessible and has a level surface.
- The main door revolves, is made of glass and has an opening of > 80 cm.
- It is not marked by horizontal strips or a logo in a contrasting colour.

9

ACCESSIBILITY - HEARING IMPAIRED

Room	0 0 0
	TV which communicates with reception: no
_	TV has alarm clock with visual alert: yes
	Entrance door with peephole: no
	Light signals to indicate a knock at the door: no
Communal WCs	• •
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	• •
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: yes
Emergency system	·
Emergency alarm systems with visu	ual alerts: no



Adapted room (No. 223)	Number of adapted rooms: 5
On 2 nd floor , accessible via lift	Width of door: 88 cm







CCOMMODATION



Communal		Not	None have been specially
WCs		accessible	adapted for wheelchair users
Cafeteria	Ground floor	accessible, stairs and	Bar height: 115 cm Height of table: 50 cm Height beneath table 37 cm Width beneath table: 90 cm Depth beneath table: 37 cm
Restaurant	Ground floor	accessible,	Height of table: 72 cm Height beneath table 65 cm Width beneath table: 120 cm Depth beneath table: 38 cm
Meeting rooms (3)	First floor	Accessible	Height of table: 73 cm Height beneath table 67 cm Width beneath table: 200 cm Depth beneath table: 41 cm
Pool and Gym	First floor	Accessible via service lift	No hoist for getting into the pool. No specially adapted changing rooms or toilets
Parking	Basement floor (-1)	Accessible via lift	Valet parking



ACCESSIBILITY - VISUALLY IMPAIRED

Signs		
Signs the same size: yes , average height of 195 cm and a font size of ≥ 5 cm		
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille	
Main stairs	•	
Edge of stairs marked with a non-slip strip in a contrasting colour: no	Side protection skirting board of ≥ 12 cm on both sides: no	
Steps have a riser: yes Steps have nosing: no	All steps are the same height: yes	
The space under the stairs is blocked off: there is none	Handrail on either side: yes	
Continuous handrails on half-landings: no	Handrail extends at top and bottom of stairs: no	
Strip of surface of a different texture and bottom of the stairs: no	e and contrasting colour at the top	
Lifts	•	
Cab with audio signals: no	Control buttons in contrasting colour: yes	
Keypad with numbers in relief: yes	Keypad with numbers in Braille:	











MIGUEL ÁNGEL HOTEL

Calle de Miguel Ángel, 29-31 28010 Madrid

Telephone: 91 442 81 99 Fax: 91 442 53 20

Web: www.miguelangelhotel.com

Metro with lift: Gregorio Marañón

Bus: 5, 7, 12, 14, 16, 27, 40, 45, 61, 147 and 150

ACCESS

- The main entrance has 3 separate steps of 16 cm and an alternative ramp. The ramp is 1.20 m wide, 1.33 m long and has a non-recommended incline of 36.4%. There is no handrail.
- Its ends are not marked by a floor surface of distinctive texture and contrasting colour.
- There is a **1 m** wide, automatic, revolving, glass door.
- It is not marked by horizontal strips or a logo in a contrasting colour.
- There are 2 alternative doors, one on either side of the revolving door, which are both 1.10 m wide.

ACCESSIBILITY - HEARING IMPAIRED

Room	• •
Internet connection: yes	TV which communicates with
	reception: yes
TV with teletext decoder: yes	TV has alarm clock with visual alert:
	no
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	•
Door lock with visual aid to indicate	Cubicle doors with a gap
either free or occupied: no	underneath to see if there is
	someone inside: no
Lifts	•
Visual signs indicating the floor	Emergency button with a light
and direction of movement, both	to show that the emergency call
inside and outside the cab: yes	has been received: no
Emergency system	
Emergency alarm systems with vis	ual alerts: no













ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 103)	Number of adapted rooms: 2
On 3 rd floor, accessible via lift	Width of door: 87 cm
Clear turning circle inside	Height of climate control:
(diameter): Ø 150 cm	150 and 159 cm
Height of bed: 50 cm	Space for access to the bed: right
	hand side ≥ 90 cm, left hand side
	≥ 90 cm
Height of wardrobe shelves	Height of coatrack: 166 cm
and drawers: 94-170 cm	0
Bathroom in adapted room	
Door: with a width of 87 cm	Clear turning circle inside
	(diameter): Ø 150 cm
Toilet:	
Seat height: 40 cm	Height of flush mechanism: 100 cm
Width of approach: left hand	Fixed grab bar on the right hand
side 100 cm	side with a height of 87 and 100 cm
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: no free space	•
Height of the lower edge	Height of bathroom fittings:
of the mirror: 100 cm	80-146 cm
Bath:	
Height of bath: 46 cm	Height and location of horizontal
	grab bar: there is none
Transfer bench: yes	Height and location of vertical grab
	bar: there is none
Mixer tap at 67 cm on	Adjustable shower head at height of
non-accessible wall	185 cm
Adapted bathroom	Number of adapted bathrooms: 1
in communal areas	
On mezzanine floor, accessible	Door: folds inwards with a width
via chairlift	of 89 cm
Clear turning circle inside (diamete	r): Ø 150 cm
Toilet:	
Seat height: 49 cm	Height of flush mechanism: 100 cm
Width of approach: right hand	Fixed grab bar on right hand side,
side 83 cm	height of 70 and 86 cm
Folding grab bar on left hand side,	Distance between bars: 83 cm
height of 20 and 175 cm	•
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 72 cm and 54 cm Mirror angled downwards	•

Lift – from reception to upper floors		
Accessible up to the door	Height of call buttons:	
	130 and 142 cm	
Width of door: 80 cm	*Width and depth of cab:	
	150 and 127 cm	
Height of control buttons:	Height of handrail: no handrail	
94 and 150 cm	•	
Lift – connects to parking area		
Accessible up to the door	Height of call buttons: 110 cm	
Width of door: 70 cm	Width and depth of cab:	
	85 and 100 cm	
Height of control buttons: 96 cm	Height of handrail: no handrail	

	•		•
Other	Location	Access	Main
amenities			characteristics
Reception	Ground floor	Accessible	Height of reception desk:
	•		103 cm
Cafeteria /	Mezzanine	Accessible	Bar height: 110 cm
Piano Bar		via stairlift	Height of table: 74 cm
			Height beneath table 73 cm
			Width beneath table: 87 cm
	•		Depth beneath table: 50 cm
Restaurant	Mezzanine	Accessible	Height of table: 75 cm
	•	via stairlift	Height beneath table 72 cm
			Width beneath table: 138 cm
			Depth beneath table: 54 cm
Buffet	Basement	Accessible	Buffet bar height:
breakfast	floor (-1)	via stairlift	85 and 133 cm
Dicariast	11001 (-1)	via stairiit	Height of table: 77 cm
	•		Height beneath table 74 cm
	•		Width beneath table: 100 cm
			•
3.4 ()	•	A '11	Depth beneath table: 50 cm
Meeting	Mezzanine	Accessible	Height of table: 77 cm
rooms (10)	and		Height beneath table 74 cm
	basement		Width beneath table: 83 cm
	floor (-1)		Depth beneath table: 50 cm
Pool	Basement	Accessible	No hoist for getting into the
and Gym	floor (-1)	via lift	pool. No specially adapted
			changing rooms or toilets
Parking	Basement	Accessible	There are no parking spaces
J	floor (-3)	via lift	for people with limited
			mobility (PRM)







ACCESSIBILITY - VISUALLY IMPAIRED

Signs		
Signs the same size: yes, average height of 145-180 cm and a font size		
of ≥ 1.5 cm		
Lettering in a colour which	Text and symbols: not in relief	
contrasts with the background: yes	and not in Braille	
Main stairs	0	
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting	≥ 12 cm on both sides: yes	
colour: no	0	
Steps have a riser: yes	All steps are the same height: yes	
Steps have nosing: no	0	
The space under the stairs is	Handrail on either side: yes	
blocked off: there is none	•	
Continuous handrails on	Handrail extends at top and bottom	
half-landings: yes	of stairs: just at the bottom	
Strip of surface of a different texture and contrasting colour at the top		
and bottom of the stairs: no		
Lifts		
Lift type 1		
Cab with audio signals: yes	Keypad with numbers in Braille: no	
Keypad with numbers in relief: no		
Lift type 2		
Cab with audio signals: yes	Keypad with numbers in Braille: no	
Keypad with numbers in relief: yes		











NH PALACIO DE TEPA

Calle San Sebastián, 2 28012 Madrid

Telephone: 91 389 64 90 Fax: 91 389 64 91

Web: www.nh-hotels.com

Metro with lift: Sol

Bus: 6, 26, 32 and 50

ACCESS

- Entry via Plaza del Ángel, 9. There is ramp access to the establishment from the adjoining pedestrian square. It has a clearance width of **2** m.
- Entry is through double wooden doors. These open inwards and are always open. They are over **2 m** wide.
- There are then two **15 cm** high steps, with an alternative ramp next to the stairs.
- The ramp is accessible, measuring 3.82 m in length, with a 6.9 % incline. It is 1.17 m wide with a double handrail on either side at a height of 70 cm and 97 cm extending past both ends. Neither ends of the ramp have a distinctively textured and contrastingly coloured strip to warn of the change in gradient.
- There is a second inward opening double glass door, each door with a width of **80 cm**. They are marked with double horizontal stripes and the hotel logo but not in contrasting colours.
- There is an accessible route that takes guests straight to the reception and help desk.

9

ACCESSIBILITY - HEARING IMPAIRED

Room	• •
Internet connection: yes	TV which communicates with
	reception: yes
TV with teletext decoder: no	TV has alarm clock with visual alert:
	yes
Bedside plug socket: yes	* Entropos door with poopholo, po
	: Entrance door with peephole: no
Light signals to indicate a knock	Emergency alarms with visual alerts: yes, but only in the corridors







Palacio de Tepa



Communal WCs Door lock with visual aid to indicate Cubicle doors with a gap either free or occupied: no underneath to see if there is someone inside: no Lifts Visual signs indicating the floor and Emergency button with a light direction of movement, both inside to show that the emergency call and outside the cab: yes has been received: yes **Emergency system** Emergency alarm systems with visual alerts: yes, but only in the corridors



ACCESSIBILITY - PHYSICALLY DISABLED

Adopted soom (No. 400)	Niverban of adopted accuracy 0
Adapted room (No. 402)	Number of adapted rooms: 2
On the 4th floor , accessible via	Width of door: 84 cm
the lift	allaight of climate controls 442 and
Clear turning circle inside	Height of climate control: 143 cm
(diameter): Ø 150 cm	On any famous and to the dead of other
Height of bed: 60 cm	Space for access to the bed: right
	hand side 135 cm left hand side
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	116 cm
Wardrobe doors: easy to open	Height of hanger rail: 170 cm
sliding doors with handle	•
	nelves and drawers: 30 cm and 60 cm
Bathroom in adapted room	•
Door: Opens inwards with a width	Clear turning circle inside
of 84 cm	(diameter): Ø 150 cm
Toilet:	
Seat height: 40 cm	Height of flush mechanism: 77 cm
Approach area: on left hand side	Grab bar on the right hand side: no
180 cm and front 50 cm	• •
Folding grab bar on the left hand si	de at a height of 70-92 cm
Basin:	
Height and clearance beneath the	Tap: mixer tap easy to use
basin: 71 cm and 53 cm	•
Height of the lower edge of the	Min. and max. height of bathroom
mirror: 100 cm	fittings: 40 cm and 75 cm
Shower:	•
Width and depth of approach area:	Shower base: level with the floor
83 cm and ≥ 120 cm	0
Shower floor: non-slip	Shower chair or seat: no
Height and location of horizontal	Height and location of vertical grab
grab bar: none	bar: none
Tap: mixer tap	Height of the tap: 110 cm
Adjustable height shower head at	Shower screen: outward opening,
height of 110 cm	made of glass
	,aaa a. giaaa

Adapted hathroom in communal areas

Floors served: all floors

Width and depth of cab:

Height of handrail: 89 cm

104 and 140 cm

Adapted Datili Coll III Collinidiai aleas		
Located next to the reception	: Accessible, on ground floor	
Bathroom door: inward opening	Cubicle door: outward opening with	
with a width of 84 cm	a width of 84 cm	
Clear turning circle inside (diamete	er): Ø 150 cm	
Toilet:		
Seat height: 40 cm	Height of flush mechanism: 78 cm	
Approach area: left hand side	Fixed I-shaped horizontal grab bar	
100 cm and frontal 140 cm	on the right hand side at a height of	
	70 cm	
Folding grab bar on the left hand	Distance between bars: 69 cm	
side at a height of 54 - 75 cm	•	
Basin:	0	
Height and clearance beneath the	Tap: automatic	
	• •	
basin: 70 cm and 50 cm	•	
basin: 70 cm and 50 cm Height of the lower edge of the	Min. and max. height of bathroom	
	Min. and max. height of bathroom fittings: 85 cm and 140 cm	

Height of call buttons: 97 - 103 cm Width of door: 80 cm

specifications

Accessible up to the door

Min. and max. height of the call

buttons: 100 cm and 130 cm

Mirror opposite the door: yes

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 80 – 110 cm (double)
Cafeteria	Ground floor	Only accessible from within the hotel. Two steps for outside access	Height of bar: 114 cm Height of table: 74 cm Height beneath table 68 cm Width beneath table: 80 cm Depth beneath table: 36 cm
Restaurant / Breakfast buffet	Ground floor	Accessible	Height of buffet bar: 90 cm Height of table: 74 cm Height beneath table 68 cm Width beneath table: 80 cm Depth beneath table: 36 cm
Meeting rooms (3)	2nd floor	Accessible via lift	Furniture changes depending on the event
Gym	1st floor	Accessible via lift	No specially adapted changing rooms or toilets
Parking	Outside the hotel		Valet parking, guests do not access the parking





ACCESSIBILITY - VISUALLY IMPAIRED

Bedrooms	
Colour of door contrasts with	Information about hotel services
adjacent walls: yes	available in Braille: no and in large
	print: no
Room lighting with dimmer switch:	TV remote control with large
no	numbers: yes and in contrasting
	colours: yes
Room free of projecting elements:	
yes	emergency alarm: yes
Signs	
	height of 170 cm and a font size of
5 cm	
Lettering in a colour which con-	Text and symbols: not in relief and
trasts with the background: yes	not in Braille
Main stairs	•
Edge of stairs marked with a	Side protection skirting board of
non-slip strip in a contrasting colour	: ≥ 12 cm on both sides: yes
yes	•
Steps have a riser: yes	•
Steps have nosing: no	All steps are the same height: yes
The space under the stairs is	Handrail on either side: yes
blocked off: yes	•
Continuous handrails on half-	Handrail extends past the top and
landings: yes	bottom of stairs: no
	gly coloured strip at the top and bottom
of the stairs: no	•
Lifts	
Cab with audio signals: no	Control buttons in contrasting
	colours: yes
Keypad with numbers in relief: yes	Keypad with numbers in Braille: yes
	e and contrasting colour at entrance
to lift: no	
Emergency System	











RITZ MADRID HOTEL

Plaza de la Lealtad, 5 28014 Madrid

Telephone: 91 701 67 67 **Fax:** 91 701 67 76

Web: www.ritz.es

Metro without lift: Banco de España

Bus: 10, 14, 27, 34, 37 and 45

ACCESS

- The main entrance is easily accessible, with no stairs, steps or slopes.
- The main door is made of glass, revolves and is manually operated. Its opening is **1.10 m** wide. It may be stopped and opened, leaving an access gap of more than **80 cm**.
- It is not marked with bands of strongly contracted colours.

ACCESSIBILITY - HEARING IMPAIRED

Room	0 0 0
Internet connection: yes	TV which communicates with
	reception: yes
TV with teletext decoder: yes	TV has alarm clock with visual alert:
	yes
Bedside plug socket: yes	Entrance door with peephole: yes
	Light signals to indicate a knock
	at the door: no
Communal WCs	0 0
Door lock with visual aid to indicate	
either free or occupied: no	underneath to see if there is
	someone inside: no
Lifts	• •
	Emergency button with a light
and direction of movement, both	to show that the emergency call
inside and outside the cab: yes	has been received: no
Emergency system	
Emergency alarm systems with visu	ual alerts: no

Audible alarm system in place in case of emergency: yes





ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 608)	Number of adapted rooms: 1
On 6 th floor, accessible via lift	Width of door: 87 cm
with a door of 62 cm	0
Clear turning circle inside	Height of climate control:
(diameter): Ø 150 cm	40-120 cm
Height of bed: 57 cm	Space for access to the bed: right hand side 117 cm , left hand side 200 cm
Wardrobe doors: folding doors	Height of coatrack: 175 cm
Height of wardrobe shelves and di	
Bathroom in adapted room	
Door: inward opening with	Clear turning circle inside
a width of 88 cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 50 cm	Height of flush mechanism: 97 cm
Width of approach: from the side	Folding grab bar on the approach
90 cm, front 120 cm	side with a height of 56-72 cm
Fixed grab bar on the opposite	Distance between bars: 69 cm
side with a height of 72 cm	0
Basin:	<u></u>
Height and clearance beneath the basin: 82 cm and 56 cm	Tap: mixer tap
Height of the lower edge	Height of bathroom fittings:
of the mirror: 123 cm	100-125 cm
Shower:	
Width of approach area 180 cm	Shower base: level with floor
Shower floor: non-slip	Shower chair: fixed
Height of horizontal grab bar:	Height of vertical grab bar: none
86 cm	0
Tap: mixer tap	Folding shower screen
Adjustable shower-head height:	•
yes	
Lifts	Number of lifts: 1
Accessible up to the door	Height of call buttons: 139 cm
Width of door: 62 cm	Width and depth of cab:
Height of control buttons: 139 cm	Height of handrail: 89 cm



Location

First floor

Other

Gym

Parking





Access	; main	
	characteristics	
Accessible	Height of reception desk:	
	109 cm	

No specially adapted

changing rooms or toilets


Valet parking. Guests can not access the parking area



long and a non-recommended incline of 16%

Accessible

via lift











CCOMMODATION



ACCESSIBILITY - VISUALLY IMPAIRED

Signs				
Signs the same size: yes , average height of 210 cm and a font size				
of ≥ 1.5 cm	•			
Lettering in a colour which	Text and symbols: not in relief			
contrasts with the background: yes	and not in Braille			
Main stairs	0			
Edge of stairs marked with a	Side protection skirting board of			
non-slip strip in a contrasting	≥ 12 cm on both sides: yes			
colour: no	0			
Steps have a riser: yes	All steps are the same height: yes			
Steps have nosing: no	•			
The space under the stairs is	Handrail on either side: no			
blocked off: there is none	•			
Continuous handrails on	: Handrail extends at top and bottom			
half-landings: yes	of stairs: no			
Strip of surface of a different texture and contrasting colour at the top				
and bottom of the stairs: no				
Lifts	•			
Cab with audio signals: no	Control buttons in contrasting			
	colour: yes			
Keypad with numbers in relief:	Keypad with numbers in Braille:			
no	no			

MADRID FOR ALL











SHERATON MADRID MIRASIERRA HOTEL & SPA

Calle de Alfredo Marquerie, 43 28034 Madrid

Telephone: 91 727 79 00 **Fax:** 91 727 79 08

Web: www.sheraton.com/madridmirasierra

Metro without lift: Herrera Oria

ACCESS

- The main entrance is level with the pavement with a number of isolated steps and with no alternative ramp.
- There is a main, automatic glass door measuring **1.95 m**.
- It is not marked with double horizontal stripes or the logo in contrasting colours.



ACCESSIBILITY - HEARING IMPAIRED

Room	
Internet connection: yes	TV which communicates with
	reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert:
	yes
Bedside plug socket: yes	Entrance door with peephole: yes
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	
Door lock with visual aid to indicate	Cubicle doors with a gap
either free or occupied: no	underneath to see if there is
	someone inside: no
Lifts	
	Emergency button with a light
and direction of movement, both	to show that the emergency call
inside and outside the cab: yes	has been received: no
Emergency system	
Emergency alarm systems with visu	ual alerts: no







Sheraton Madrid





Mirasierra

Height of the lower edge	Height of bathroom fittings:	
of the mirror: 122 cm	102-127 cm	
Lifts	Number of lifts: 1	
Accessible up to the door	Height of call buttons:	
	123 and 125 cm	
Width of door: 90 cm	Width and depth of cab:	
	118 and 170 cm	
Height of control buttons: 95 and 125 cm		

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 110 cm
Cafeteria Verdil	Ground floor	Accessible	Bar height: 110 cm Height of table: 74 cm
Cafeteria Lobby	Ground floor	Accessible	Bar height: 112 cm Height of table: 54 cm
Restaurant / Buffet breakfast	Basement floor (-1)	Accessible via stairlift	Buffet bar height: 93 cm Height of table: 76 cm Height beneath table 72 cm Width beneath table: 80 cm Depth beneath table: 35 cm
Meeting rooms (1)	Basement floor (-1)	Accessible via lift	Height of table: 72 cm Height beneath table 57 cm Width beneath table: 180 cm Depth beneath table: 90 cm
Pool and Gym	Basement floor (-1)	Accessible via lift	No hoist for getting into the pool
Parking	Basement floor (-1)	Accessible via lift	There are 2 parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)



ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 720)	Number of adapted rooms: 3	
On 7 th floor , accessible via lift	Width of door: 96 cm	
Clear turning circle inside	Height of climate control: 14 and	
(diameter): Ø 150 cm	they are controlled automatically	
	from reception	
Height of bed: 56 cm	Space for access to the bed: on	
	one side ≥ 90 cm	
Wardrobe doors: folding doors	Height of coatrack: 194 cm	
Bathroom in adapted room	•	
	Distance between bars: 78 cm	
	0	
	lap: mixer tap	
	Height of bathroom fittings: 130 cm	
	0	
	* Observed by a second social of the file and	
	Height of Vertical grap bar: 155 cm	
	alloight of top: 400 are an nam	
rap. mixer tap		
Adjustable shower head height:	, me e e e e e e e e e e e e e e e e e e	
•	Siluling Siluwer Screen	
	Number of adapted bathrooms: 1	
	adapted battillooms. I	
	Door: folding with a width of 82 cm	
On Hoor -1, accessible via ill		
Clear turning circle inside (diamete		
	Height of flush mechanism: 100 cm	
	into grad baro	
	•	
	Tap: mixer tap	
the basin: 74 cm and 50 cm	• • • • • • • • • • • • • • • • • • • •	
Door: sliding with a width of 87 and 96 cm Toilet: without adequate lateral a Seat height: 40 cm Width of approach: from one side 44 cm Fixed grab bar on the opposite side with a height of 93 cm Basin: Height and clearance beneath the basin: 81 cm and 56 cm Height of the lower edge of the mirror: 118 cm (adjustable) Shower: Width of approach area 88 cm Shower floor: non-slip Height of horizontal grab bar: 92 cm Tap: mixer tap Adjustable shower-head height: yes Adapted bathroom in communal areas On floor -1, accessible via lift Clear turning circle inside (diamete Toilet: Seat height: 41 cm Width of approach: one one side > 80 cm, front 100 cm Basin: Height and clearance beneath the basin: 74 cm and 50 cm	Height of flush mechanism: 100 cm Folding grab bar on the approach side with a height of 82-67 cm Distance between bars: 78 cm Tap: mixer tap Height of bathroom fittings: 130 cm Shower base: level with floor Shower chair: fixed Height of vertical grab bar: 155 cm Height of tap: 100 cm on non accessible wall Sliding shower screen Number of adapted bathrooms: 1 Door: folding with a width of 82 cm (general) and 72 cm (cubicle)	

574





ACCOMMODATION



ACCESSIBILITY - VISUALLY IMPAIRED


Signs			
Signs the same size: yes, average height of 148-179 cm and a font s			
of ≥ 1.5 cm			
Lettering in a colour which	Text and symbols: not in relief		
contrasts with the background: yes	and not in Braille		
Main stairs	0		
Edge of stairs marked with a	Side protection skirting board of		
non-slip strip in a contrasting	≥ 12 cm on both sides: no		
colour: no	0		
Steps have a riser: yes	All steps are the same height: yes		
Steps have nosing: no	•		
The space under the stairs is	Handrail on either side: no		
blocked off: there is none	•		
Continuous handrails on	Handrail extends at top and bottom		
half-landings: yes	of stairs: no		
Strip of surface of a different textur	e and contrasting colour at the top		
and bottom of the stairs: no			
Lifts	0		
Cab with audio signals: yes	Control buttons in contrasting		
	colour: no		
Keypad with numbers in relief:	Keypad with numbers in Braille:		
yes	yes		











SILKEN PUERTA AMÉRICA MADRID HOTEL

Avenida de América, 41 28002 Madrid

Telephone: 91 744 54 00 **Fax:** 91 744 54 01

Web: www.hotelpuertamerica.com

Metro without lift: Cartagena

Bus: 114, 115 and 122

ACCESS

- The main entrance is easily accessible and has a level surface.
- There is an automatic, sliding, opaque glass door **170 m** wide.
- It is not marked by horizontal strips or a logo in a contrasting colour.



ACCESSIBILITY - HEARING IMPAIRED _

Room	0 0
Internet connection: yes	TV which communicates with
	reception: yes
TV with teletext decoder: no	TV has alarm clock with visual alert:
	no
Bedside plug socket: yes	Entrance door with peephole: no
	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	6 0
Door lock with visual aid to indicate	Cubicle doors with a gap under-
either free or occupied: no	neath to see if there is someone
	inside: yes , some of them
Lifts	0 0
Visual signs indicating the floor	Emergency button with a light
and direction of movement, both	to show that the emergency call
inside and outside the cab: yes	has been received: no
Emergency system	-
Emergency alarm systems with visu	ual alerts: no





ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 909)	Number of adapted rooms: 30	
On 9 th floor, accessible via lift	Width of door: 79 cm	
Clear turning circle inside	Height of climate control:	
(diameter): Ø 150 cm	110-140 cm	
Height of bed: 60 cm	Space for access to the bed: right hand side >80 cm, left hand side >80 cm	
Wardrobe doors: sliding doors	Height of coatrack: 180 cm	
Height of wardrobe shelves and dra	awers: 90-180 cm	
Bathroom in adapted room		
Door: slidiong door with a width	Clear turning circle inside	
of 81 cm	:(diameter): Ø 150 cm	
Toilet: without adequate lateral t		
Seat height: 40 cm	Height of flush mechanism: 100 cm	
Width of approach: from the front	There are no grab bars	
130 cm	•	
Basin:	9	
Height and clearance beneath the basin: 66 cm and 64 cm	Tap: mixer tap	
Height of the lower edge	Height of bathroom fittings: 85 cm	
of the mirror: 120 cm		
Shower:		
Width of approach area 130 cm	Shower base: level with floor	
Shower floor: non-slip	Shower chair: mobile	
No horizontal grab bar	No vertical grab bar	
Tap: mixer tap	Height of tap: 140 cm on	
	accessible wall	
Adjustable shower-head height:	Sliding shower screen	
no		
Lifts	Number of lifts: 4	
Accessible up to the door	Height of call buttons: 90 cm	
Width of door: 88 cm	Width and depth of cab:	
	150 and 140 cm	
Height of control buttons: 82-128 cm	Height of handrail: 100 cm	







Puerta de América Madrid

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 70 cm
Cafeteria	Ground floor	Accessible	Bar height: 111 cm Height of table: 46 cm Height beneath table 40 cm Width beneath table: 80 cm Depth beneath table: 45 cm
Communal WCs	Ground floor and mezzanine	Accessible	None have been specially adapted for wheelchair users
Restaurant / Buffet breakfast	Ground floor	Accessible	Buffet bar height: 88-130 cm Height of table: 73 cm Height beneath table 69 cm Width beneath table: 70 cm Depth beneath table: 70 cm
Meeting rooms (5)	Ground floor	Accessible	Height of table: 73 cm Height beneath table 70 cm Width beneath table: 220 cm Depth beneath table: 150 cm
Pool and Gym	Thirteenth Floor	Accessible via lift	No hoist for getting into the pool. No specially adapted changing rooms or toilets
Parking	Basement floor (-1)	Accessible via lift	There are 8 parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)







ACCESSIBILITY - VISUALLY IMPAIRED

Signs			
Signs the same size: yes, average height of 145-180 cm and a fon			
of ≥ 1.5 cm			
Lettering in a colour which	Text and symbols: not in relief		
contrasts with the background: ye	s and not in Braille		
Main stairs	•		
Edge of stairs marked with a	Side protection skirting board of		
non-slip strip in a contrasting	≥ 12 cm on both sides: on just		
colour: no	one side		
Steps have a riser: yes	All steps are the same height: yes		
Steps have nosing: no	0		
The space under the stairs is	Handrail on either side: no		
blocked off: there is none	0		
Continuous handrails on	Handrail extends at top and bottom		
half-landings: yes	of stairs: no		
Strip of surface of a different texture and contrasting colour at the top			
and bottom of the stairs: no			
Lifts	•		
Cab with audio signals: yes	Control buttons in contrasting		
	colour: no		
Keypad with numbers in relief:	Keypad with numbers in Braille:		
yes	no		











Plaza de las Cortes, 7 Plaza de las C 28014 Madrid

Telephone: 91 360 80 00 Fax: 91 360 81 00

Web: www.palacemadrid.com

Metro without lift: Sevilla

Bus: 9, 10, 14, 27, 34, 37, 45, N10, N11, N15

and N8

ACCESS

- The main entrance has **5** individual steps, and no alternative ramp.
- The main door is partially glazed and manually operated. It is 2.60 m wide.
- There is an alternative entrance with a ramp to the pavement. It requires the use of an elevator to reach all areas of the hotel except reception. This entrance is 1 m wide.
- The doors are not marked by horizontal strips or a logo in a contrasting colour.



ACCESSIBILITY - HEARING IMPAIRED

Room	0 0	
Internet connection: yes	TV which communicates with	
	reception: no	
TV with teletext decoder: yes	TV has alarm clock with visual alert: yes	
Bedside plug socket: yes	Entrance door with peephole: no	
Written information on available	Light signals to indicate a knock	
services: yes	at the door: yes	
Communal WCs	•	
Door lock with visual aid to indicate	Cubicle doors with a gap	
either free or occupied: no	underneath to see if there is	
	someone inside: no	
Lifts	•	
Visual signs indicating the floor	Emergency button with a light	
and direction of movement, both	to show that the emergency call	
inside and outside the cab: yes	has been received: no	
Emergency system		
Emergency alarm systems with visi	ual alerts: no	











ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 8)	Number of adapted rooms: 6	
On 1st floor, accessible via lift	Width of door: 73-79.5 cm	
Clear turning circle inside	Height of climate control: 120 cm	
(diameter): Ø 150 cm	•	
Height of bed: 58 cm	Space for access to the bed: right	
3	hand side 90 cm , left hand side	
	90 cm	
Wardrobe doors: sliding doors	Height of coatrack: 140 cm	
Height of wardrobe shelves and dra		
Bathroom in adapted room		
Door: sliding with a width of	Clear turning circle inside	
80 cm	(diameter): Ø 150 cm	
Toilet:	0	
Seat height: 50 cm	Height of flush mechanism: 100 cm	
Width of approach: 80 cm	Folding and adjustable grab bar on	
	the approach side with a height of	
	75 cm	
Fixed grab bar on the opposite	Distance between bars: 70 cm	
side with a height of 75 cm	•	
Basin:	•	
Height and clearance beneath	Tap: extendible tap	
the basin: 80 cm and 68 cm	• • •	
Height of the lower edge	Height of bathroom fittings: 85 cm	
of the mirror: 110 cm	•	
Bath:	•	
Height of bath: 50 cm	Height of horizontal grab bar:	
3	80 cm	
Transfer bench: no	Height and location of vertical grab	
	bar: 80 cm	
Mixer tap at 113 cm	Adjustable shower head at height of	
'	220 cm	
There is a curtain	0	
Adapted bathroom	Number of adapted bathrooms: 1	
in communal areas	0 0	
On ground floor, accessible via lift	Door: outward opening with a width	
although yet to be installed during	of 88 cm	
site visit	•	
Clear turning circle inside (diamete	r): Ø 150 cm	
Toilet:	•	
Seat height: 40 cm	Height of flush mechanism: 100 cm	
Width of approach: left hand side	Fixed grab bar on right hand side at	
> 110 cm, front 85 cm	height of 70 cm	
Fixed grab bar on left hand side	Distance between bars: 63 cm	
at height of 70 cm	0	
<u> </u>	÷	

Basin:	•
Height and clearance beneath the basin: 83 and 45 cm	Tap: automatic
Height of the lower edge of the mirror: 110 cm	Height of bathroom fittings: 75-80 cm
Lifts	Number of lifts: 2
Alternative access lift to hotel	
Accessible	Height of call buttons: 130 cm
Width of door: 81.5 cm	Width and depth of cab: 114 and 126 cm
Height of control buttons: 130 cm	0
Lifts with access to rooms	
Accessible	Height of call buttons: 130 cm
Width of door: 77 cm	Width and depth of cab: 143 and 99 cm
Height of control buttons: 130 cm	•

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Not accessible, via stairs	Height of reception desk: 126 cm
Communal WCs	Ground floor	Not accessible	None have been specially adapted for wheelchair users
Cafeteria	Ground floor	Accessible	Bar height: 116 cm Height of table: 64.5 cm Height beneath table 58.7 cm Width beneath table: 70.5 cm Depth beneath table: 27 cm
Restaurant / Buffet breakfast	Ground floor	Accessible	Buffet bar height: 116 cm Height of table: 75 cm Height beneath table 70 cm Width beneath table: 30 cm Depth beneath table: 60 cm
Meeting rooms (1)	Ground floor	Accessible	Height of table: 72 cm Height beneath table 71 cm Width beneath table: 101 cm Depth beneath table: 101 cm
Parking	Basement floor (-2)	Accessible via lift	There are 2 parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA)







ACCOMMODATION



ACCESSIBILITY - VISUALLY IMPAIRED

Signs		
Signs the same size: yes , average height of 120 cm and a font size of ≥ 1.5 cm		
contrasts with the background: no	and not in Braille	
Main stairs		
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting	≥ 12 cm on both sides: yes	
colour: no	•	
Steps have a riser: yes	All steps are the same height: yes	
Steps have nosing: no	•	
The space under the stairs is	Handrail on either side: yes	
blocked off: there is none	•	
Continuous handrails on	Handrail extends at top and bottom	
half-landings: yes	of stairs: no	
Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no		
		Lifts
Cab with audio signals: yes	Control buttons in contrasting	
	colour: no	
Keypad with numbers in relief:	Keypad with numbers in Braille:	
no	no	











ÚNICO HOTEL

Calle Claudio Coello, 67 28001 Madrid

Telephone: 91 781 01 73 **Fax:** 91 576 77 41

Web: www.unicohotelmadrid.com

Metro without lift: Serrano

Bus: 1 and 74

ACCESS

- There is a ramp access to the establishment from the pavement. It has a clearance width of 1.50 m.
- The main entranceway is not accessible with nine **17 cm** high steps. The alternative entranceway is feasible and is located along the main façade 15 m from the main door.
- The alternative entranceway comprises large wooden double doors that can be opened manually by hotel staff. The doors open inwards, with an overall width of 1.06 m. There is a bell located at a height of 1.53 m.
- The reception desk is accessible by way of a stair lift that navigates the flight of eight 17 cm steps.

ACCESSIBILITY - HEARING IMPAIRED

Room	• •		
	TV which communicates with reception: yes		
TV with teletext decoder: no	TV has alarm clock with visual alert: no		
Bedside plug socket: yes	Entrance door with peephole: no		
Written information on available	Light signals to indicate a knock		
services: no	at the door: no		
Communal WCs	♥ 0 0		
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no		
Lifts	• •		
Emergency system			
Emergency alarm systems with visi	mergency alarm systems with visual alerts: no		









ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 001)	Number of adapted rooms: 1
On the ground floor, accessible	Width of door: 76 cm
from reception	•
Clear turning circle inside	Height of climate control: 90 cm
(diameter): Ø 150 cm	• •
Height of bed: 60 cm	Space for access to the bed: right
	hand side > 90 cm left hand side
	80 cm
Wardrobe doors: swing door	Height of hanger rail: 175 cm
opening to 90° with doorknob	halves and duament 20 are and
Min. and max. height of wardrobe s	neives and drawers: 30 cm and
180 cm	•
Bathroom in adapted room	Clear turning circle incide
Door: Opens outwards with a width of 77 cm	(diameter): Ø 150 cm
Toilet:	(ulameter). D 130 CIII
Seat height: 40 cm	Height of flush mechanism: 100 cm
Approach area: on left hand side	Fixed I-shaped horizontal grab bar
>120 cm and front 84 cm	on the right hand side at a height of
7 120 CM and none 04 CM	70 cm
Folding grab bar on the left hand	Distance between bars: 65 cm
side at 70 cm	Diotaires Setween Sais. Co Cin
Basin:	♥ ♥
Height and clearance beneath the	Tap: mixer tap easy to use
basin: 70 cm and 43 cm	• • • • • • • • • • • • • • • • • • •
Height of the lower edge of the	Min. and max. height of bathroom
mirror: 92 cm	fittings: 20 cm and 80 cm
Shower:	•
	Shower base: level with the floor
115 cm and ≥ 120 cm	0
Shower floor: non-slip	Shower chair or seat: stool
Horizontal grab bar: none	Vertical grab bar: none
Tap: mixer tap easy to use	Height of the tap: 120 cm
Adjustable height shower head at	Shower screen: fixed shower
height of 120 cm – 210 cm	screen perpendicular to the taps
Adopted bethve are in	that does not impede access
Adapted bathroom in	Total number of adapted toilets: 1
communal areas	cubicle in the communal women's toilets
Located next to the reception	,
Bathroom door: none	Accessible, on ground floor Cubicle door: inward swinging with
Datili Colli Cool. Holle	a width of 77 cm
Clear turning circle inside (diameter	
Toilet:	•
Seat height: 40 cm	Height of flush mechanism: 85 cm

Approach area: left hand side 100 cm and frontal 165 cm	Fixed I-shaped horizontal grab bar on the right hand side at a height of 70 cm
Grab bar on the left hand side: not	ne
Basin:	•
Height and clearance beneath the basin: 67 cm and 48 cm	Tap: mixer tap easy to use
Height of the lower edge of the mirror: 90 cm	Min. and max. height of bathroom fittings: 85 cm
Lifts	Total number of lifts: 2 with the same specifications
Floors served: all floors	Accessible from the reception and help desk floor
Height of call buttons: 102 – 109 cm	Width of door: 80 cm
Width and depth of cab:	Min. and max. height of the call
97 and 120 cm	buttons: 104 cm and 120 cm
Height of handrail: 90 cm	Mirror opposite the door:
	no, on side wall

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Possible by way of a stair lift	Height of reception desk: 74 cm
Restaurant / Breakfast buffet	Basement via lift	Accessible	Height of buffet bar: 80 cm and 117 cm Height of table: 74 cm Height beneath table 72 cm Width beneath table: 89 cm Depth beneath table: 24 cm
Meeting rooms (2)	Ground floor	Accessible	Furniture changes depending on the event
Gym	Basement -1	Accessible via lift	No specially adapted changing rooms or toilets
Parking	On the street		Valet parking





ACCESSIBILITY - VISUALLY IMPAIRED

Bedrooms		
Colour of door contrasts with	Information about hotel services	
adjacent walls: yes	available in Braille: no and in large	
, , , , , , , , , , , , , , , , , , ,	print: no	
Room lighting with dimmer switch:		
no	numbers: yes and in contrasting	
	colours: yes	
Room free of projecting elements:		
no	emergency alarm: yes	
Signs	, , , , , , , , , , , , , , , , , , ,	
	height of 170 cm and a font size of	
3 cm	ŭ	
Lettering in a colour which con-	Text and symbols: not in relief and	
trasts with the background: yes	not in Braille	
Main stairs	•	
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting colour		
yes	on one side	
Steps have a riser: yes	•	
Steps have nosing: yes	All steps are the same height: yes	
The space under the stairs is	Handrail on either side: only	
blocked off: yes	on one side	
Continuous handrails on half-	Handrail extends past the top and	
landings: yes	bottom of stairs: no	
Distinctively textured and contrasting	gly coloured strip at the top and bottom	
of the stairs: no		
Lifts	•	
Cab with audio signals: no	Control buttons in contrasting	
	colours: yes	
Keypad with numbers in relief: yes	Keypad with numbers in Braille: yes	
Strip of surface of a different texture and contrasting colour at entrance		
to lift: no	•	
Emergency System		
	_	











URBAN HOTEL

Carrera de San Jerónimo, 34 Carrera de Sai 28014 Madrid

Telephone: 91 420 37 67 Fax: 91 787 77 99

Web: www.derbyhotels.es

Metro without lift: Sevilla

Bus: 10, 14, 15, 34, 37, 45, 52 and 53

ACCESS

- The main entrance has stairs and a ramp with a non-recommended incline of 20%. There is no handrail, and its ends are not marked by a floor surface of distinctive texture and contrasting colour.
- There is an entrance without steps from Calle de Ventura de la Vega (at the side of the hotel). There is an automatic, sliding glass door. There is also another manually operated door which is always open.
- The glass doors are marked with the hotel's logo in a contrasting colour.



ACCESSIBILITY - HEARING IMPAIRED

Room	0 0
	TV which communicates with reception: ves
	TV has alarm clock with visual alert:
TV with teletext decoder: yes	•
	yes
	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
	at the door: no
Communal WCs	•
Door lock with visual aid to indicate	Cubicle doors with a gap
either free or occupied: no	underneath to see if there is
·	someone inside: no
Lifts	v 0 0
Visual signs indicating the floor	Emergency button with a light
and direction of movement, both	to show that the emergency call
· · · · · · · · · · · · · · · · · · ·	has been received: yes
Emergency system	
Emergency alarm systems with visi	ial alerts: no

Audible alarm system in place in case of emergency: yes











ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room	Number of adapted rooms: 3
Accessible via lift	Width of door: 84 cm
Clear turning circle inside	Height of climate control:
(diameter): Ø 150 cm	143 and 150 cm
Height of bed: 60 cm	Space for access to the bed: right
	hand side 94 cm , left hand side
	143 cm
Wardrobe doors: easy to open	Height of coatrack: 170 cm
Height of wardrobe shelves and dra	awers: 38 cm
Bathroom in adapted room	•
Door: sliding with a width	Clear turning circle inside
of 84 cm	(diameter): Ø 150 cm
Toilet:	•
Seat height: 42 cm	Height of flush mechanism: 104 cm
Width of approach: on one side	Folding and adjustable grab bar on
> 100 cm	the approach side
Fixed grab bar on the opposite side)
Basin:	
Height and clearance beneath	Tap: mixer tap
the basin: 77 cm and 30 cm	0
Height of the lower edge	Height of bathroom fittings:
of the mirror: 117 cm	120 and 150 cm
Bath:	•
Height of bath: 47 cm	Height of horizontal grab bar:
	80 cm and 100 cm
Transfer bench: rotating chair wit	No vertical grab bar
backrest and fixed armrests	*
Mixer tap at 60 cm along short	Shower head at height of 140 cm
wall	•
Adapted bathroom	Number of adapted bathrooms: 1
in communal areas	•
On ground floor, accessible via lift	Door: width of 90 cm
Clear turning circle inside	Located in the men's toilets
(diameter): Ø 150 cm	0
Toilet:	•
Seat height: 49 cm	Height of flush mechanism: 100 cm
Width of approach: on one side	Folding grab bar on approach side
82 cm	at height of 75 cm
Folding grab bar on opposite side	Distance between bars: 67 cm
at height of 75 cm	0
Basin:	*
Height and clearance beneath	Tap: mixer tap
the basin: 75 and 33 cm	•

Height of the lower edge of the mirror: 105 cm	Height of bathroom fittings: 140 cm
Panoramic Lifts	
Accessible up to the door	Height of call buttons: 113 and 116 cm
Width of door: 80 cm	Width and depth of cab: 125 and 133 cm
Height of control buttons: 104 and 123 cm	Height of handrail: 103 cm

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 110 and 118 cm
Cafeteria	Ground floor	Accessible	Bar height: 110 cm Height of table: 77.5 cm Height beneath table 72.5 cm Width beneath table: 75 cm Depth beneath table: 35 cm
Restaurant / Buffet breakfast	Ground floor	Accessible	Buffet bar height: 110 cm Height of table: 77.5 cm Height beneath table 72.5 cm Width beneath table: 80 cm Depth beneath table: 35 cm
Meeting rooms (1)	0 0 0 0	Accessible via lift	0 0 0 0
Parking	Basement floor (-1)	Accessible via lift	Valet parking

590

MADRID FOR ALL





ACCOMMODATION



ACCESSIBILITY - VISUALLY IMPAIRED


Signs		
Signs the same size: yes , average	e height of 90-94 cm and a font size	
of ≥ 1.5 cm		
Lettering in a colour which	Text and symbols: not in relief	
contrasts with the background: ye	s and not in Braille	
Main stairs	0	
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting	≥ 12 cm on both sides: yes	
colour: no	•	
Steps have a riser: yes	All steps are the same height: yes	
Steps have nosing: no	0	
The space under the stairs is	Handrail on either side: yes	
blocked off: yes	•	
Continuous handrails on	Handrail extends at top and bottom	
half-landings: no	of stairs: no	
Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no		
		Lifts
Cab with audio signals: yes	Control buttons in contrasting	
	colour: no	
Keypad with numbers in relief:	Keypad with numbers in Braille:	
yes	yes	







★★★★ 5 STAR HOTELS



VILLA MAGNA HOTEL

Paseo de la Castellana, 22 Paseo de la Ca 28046 Madrid

Telephone: 91 587 12 34 Fax: 91 431 22 86

Web: www.hotelvillamagna.com

Metro without lift: Colón

Bus: 5, 14, 27, 45, 150 and 250

ACCESS

- The main entrance has 3 steps of 16 cm, with an alternative ramp at
- The ramp is 1.10 m wide, 10 m long and has a non-recommended incline of 10.5%. There is no handrail, and its ends are not marked by a floor surface of distinctive texture and contrasting colour.
- There are 2 sets of glass doors which open in both directions, each of which is 70 cm wide on each side. They are not marked by horizontal strips or a logo in a contrasting colour.
- The hotel has a doorman.



ACCESSIBILITY - HEARING IMPAIRED

Room	0 0 0
Internet connection: yes	TV which communicates with
	reception: no
TV with teletext decoder: no	TV has alarm clock with visual alert:
	no
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	• •
Door lock with visual aid to indicate	
either free or occupied: no	underneath to see if there is
	someone inside: yes
Lifts	• •
	Emergency button with a light
	to show that the emergency call
	has been received: no
Emergency system	
	1 1 4

Emergency alarm systems with visual alerts: no







Adapted room (No. 217)	Number of adapted rooms: 3	
On 2 nd floor , accessible via lift	Width of door: 75 cm	
Clear turning circle inside	Height of climate control: 150 cm	
(diameter): Ø 150 cm		
Height of bed: 60 cm	Space for access to the bed: both	
	left and right hand side > 150 cm	
Wardrobe doors: no doors	Height of coatrack: 160 cm	
Height of wardrobe shelves and dra	awers: 20-160 cm	
Bathroom in adapted room	0	
Door: sliding with a width of	Clear turning circle inside	
78 cm	(diameter): Ø 150 cm	
Toilet:		
Seat height: 43 cm	Height of flush mechanism: 75 cm	
Width of approach: from right hand	Folding grab bar on the right hand	
side 100 cm , front 180 cm	side at a height of 80 cm	
Fixed grab bar on the opposite side	e with a height of 80 cm	
Basin:		
Height and clearance beneath	Tap: requires a twist of the wrist	
the basin: 70 cm and 60 cm	•	
Height of the lower edge	Height of bathroom fittings: 100 cm	
of the mirror: 93 cm	•	
Shower:	•	
Width of approach area 150 cm	Shower base: level with floor	
Shower floor: non-slip	Shower chair: mobile	
Height and location of horizontal	Height and location of vertical grab	
grab bar: 87 cm , on same wall	bar: 90-180 cm , on same wall as	
as tap	tap	
Tap: requires a twist of the wrist	Height of tap: 115 cm	
Adjustable shower-head height:	Shower screen	
no, height 140 cm	0	
Adapted bathroom	Number of adapted bathrooms: 1	
in communal areas	•	
On floor -1, accessible via lift	Door: inward opening with a	
	width of 94 cm	
Clear turning circle inside (diameter): Ø 150 cm		
Toilet:		
Seat height: 47 cm	Height of flush mechanism: 110 cm	
Width of approach: left hand side	No grab bar on the right hand side	
128 cm , front 90 cm	•	
Folding grab bar on opposite side a	at height of 66-84 cm	





Basin:	•
Height and clearance beneath the basin: 74 cm and 50 cm	Tap: automatic
Height of the lower edge of the mirror: 100 cm	Height of bathroom fittings: 100 cm
Lifts	•
	Number of lifts: 1, connecting floor -1 with upper floors
	Height of call buttons: 105 cm
	Width and depth of cab: 125 and 110 cm
Height of control buttons: 95 and 130 cm	There is no handrail
Lift 2	Number of lifts: 1, connecting floor -1 with floor -4
Accessible up to the door	Height of call buttons: 105 cm
	Width and depth of cab: 97 and 127 cm
Height of control buttons: 93 and 115 cm	Height of handrail: 90 cm

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 110 cm
Cafeteria	Ground floor	Accessible	Bar height: 115 cm Height of table: 70 cm Height beneath table 65 cm Width beneath table: 68 cm Depth beneath table: 26 cm Table with central leg
Restaurant / Buffet breakfast	Ground floor	Accessible	Buffet bar height: 77 cm Height of table: 74 cm Height beneath table 71 cm Width beneath table: 90 cm Depth beneath table: 43 cm Table with central leg
Meeting rooms (8)	Basement (-1) floor and	Accessible via lift	Height of table: 72 cm Height beneath table 70 cm Width beneath table: 220 cm





	mezzanine	•	Depth beneath table: 80 cm
Gym	Mezzanine	via lift. Followed by 3 steps and al alternative route through a	No specially adapted toilets. Ramp: 2 stretches of ramp with a width of 85 cm, and respective lengths of 165 cm and 370 cm. The inclie for both is 17.6%. The area between the two ramps measures 220 x 220 cm
Parking	Basement floors (-2, -3 and -4)	Accessible via lift	There are 6 parking spaces for people with limited mobility (PRM), indicated by the disabled parking sign (ISA) on the floor and on the wall



ACCESSIBILITY - VISUALLY IMPAIRED

Signs		
Signs the same size: yes , average height of 150 and 180 cm and a fon		
size of ≥ 1.5 cm		
	Text and symbols: not in relief	
	and not in Braille	
Main stairs	• •	
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting	≥ 12 cm on both sides: yes	
colour: no	•	
Steps have a riser: yes	All steps are the same height: yes	
Steps have nosing: yes	• · · · · · · · · · · · · · · · · · · ·	
The space under the stairs is	Handrail on either side: yes	
blocked off: yes	riariaran on oknor olao. yoo	
	Handrail extends at top and bottom	
	of stairs: no	
Strip of surface of a different texture and contrasting colour at the top		
and bottom of the stairs: no		
Lifts	•	
Cab with audio signals: yes	Control buttons in contrasting	
	colour: yes	
Keypad with numbers in relief:	Keypad with numbers in Braille:	
yes	yes	

















GUEST HOUSE AND HOSTELS

- **Santa Cruz de Marcenado Youth Hostel**
- Ibis Budget Madrid Valentín Beato
- **3 Astoria Guest House**
- **Jerez Guest House**
- **5** Los Coronales Guest House
- **San Lorenzo Guest House**











Calle Santa Cruz de Marcenado, 28 28015 Madrid

Telephone: 91 547 45 32 **Fax:** 91 548 11 96

Web: www.madrid.org/inforjoven E-mail: marcenado@madrid.org

Metro with lift and ramp: Argüelles

Bus: 1, 2, 21, 44 and 133



DE MARCENADO

- The entrance has a level surface. The main entrance is a partially glazed iron door, which opens inwards and which has a 70 cm wide clearance.
- To open the door, an automatic opener, situated **1.40 m** from the ground, must be activated.
- The reception area is on a mezzanine, and there are 2 alternative access routes.
- The first is by way of some stairs on the left hand, just inside the
- The second is by way of a ramp which leads downwards from the door to the lift.
- The ramp is in 2 sections, of 7 m and 2 m long respectively, and is 1.05 m wide, with inclines of 6.9% and 14% respectively. The ramp has a handrail fixed at heights of both 66 cm and 82 cm, which does not extend past the ends of the ramp. The ramp's beginning and end are not indicated by a floor surface of differing texture and contrasting colour.
- The steps are 17 cm high, 1.50 m wide and have a handrail on one side. They are not indicated by a floor surface of differing texture and contrasting colour.

★★ GUEST HOUSE AND HOSTELS

Santa Cruz de Marcenado



ACCESSIBILITY - HEARING IMPAIRED

Room	0 0
Internet connection: no	TV which communicates with
	reception: no
TV with teletext decoder: no	TV has alarm clock with visual alert:
	no
Bedside plug socket: no	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: no	at the door: no
Communal WCs	•
Door lock with visual aid to indicate	
either free or occupied: no	underneath to see if there is
	someone inside: no
Lifts	•
Visual signs indicating the floor	Emergency button with a light
and direction of movement, both	to show that the emergency call
inside and outside the cab: yes	has been received: no
Emergency system	•
Emergency alarm systems with visi	ual alerts: no



ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 16)	Number of adapted rooms: 2
On the 1st floor, via accessible	Door width: 80 cm
route	0
Clear turning circle inside	Height of climate control: there is
(diameter): Ø 150 cm	none
Bed height: 45 cm	Space for access to the bed: left
	hand side 140 cm
No wardrobe, just shelves	Height of shelves: 50 – 170 cm
Specially adapted toilets	Number of adapted toilets in
in communal areas	communal areas: 2
On 1st and 2nd floors accessible	Door: inward opening with a width
via lift	of 88 cm
Clear turning circle inside (diamete	r): Ø 150 cm
Toilet:	•
Seat height: 49 cm	Height of flush mechanism: 100 cm
Width of approach: right hand side	Swing-out grab bar on the right
67 cm, left hand side 76 cm,	hand side at a height of 60-80 cm
front 150 cm	0
Swing-out grab bar on the left	Distance between the bars: 70 cm
hand side at a height of 60-80 cm	0 0

600 601 **MADRID FOR ALL ACCESSIBLE TOURISM GUIDE**












★★★ GUEST HOUSE AND HOSTELS







	•
Basin:	•
Height and clearance beneath	Tap: mixer tap
the basin: 80 cm and 50 cm	•
Height of the lower edge	Height of bathroom fittings:
of the mirror: 108 cm	60-105 cm
Shower:	•
Width of approach to shower:	Shower base: flush with floor
110 cm	•
Shower floor: non-slip	Shower chair or seat: fold-out and
оттаков поставания	fixed to the wall
Two swing out grab bars on either	Mixer tap
side of the seat at a height	•
of 60 - 78 cm	0 0 0
	Tap height: 117 cm, on accessible
Distance between the bars. Of Cin	wall
Adjustable shower-head: no	No shower screen
Lift	•
Route: accessible up to the door	Height of call buttons: 122 cm
Door width: 80 cm	Width and depth of cab:
	95 and 125 cm
Height of the lift buttons:	Height of handrail: 95 cm
108-130 cm	•
	•

Other amenities	Location	Access	Main characteristics
Reception	First floor	Accessible via lift	Height of reception desk: 100 cm
Breakfast buffet	Ground floor	via lift and a ramp that is 300 cm long, 105 cm	Door: opens inwards and is 82 cm wide Tables: rectangular with 4 legs Height of buffet bar: 90 cm Height under buffet bar: 105 cm Depth under buffet bar: 34 cm Height of table: 75 cm Height beneath table 72 cm Width beneath table: 102 cm Depth beneath table: 80 cm
Meeting rooms	First floor	Accessible via lift	Height of table: 40 cm Height beneath table 35 cm Width beneath table: 65 cm Depth beneath table: 65 cm

MADRID FOR ALL ACCESSIBLE TOURISM GUIDE









★ ★ GUEST HOUSE AND HOSTELS Ibis Budget

Madrid Valentín Beato



ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 304) On 3rd floor accessible via lift Clear turning circle inside (diameter): Ø 150 cm Height of bed: 56 cm Height of bed: 56 cm Wardrobe doors: none Min. and max. height of wardrobe shelves and drawers: none Bathroom in adapted room Door: sliding door with a width of 80 cm Approach area: right hand side 70 cm, left hand side 55 cm, front 200 cm Grab bar on the left hand side: none Basin: Height of the lower edge of the Min. mirror: 86 cm Shower: Width and depth of approach area: 110 cm and ≥ 200 cm Shower floor: non-slip Toliet and depth of approach area: 110 cm and ≥ 200 cm Shower floor: non-slip Tap: mixer tap easy to use Shower chair or seat: fixed and folding seats Vertical grab bar: 55 − 100 cm, on wall next to tap Height of the tap: 90 cm, on the same wall as the fixed seat Non-adjustable height shower head at height of 90 cm Adapted tollets in communal areas Location: next to reception and foyer Bathroom door: inward opening Cubicle door: inward opening Width of door: 86 cm with a slight 3 cm lip Width of door: 86 cm with a slight 3 cm lip Width of door: 86 cm with a slight 3 cm lip Width of climate control: 126 cm Width of door: 86 cm, left hand side 112 cm Height of hanger rail: 125 cm Height of hanger rail: 125 cm Height of flush mechanism: 100 cm Folding grab bar on the right hand side at a height of bathroom fittings: 86 cm Shower chair or seat: fixed and folding seats Vertical grab bar: 55 − 100 cm, on wall next to tap Height of the tap: 90 cm, on the same wall as the fixed seat Non-adjustable height shower head at height of 90 cm Adapted tollets in communal areas Location: next to reception and foyer Bathroom door: inward opening		
On 3rd floor accessible via lift Clear turning circle inside (diameter): Ø 150 cm Height of bed: 56 cm Space for access to the bed: right hand side 65 cm, left hand side 112 cm Wardrobe doors: none Min. and max. height of wardrobe shelves and drawers: none Bathroom in adapted room Door: sliding door with a width of 80 cm Tollet: Seat height: 43 cm Approach area: right hand side 70 cm, left hand side 55 cm, front 200 cm Grab bar on the left hand side: none Basin: Height and clearance beneath the basin: 50 cm but no depth Height of the lower edge of the Min mirror: 86 cm Shower: Width and depth of approach area: Shower shoer: Non-adjustable height shower head at height of 90 cm Adapted tollets in communal areas Location: next to reception and foyer Bathroom door: inward opening Width of door: 86 cm with a slight of climate control: 126 cm Height of hanger rail: 125 cm Meight of hanger rail: 125 cm Height of hanger rail: 125 cm Height of flush mechanism: 100 cm Folding grab bar on the right hand side at a height of 60 – 75 cm Folding grab bar on the right hand side at a height of 60 – 75 cm fittings: 86 cm Shower tap easy to use Shower chair or seat: fixed and folding seats Vertical grab bar: 55 – 100 cm, on wall next to tap Tap: mixer tap easy to use Shower screen: no, just a curtain On ground floor – accessible	Adapted room (No. 304)	Number of adapted rooms: 3
Clear turning circle inside (diameter): Ø 150 cm Height of bed: 56 cm Wardrobe doors: none Min. and max. height of wardrobe shelves and drawers: none Bathroom in adapted room Door: sliding door with a width of 80 cm Toilet: Seat height: 43 cm Approach area: right hand side 70 cm, left hand side 55 cm, front 200 cm Grab bar on the left hand side: none Basin: Height and clearance beneath the basin: 50 cm but no depth Height of the lower edge of the Min. mirror: 86 cm Shower: Width and depth of approach area: 110 cm and ≥ 200 cm Shower floor: non-slip Tap: mixer tap easy to use Shower chair or seat: fixed and folding seats Non-adjustable height shower head at height of 90 cm Adapted toilets in communal areas Location: next to reception and foyer Bathroom door: inward opening Cubicle door: inward opening Cubicle door: inward opening Clear turning circle inside (diameter): Ø 150 cm Height of hanger rail: 125 cm Min. and grab: 125 cm Height of hanger rail: 125 cm Meight of hanger rail: 125 cm Min. and drawers: none Height of flush mechanism: 100 cm Folding grab bar on the right hand side at a height of 60 − 75 cm Folding grab bar on the right hand side at a height of 60 − 75 cm Folding grab bar on the right hand side at a height of 60 − 75 cm Folding grab bar on the right hand side at a height of 60 − 75 cm Folding grab bar on the right hand side at a height of 60 − 75 cm Folding grab bar on the right hand side at a height of 60 − 75 cm Folding grab bar on the right hand side at a height of 60 − 75 cm Folding grab bar on the right hand side at a height of 60 − 75 cm Folding grab bar on the right hand side at a height of 60 − 75 cm Folding grab bar on the right hand side at a height of 60 − 75 cm Folding grab bar on the right hand side at a height of 60 − 75 cm Folding grab bar on the right hand side at a height of 60 − 75 cm Folding grab bar on the right hand side at a height of 60 − 75 cm Folding grab bar on the right hand side at a height of 60 − 75 cm Folding grab bar on the	On 3rd floor accessible via lift	
Height of bed: 56 cm Height of bed: 56 cm Wardrobe doors: none Min. and max. height of wardrobe shelves and drawers: none Bathroom in adapted room Door: sliding door with a width of 80 cm Tollet: Seat height: 43 cm Approach area: right hand side 70 cm, left hand side 55 cm, front 200 cm Grab bar on the left hand side: none Basin: Height and clearance beneath the basin: 50 cm but no depth Height of the lower edge of the Min mirror: 86 cm Shower: Width and depth of approach area: 110 cm and ≥ 200 cm Shower floor: non-slip Tap: mixer tap easy to use Shower chair or seat: fixed and folding seats Non-adjustable height shower head at height of 90 cm Adapted tollets in communal areas Location: next to reception and foyer Bathroom door: inward opening Cubicle door: inward opening Clear turning circle inside (diameter): Ø 150 cm Height of flush mechanism: 100 cm Folding grab bar on the right hand side at a height of 60 − 75 cm Folding grab bar on the right hand side at a height of 60 − 75 cm Folding grab bar on the right hand side at a height of 60 − 75 cm Folding grab bar on the right hand side at a height of 60 − 75 cm Folding grab bar on the right hand side at a height of flush mechanism: 100 cm Folding grab bar on the right hand side at a height of 60 − 75 cm Folding grab bar on the right hand side at a height of 60 − 75 cm Folding grab bar on the right hand side at a height of 60 − 75 cm Folding grab bar on the right hand side at a height of 60 − 75 cm Folding grab bar on the right hand side at a height of 60 − 75 cm Folding grab bar on the right hand side at a height of 60 − 75 cm Folding grab bar on the right hand side at a height of 60 − 75 cm Folding grab bar on the right hand side at a height of 90 cm Shower tap a part a		
Height of bed: 56 cm Wardrobe doors: none Min. and max. height of wardrobe shelves and drawers: none Bathroom in adapted room Door: sliding door with a width of 80 cm Toilet: Seat height: 43 cm Approach area: right hand side 70 cm, left hand side 55 cm, front 200 cm Grab bar on the left hand side: none Basin: Height of the lower edge of the Min mirror: 86 cm Shower: Width and depth of approach area: Shower floor: non-slip Shower chair or seat: fixed and folding seats Horizontal grab bar: none Wertical grab bar: 55 − 100 cm, on wall next to tap Tap: mixer tap easy to use Height of the tap: 90 cm, on the same wall as the fixed seat Non-adjustable height shower head at height of 90 cm Adapted toilets in communal areas Location: next to reception and foyer Bathroom door: inward opening Cubicle door: inward opening door		Height of climate control: 126 cm
Wardrobe doors: none Wardrobe doors: none Min. and max. height of wardrobe shelves and drawers: none Bathroom in adapted room Door: sliding door with a width of 80 cm Toilet: Seat height: 43 cm Approach area: right hand side 70 cm, left hand side 55 cm, front 200 cm Grab bar on the left hand side: none Basin: Height and clearance beneath the basin: 50 cm but no depth Height of the lower edge of the Min mirror: 86 cm Shower: Width and depth of approach area: 110 cm and ≥ 200 cm Shower floor: non-slip Tap: mixer tap easy to use Shower chair or seat: fixed and folding seats Non-adjustable height shower head at height of 90 cm Adapted toilets in communal areas Location: next to reception and foyer Bathroom in adapted room Height of hanger rail: 125 cm Height of flush mechanism: 100 cm Folding grab bar on the right hand side at a height of 60 − 75 cm front 200 cm Folding grab bar tap easy to use Shower base: level with the floor Shower chair or seat: fixed and folding seats Vertical grab bar: 55 − 100 cm, on wall next to tap Tap: mixer tap easy to use Height of the tap: 90 cm, on the same wall as the fixed seat Non-adjustable height shower head at height of 90 cm Adapted toilets in communal areas Location: next to reception and foyer Bathroom door: inward opening Cubicle door: inward opening door		0 0 0
Wardrobe doors: none Min. and max. height of wardrobe shelves and drawers: none Bathroom in adapted room Door: sliding door with a width of 80 cm Toilet: Seat height: 43 cm Approach area: right hand side 70 cm, left hand side 55 cm, front 200 cm Grab bar on the left hand side: none Basin: Height and clearance beneath the basin: 50 cm but no depth Height of the lower edge of the Min mirror: 86 cm Shower: Width and depth of approach area: 100 cm shower floor: non-slip Tap: mixer tap easy to use Shower floor: non-slip Tap: mixer tap easy to use Shower floor: non-slip Tap: mixer tap easy to use Height of the tap: 90 cm, on the same wall as the fixed seat Non-adjustable height shower head at height of 90 cm Adapted toilets in communal areas Location: next to reception and foyer Bathroom door: inward opening Cubicle door: inward opening door	Height of bed: 56 cm	
Mardrobe doors: none Min. and max. height of wardrobe shelves and drawers: none Bathroom in adapted room Door: sliding door with a width of 80 cm Toilet: Seat height: 43 cm Approach area: right hand side 70 cm, left hand side 55 cm, front 200 cm Grab bar on the left hand side: none Basin: Height and clearance beneath the basin: 50 cm but no depth Height of the lower edge of the Minmirror: 86 cm Shower: Width and depth of approach area: Shower base: level with the floor 110 cm and ≥ 200 cm Shower floor: non-slip Tap: mixer tap easy to use Shower floor: non-slip Tap: mixer tap easy to use Wertical grab bar: 55 − 100 cm, on wall next to tap Tap: mixer tap easy to use Height of the tap: 90 cm, on the same wall as the fixed seat Non-adjustable height shower head at height of 90 cm Adapted toilets in communal areas Location: next to reception and foyer Bathroom door: inward opening Cubicle door: inward opening of cubicle door: inward opening door		
Min. and max. height of wardrobe shelves and drawers: none Bathroom in adapted room Door: sliding door with a width of 80 cm (diameter): Ø 150 cm Toilet: Seat height: 43 cm Height of flush mechanism: 100 cm Approach area: right hand side 70 cm, left hand side 55 cm, front 200 cm Grab bar on the left hand side: none Basin: Height and clearance beneath the basin: 50 cm but no depth Height of the lower edge of the Minmirror: 86 cm fittings: 86 cm Shower: Width and depth of approach area: Shower base: level with the floor 110 cm and ≥ 200 cm Shower floor: non-slip Shower chair or seat: fixed and folding seats Horizontal grab bar: none Wertical grab bar: 55 − 100 cm, on wall next to tap Tap: mixer tap easy to use Height of the tap: 90 cm, on the same wall as the fixed seat Non-adjustable height shower head at height of 90 cm Adapted toilets in communal areas Location: next to reception and foyer Bathroom door: inward opening Cubicle door: inward opening door	\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
Bathroom in adapted room Door: sliding door with a width of 80 cm Toilet: Seat height: 43 cm Approach area: right hand side 70 cm, left hand side 55 cm, front 200 cm Grab bar on the left hand side: none Basin: Height and clearance beneath the basin: 50 cm but no depth Height of the lower edge of the Minmirror: 86 cm Shower: Width and depth of approach area: Midth and depth of approach area: Shower floor: non-slip Tap: mixer tap easy to use Shower floor: non-slip Tap: mixer tap easy to use Shower chair or seat: fixed and folding seats Horizontal grab bar: none Tap: mixer tap easy to use Height of the tap: 90 cm, on the same wall as the fixed seat Non-adjustable height shower head at height of 90 cm Adapted toilets in communal areas Location: next to reception and foyer Bathroom door: inward opening Cubicle door: inward opening door		
Door: sliding door with a width of 80 cm Toilet: Seat height: 43 cm Approach area: right hand side 70 cm, left hand side 55 cm, front 200 cm Grab bar on the left hand side: none Basin: Height and clearance beneath the basin: 50 cm but no depth Height of the lower edge of the Minmirror: 86 cm Shower: Width and depth of approach area: Shower base: level with the floor 110 cm and ≥ 200 cm Shower floor: non-slip Tap: mixer tap easy to use Shower floor: non-slip Tap: mixer tap easy to use Non-adjustable height shower head at height of 90 cm Adapted toilets in communal areas Location: next to reception and foyer Bathroom door: inward opening Cubicle door: inward opening Cubicle door: inward opening door		shelves and drawers: none
Toilet: Seat height: 43 cm Approach area: right hand side 70 cm, left hand side 55 cm, front 200 cm Grab bar on the left hand side: none Basin: Height and clearance beneath the basin: 50 cm but no depth Height of the lower edge of the Min mirror: 86 cm Shower: Width and depth of approach area: Midth and depth of approach area: Shower floor: non-slip Shower floor: non-slip Tap: mixer tap easy to use Shower floor: non-slip Tap: mixer tap easy to use Shower screen: no, just a curtain Folding grab bar on the right hand side at a height of 60 − 75 cm Tap: mixer tap easy to use Tap: mixer tap easy to use Non-adjustable height shower head at height of 90 cm Adapted toilets in communal areas Location: next to reception and foyer Bathroom door: inward opening Cubicle door: inward opening door		
Toilet: Seat height: 43 cm Approach area: right hand side 70 cm, left hand side 55 cm, front 200 cm Grab bar on the left hand side: none Basin: Height and clearance beneath the basin: 50 cm but no depth Height of the lower edge of the Minmirror: 86 cm Shower: Width and depth of approach area: Shower base: level with the floor 110 cm and ≥ 200 cm Shower floor: non-slip Tap: mixer tap easy to use shower chair or seat: fixed and folding seats Horizontal grab bar: none Tap: mixer tap easy to use same wall as the fixed seat Non-adjustable height shower head at height of 90 cm Adapted toilets in communal areas Location: next to reception and foyer Bathroom door: inward opening Cubicle door: inward opening door		
Approach area: right hand side 70 cm, left hand side 55 cm, front 200 cm Grab bar on the left hand side: none Basin: Height and clearance beneath the basin: 50 cm but no depth Height of the lower edge of the Min mirror: 86 cm Shower: Width and depth of approach area: Shower floor: non-slip Horizontal grab bar: none Tap: mixer tap easy to use Shower chair or seat: fixed and folding seats Horizontal grab bar: none Tap: mixer tap easy to use Shower chair or seat: fixed and folding seats Horizontal grab bar: none Tap: mixer tap easy to use Shower chair or seat: fixed and folding seats Height of flush mechanism: 100 cm Folding grab bar on the right hand side at a height of 60 – 75 cm Form mixer tap easy to use Shower days and max. height of bathroom fittings: 86 cm Shower chair or seat: fixed and folding seats Vertical grab bar: 55 – 100 cm, on wall next to tap Height of the tap: 90 cm, on the same wall as the fixed seat Shower screen: no, just a curtain Shower screen: no, just a curtain Adapted toilets in communal areas Location: next to reception and foyer Bathroom door: inward opening Cubicle door: inward opening door		(ulameter). v 130 cm
Approach area: right hand side 70 cm, left hand side 55 cm, front 200 cm Grab bar on the left hand side: none Basin: Height and clearance beneath the basin: 50 cm but no depth Height of the lower edge of the Min and max. height of bathroom fittings: 86 cm Shower: Width and depth of approach area: Shower base: level with the floor 110 cm and ≥ 200 cm Shower floor: non-slip Shower chair or seat: fixed and folding seats Horizontal grab bar: none Vertical grab bar: 55 − 100 cm, on wall next to tap Tap: mixer tap easy to use Height of the tap: 90 cm, on the same wall as the fixed seat Non-adjustable height shower head at height of 90 cm Adapted toilets in communal areas Location: next to reception and foyer Bathroom door: inward opening Cubicle door: inward opening door		Height of flush mechanism: 100 cm
70 cm, left hand side 55 cm, front 200 cm Grab bar on the left hand side: none Basin: Height and clearance beneath the basin: 50 cm but no depth Height of the lower edge of the Minarror: 86 cm Shower: Width and depth of approach area: Shower base: level with the floor 110 cm and ≥ 200 cm Shower floor: non-slip Shower chair or seat: fixed and folding seats Horizontal grab bar: none Vertical grab bar: 55 − 100 cm, on wall next to tap Tap: mixer tap easy to use Height of the tap: 90 cm, on the same wall as the fixed seat Non-adjustable height shower head at height of 90 cm Adapted toilets in communal areas Location: next to reception and foyer Bathroom door: inward opening Cubicle door: inward opening door		Folding grap har on the right hand
Grab bar on the left hand side: none Basin: Height and clearance beneath the basin: 50 cm but no depth Height of the lower edge of the Min mirror: 86 cm Shower: Width and depth of approach area: Shower base: level with the floor 110 cm and ≥ 200 cm Shower floor: non-slip Shower floor: non-slip Shower chair or seat: fixed and folding seats Horizontal grab bar: none Vertical grab bar: 55 − 100 cm, on wall next to tap Tap: mixer tap easy to use Height of the tap: 90 cm, on the same wall as the fixed seat Non-adjustable height shower head at height of 90 cm Adapted toilets in communal areas Location: next to reception and foyer Bathroom door: inward opening Cubicle door: inward opening door		
Basin: Height and clearance beneath the basin: 50 cm but no depth Height of the lower edge of the Min and max. height of bathroom mirror: 86 cm Shower: Width and depth of approach area: Shower base: level with the floor 110 cm and ≥ 200 cm Shower floor: non-slip Shower floor: non-slip Shower chair or seat: fixed and folding seats Horizontal grab bar: none Vertical grab bar: 55 – 100 cm, on wall next to tap Tap: mixer tap easy to use Height of the tap: 90 cm, on the same wall as the fixed seat Non-adjustable height shower head at height of 90 cm Adapted toilets in communal areas Location: next to reception and foyer Bathroom door: inward opening Cubicle door: inward opening door		side at a neight of 00 – 73 cm
Height and clearance beneath the basin: 50 cm but no depth Height of the lower edge of the Min mirror: 86 cm Shower: Width and depth of approach area: Shower base: level with the floor 110 cm and ≥ 200 cm Shower floor: non-slip Shower chair or seat: fixed and folding seats Horizontal grab bar: none Tap: mixer tap easy to use Tap: mixer tap easy to use Tap: mixer tap easy to use Non-adjustable height shower head at height of 90 cm Adapted toilets in communal areas Location: next to reception and foyer Bathroom door: inward opening Cubicle door: inward opening door		•
Height and clearance beneath the basin: 50 cm but no depth Height of the lower edge of the Min and max. height of bathroom fittings: 86 cm Shower: Width and depth of approach area: Shower base: level with the floor 110 cm and ≥ 200 cm Shower floor: non-slip Shower chair or seat: fixed and folding seats Horizontal grab bar: none Vertical grab bar: 55 − 100 cm, on wall next to tap Tap: mixer tap easy to use Height of the tap: 90 cm, on the same wall as the fixed seat Non-adjustable height shower head at height of 90 cm Adapted toilets in communal areas Location: next to reception and foyer Bathroom door: inward opening Cubicle door: inward opening door		
basin: 50 cm but no depth Height of the lower edge of the Minimirror: 86 cm Shower: Width and depth of approach area: Shower base: level with the floor 110 cm and ≥ 200 cm Shower floor: non-slip Shower floor: non-slip Shower chair or seat: fixed and folding seats Horizontal grab bar: none Vertical grab bar: 55 – 100 cm, on wall next to tap Tap: mixer tap easy to use Height of the tap: 90 cm, on the same wall as the fixed seat Non-adjustable height shower head at height of 90 cm Adapted toilets in communal areas Location: next to reception and foyer Bathroom door: inward opening Cubicle door: inward opening door		Tap: mixer tap easy to use
Height of the lower edge of the Miniand max. height of bathroom mirror: 86 cm Shower: Width and depth of approach area: Shower base: level with the floor 110 cm and ≥ 200 cm Shower floor: non-slip Shower chair or seat: fixed and folding seats Horizontal grab bar: none Vertical grab bar: 55 – 100 cm, on wall next to tap Tap: mixer tap easy to use Height of the tap: 90 cm, on the same wall as the fixed seat Non-adjustable height shower head at height of 90 cm Adapted toilets in communal areas Location: next to reception and foyer Bathroom door: inward opening Cubicle door: inward opening door		• • • • • • • • • • • • • • • • • • • •
mirror: 86 cm Shower: Width and depth of approach area: Shower base: level with the floor 110 cm and ≥ 200 cm Shower floor: non-slip Shower chair or seat: fixed and folding seats Horizontal grab bar: none Vertical grab bar: 55 – 100 cm, on wall next to tap Tap: mixer tap easy to use Height of the tap: 90 cm, on the same wall as the fixed seat Non-adjustable height shower head at height of 90 cm Adapted toilets in communal areas Location: next to reception and foyer Bathroom door: inward opening Cubicle door: inward opening door		and max. height of bathroom
Width and depth of approach area: Shower base: level with the floor 110 cm and ≥ 200 cm Shower floor: non-slip Shower chair or seat: fixed and folding seats Horizontal grab bar: none Vertical grab bar: 55 – 100 cm, on wall next to tap Tap: mixer tap easy to use Height of the tap: 90 cm, on the same wall as the fixed seat Non-adjustable height shower head at height of 90 cm Adapted tollets in communal areas Location: next to reception and foyer Bathroom door: inward opening Cubicle door: inward opening door		
Shower floor: non-slip Shower chair or seat: fixed and folding seats Horizontal grab bar: none Vertical grab bar: 55 − 100 cm, on wall next to tap Tap: mixer tap easy to use Height of the tap: 90 cm, on the same wall as the fixed seat Non-adjustable height shower head at height of 90 cm Adapted tollets in communal areas Location: next to reception and foyer Bathroom door: inward opening Cubicle door: inward opening door		•
Shower floor: non-slip Horizontal grab bar: none Tap: mixer tap easy to use Non-adjustable height shower head at height of 90 cm Adapted tollets in communal areas Location: next to reception and foyer Bathroom door: inward opening Shower chair or seat: fixed and folding seats Vertical grab bar: 55 – 100 cm, on wall next to tap Height of the tap: 90 cm, on the same wall as the fixed seat Shower screen: no, just a curtain On ground floor – accessible	Width and depth of approach area:	Shower base: level with the floor
Folding seats Horizontal grab bar: none Vertical grab bar: 55 – 100 cm, on wall next to tap Tap: mixer tap easy to use Height of the tap: 90 cm, on the same wall as the fixed seat Non-adjustable height shower head at height of 90 cm Adapted tollets in communal areas Location: next to reception and foyer Bathroom door: inward opening Cubicle door: inward opening door		0
Horizontal grab bar: none Vertical grab bar: 55 – 100 cm, on wall next to tap Tap: mixer tap easy to use Height of the tap: 90 cm, on the same wall as the fixed seat Non-adjustable height shower head at height of 90 cm Adapted tollets in communal areas Location: next to reception and foyer Bathroom door: inward opening Vertical grab bar: 55 – 100 cm, on wall next to tap Height of the tap: 90 cm, on the same wall as the fixed seat Shower screen: no, just a curtain On ground floor – accessible	Shower floor: non-slip	
wall next to tap Tap: mixer tap easy to use Height of the tap: 90 cm, on the same wall as the fixed seat Non-adjustable height shower head at height of 90 cm Adapted toilets in communal areas Location: next to reception and foyer Bathroom door: inward opening Wall next to tap Height of the tap: 90 cm, on the same wall as the fixed seat Shower screen: no, just a curtain On ground floor – accessible		
Tap: mixer tap easy to use Height of the tap: 90 cm, on the same wall as the fixed seat Non-adjustable height shower head at height of 90 cm Adapted toilets in communal areas Location: next to reception and foyer Bathroom door: inward opening Cubicle door: inward opening door	Horizontal grab bar: none	
Same wall as the fixed seat Non-adjustable height shower head at height of 90 cm Adapted tollets in communal areas Location: next to reception and foyer Bathroom door: inward opening Cubicle door: inward opening door	-	
Non-adjustable height shower head at height of 90 cm Adapted tollets in communal areas Location: next to reception and foyer Bathroom door: inward opening Shower screen: no, just a curtain On ground floor – accessible Cubicle door: inward opening door	lap: mixer tap easy to use	
head at height of 90 cm Adapted toilets in communal areas Location: next to reception and foyer Bathroom door: inward opening Cubicle door: inward opening door	New adjustable beingt above	•
Adapted toilets in communal areas Location: next to reception and foyer Bathroom door: inward opening Cubicle door: inward opening door		Snower screen: no, just a curtain
Location: next to reception and foyer Bathroom door: inward opening On ground floor – accessible Cubicle door: inward opening door		00
foyer Bathroom door: inward opening Cubicle door: inward opening door		
Bathroom door: inward opening		On ground 11001 – accessible
		Cubicle door: inward opening door
with a width of 74 cm with a width of 76 cm	with a width of 74 cm	with a width of 76 cm
Clear turning circle inside (diameter): Ø 150 cm	Clear turning circle inside (diamete	r). Ø 150 cm

IBIS BUDGET MADRID VALENTÍN BEATO Calle Rufino González, 19 Calle Ruino 2 28037 Madrid

Telephone: 91 304 04 41 Fax: 91 304 04 33

www.ibisbudget.com – www.accorhotels.com

Metro without lift: Suanzes

Bus: 77

ACCESS

- The entrance to the hotel is level with the street. It has a clearance width of 2.30 m and a slight slope with a 6.9% incline.
- The main entrance has a 3 cm lip.

IBIS BUDGET MADRID

VALENTÍN BEATO

- There are two sets of outward opening double-framed glass doors. One has a clearance width of 88 cm, the other 55 cm. They are marked with double horizontal stripes and the hotel logo in contrasting colours.
- There is a doorbell at a height of 1.45 m.
- Between the sets of doors is a doormat that is securely affixed to the floor.
- There is an accessible route that takes guests straight to reception and help desk.

ACCESSIBILITY - HEARING IMPAIRED

Room	
Internet connection: yes	TV which communicates with
	reception: no
TV with teletext decoder: no	TV has alarm clock with visual alert:
	no
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	•
Door lock with visual aid to indicate	Cubicle doors with a gap
either free or occupied: no	underneath to see if there is
	someone inside: no
Lifts	
Visual signs indicating the floor and	Emergency button with a light
direction of movement, both inside	to show that the emergency call
and outside the cab: yes	has been received: yes
Emergency system	
Emergency alarm systems with vis	ual alerts: no







Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 76 cm and 116 cm
Restaurant / Buffet breakfast	Ground floor	Accessible	Height of buffet bar: 85 cm and 125 cm Height of table: 74 cm Height beneath table: 72 cm Width beneath table: 70 cm Depth beneath table: 32 cm
Parking	Basement level -1	Accessible via lift	There are 2 parking spaces reserved for people with reduced mobility (PMR), indicated by the disabled parking sign (ISA) outside hotel next to the main door. The reserved parking spaces have a lateral approach area of 120 cm





★ ★ GUEST HOUSE AND HOSTELS Ibis Budget

Madrid Valentín Beato



ACCESSIBILITY - VISUALLY IMPAIRED -

Information about hotel services
available in Braille: no and in large print: no
: TV remote control with large
numbers: yes and in contrasting
colours: yes
: Audible signals to indicate
emergency alarm: yes
e height of 165 cm and a font size of
Text and symbols: in relief
•
Side protection skirting board of
ur: ≥ 12 cm on both sides: no,
just on one side
•
All steps are the same height: yes
Handrail on either side: no ,
on one side only
Handrail extends past the top and
bottom of stairs: no
ngly coloured strip at the top and bottom
•
"Control buttons in contracting
Control buttons in contrasting
colours: yes
colours: yes s Keypad with numbers in Braille: no
colours: yes
colours: yes s Keypad with numbers in Braille: no
colours: yes s Keypad with numbers in Braille: no

606 MADRID FOR ALL ACCESSIBLE TOURISM GUIDE 607











★★★ GUEST HOUSE AND HOSTELS

ACCESSIBILITY - HEARING IMPAIRED

Room	0 0 0	
3	TV which communicates with reception: no	
•	TV has alarm clock with visual alert: no	
Bedside plug socket: yes	Entrance door with peephole: no	
	Light signals to indicate a knock at the door: no	
Communal WCs	•	
	Cubicle doors with a gap underneath to see if there is someone inside: no	
Lifts	•	
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no	
Emergency system		
Emergency alarm systems with visual alerts: no		



ASTORIA GUEST HOUSE

Calle Carrera de San Jerónimo, 30 and

28014 Madrid

Telephone: 91 429 11 88 Fax: 91 429 20 23

Web: www.hostalastoria.com E-mail: astoria@teleline.es

Metro with lift: Sol

Bus: 5, 9, 15, 20, 51, 52, 53 and 150

ACCESS

- The hostel is reached through the door of the building common to several different establishments. Before reaching the door, there is one 5 cm step has to be climbed, followed by another 20 cm step to go down.
- The main door is made of wood, has an opening 1.20 m wide, and is always open. There is a doormat fixed to the floor on the inside of the door.
- There is a second entrance to the hostel through an iron and glass door with a 98 cm wide opening. Reception (through the automatic doors) must be contacted via an entry-phone to have this door opened. This door is not indicated by flashes of contrasting colour.
- The hostel's reception is on the 5th floor of the building, and is reached by an elevator whose cabin is 1.10 m wide by 1 m deep, with a 70 cm wide door.
- The hostel's entrance is a double wooden door, each side of which is 75 cm wide.




ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 408)	Number of adapted rooms: 1	
On the 4 th floor , via lift	Door width: 90 cm	
Clear turning circle inside	Height of climate control: 135 cm	
(diameter): Ø 160 cm		
Height of bed: 60 cm	Space for access to the bed: right	
	hand side 65 cm , left hand side	
	145 cm	
Wardrobe doors: opening to 90°	Height of hanger rail: 175 cm	
with easy to open doorknob		
Min. and max. height of wardrobe shelves and drawers: 20-180 cm		
Bathroom in adapted room		
Door: inward opening with a width	Clear turning circle inside	
of 85 cm	:(diameter): Ø 130 cm	
Toilet:	•	
Seat height: 39 cm	Height of flush mechanism: 79 cm	
Approach area: right hand side	Grab bar on the right hand side:	
55 cm , front 130 cm	none	
Grab bar on the left hand side: nor	ne	
Basin:		
Height and clearance beneath the	:Tap: mixer tap	
basin: 84 cm and 49 cm	•	







Other amenities	Location	Access	Main characteristics
Reception	Fifth floor	Accessible via lift	Height of reception desk: 100 cm
		via lift	Round with a central leg Height of table: 72 cm Height beneath table 69 cm Depth beneath table: 35 cm







★ ★ GUEST HOUSE AND HOSTELS

ACCESSIBILITY - VISUALLY IMPAIRED -

Signs			
Signs the same size: yes, average	height of 200 cm and a font size		
of 4.5 cm			
Lettering in a colour which	Text and symbols: not in relief		
contrasts with the background:	and not in Braille		
yes	•		
Main stairs	•		
Edge of stairs marked with a	Side protection skirting board of		
non-slip strip in a contrasting	≥ 12 cm on both sides: not on		
colour: yes	the open-edge side		
Steps have a riser: yes	All steps are the same height: yes		
	All steps are the same height. yes		
Steps have nosing: yes	* I landucil on cities a cide, on the laft		
The space under the stairs is	Handrail on either side: on the left		
blocked off: there is none	hand side		
Continuous handrails on	:Handrail extends at top and bottom		
half-landings: yes	of stairs: no		
Strip of surface of a different texture	e and contrasting colour at the top		
and bottom of the stairs: no			
Lifts	•		
Cab with audio signals: no	Control buttons in contrasting		
	colour: yes		
Keypad with numbers in relief:	Keypad with numbers in Braille:		
ves	no		
,	* I I V		

610 MADRID FOR ALL ACCESSIBLE TOURISM GUIDE 61










★★★ GUEST HOUSE AND HOSTELS



ACCESSIBILITY - PHYSICALLY DISABLED





JEREZ GUEST HOUSE

Calle de la iviol 28013 Madrid Calle de la Montera, 47

Telephone: 91 532 90 73 **Fax:** 91 532 75 65

Web: www.hrjerez.net

Metro without lift: Gran Vía

Bus: 5, 15, 20, 40, 44, 50, 51, 52, 53, 133, 146, 147, 148, 149 and 150

ACCESS

- The hostel is on the 6th floor of the building. To get from the doorway to the elevators. 4 steps 17 cm high must be climbed.
- The entrance door opens inwards, and stays open during the day. At night it is unlocked using an entry-phone. The doorbell is fixed at a height of 1.75 m from the floor.
- From the 6th floor, the route from the elevators to the hostel is unobstructed.



ACCESSIBILITY - HEARING IMPAIRED

Room	• •
Internet connection: yes	TV which communicates with
	reception: no
TV with teletext decoder: yes	TV has alarm clock with visual alert:
	no
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	•
Door lock with visual aid to indicate	Cubicle doors with a gap
either free or occupied: no	underneath to see if there is
	someone inside: no
Lifts	0 0
Visual signs indicating the floor	Emergency button with a light
and direction of movement, both	to show that the emergency call
inside and outside the cab: yes	has been received: no
Emergency system	•
Emergency alarm systems with visi	ual alerts: no





CCOMMODATION



Other amenities	Location	 Main characteristics
Reception	Sixth floor	Height of reception desk: 110 cm
Communal WCs	Sixth floor	None of them are adapted for wheelchair users



ACCESSIBILITY - VISUALLY IMPAIRED

Signs			
Signs the same size: yes, average	height of 175-200 cm and a font size		
of ≥ 1.5 cm			
Lettering in a colour which	Text and symbols: not in relief		
contrasts with the background: yes	and not in Braille		
Main stairs	•		
Edge of stairs marked with a	Side protection skirting board of		
non-slip strip in a contrasting	≥ 12 cm on both sides: yes		
colour: no	9 6 8		
Steps have a riser: yes	All steps are the same height: yes		
Steps have nosing: yes	•		
The space under the stairs is	Handrail on either side: no		
blocked off: yes	• •		
Continuous handrails on	Handrail extends at top and bottom		
half-landings: yes	of stairs: no		
Strip of surface of a different texture and contrasting colour at the top			
and bottom of the stairs: no			
Lifts	•		
Cab with audio signals: no	Control buttons in contrasting		
	colour: yes		
Keypad with numbers in relief:	Keypad with numbers in Braille:		
yes	yes		











LOS CORONALES GUEST HOUSE

Calle de Briones, 38 Calle de Brione 28042 Madrid

Telephone: 91 748 15 45 – 91 747 93 97 **Fax:** 91 329 37 33

Web: www.hostalcoronales.com

Metro with lift: Alameda de Osuna

Bus: 112,115 and 151

ACCESS

- The entrance has some stairs, the height of which vary with the incline of the street between 3 cm and 7 cm. The entrance has 2 metal swing doors, each of which is 88 cm wide. To get from the entrance to the hostel itself, an unobstructed exterior patio must be crossed.
- The hostel has **2** sets of doors. The first is a double-width swing door, each side of which is 66 cm wide. This door is not marked with horizontal strips or a logo in a contrasting colour.
- The second is a double-width automatic sliding door, the opening of which is 1 m wide. This door is marked with a logo, but not in a contrasting colour. Both doors are made of glass.

ACCESSIBILITY - HEARING IMPAIRED

Room	
	TV which communicates with reception: no
,	TV has alarm clock with visual alert: no
Bedside plug socket: yes	Entrance door with peephole: no
Written information on available	Light signals to indicate a knock
services: yes	at the door: no
Communal WCs	
	Cubicle doors with a gap underneath to see if there is someone inside: no
Lifts	
and direction of movement, both inside and outside the cab: yes	Emergency button with a light to show that the emergency call has been received: no
Emergency system	
Emergency alarm systems with visu	ual alerts: no











ACCESSIBILITY – PHYSICALLY DISABLED

Adapted room (No. 202)	Number of adapted rooms: 1
On 2 nd floor accessible via lift	Width of door: 77 cm
Clear turning circle inside	Height of climate control: 125 cm
(diameter): Ø 150 cm	•
Height of bed: 50 cm	Space for access to the bed: right
	hand side 90 cm , left hand side
	20 cm
Wardrobe doors: sliding, difficult	Height of hanger rail: 168 cm
to open	
Min. and max. height of wardrobe s	shelves and drawers: 25-120 cm
Bathroom in adapted room	
Door: sliding with a width of 78 cm	Clear turning circle inside
<u> </u>	(diameter): Ø 150 cm
Toilet:	•
Seat height: 50 cm	Height of flush mechanism: 85 cm
Approach area: right hand side	Grab bar on the right hand side:
100 cm, front 180 cm	none
Folding grab bar on the left hand si	de: 60-80 cm
Basin:	
Height and clearance beneath the	Tap: mixer tap
basin: 78 cm (adjustable) and	•
60 cm	•
Height of the lower edge of the	Min. and max. height of bathroom
mirror: 105 cm	fittings: 85 cm
Shower:	0
Width of approach area: 120 cm	Shower base: level with the floor
Shower floor: non-slip	Shower chair or seat: fold-out and
· ·	fixed to the wall
Horizontal grab bar: 90-110 cm,	Vertical grab bar
on wall next to tap	•
Tap: mixer tap	Height of the tap: 80 cm , on
·	accessible wall
Adjustable shower-head: yes, 140-	190 cm
Lifts	Number of lifts: 1, connecting all
	floors
Accessible up to the door	Height of call buttons: 110 cm
Width of door: 80 cm	Width and depth of cab:
	99 and 119 cm
Min. and max. height of the call	Height of handrail: 94 cm
buttons: 90 cm and 117 cm	•



Los Coronales

Other amenities	Location	Access	Main characteristics
Reception	Ground floor	Accessible	Height of reception desk: 113 cm
Communal WCs	Basement floor (-1)	Accessible	None of them are adapted for wheelchair users
Breakfast buffet	Ground floor	Accessible	Buffet bar height: 76 – 105 cm Height of table: 74 cm Height beneath table 68 cm Width beneath table: 70 cm Depth beneath table: 70 cm Tables with central leg
Parking	Basement floor (-1)	Accessible via lift	There is one parking space for people with limited mobility (PRM), but it does not have a disabled parking sign (ISA)



ACCESSIBILITY - VISUALLY IMPAIRED -


Signs		
	height of 150-200 cm and a font size	
of ≥ 1.5 cm	-	
Lettering in a colour which	Text and symbols: not in relief	
contrasts with the background: yes	and not in Braille	
Main stairs		
Edge of stairs marked with a	Side protection skirting board of	
non-slip strip in a contrasting	≥ 12 cm on both sides: yes	
colour: no	•	
Steps have a riser: yes	All steps are the same height: yes	
Steps have nosing: yes		
The space under the stairs is	Handrail on either side: on just	
blocked off: yes	one side	
Continuous handrails on	: Handrail extends at top and bottom	
half-landings: no	of stairs: no	
Strip of surface of a different texture and contrasting colour at the top		
and bottom of the stairs: no		
Lifts	•	
Cab with audio signals: no	Control buttons in contrasting	
Ŭ .	colour: yes	
Keypad with numbers in relief:	Keypad with numbers in Braille:	
yes	no	











Telephone: 91 521 30 57 Fax: 91 532 79 78

Web: www.hotel-sanlorenzo.com

Metro without lift: Gran Vía and Chueca

Bus: 1, 2, 46, 74, 146 and 202



ACCESS

- The entrance has some stairs, which vary in height between 0 cm and 7 cm. There are 2 doors.
- The first is of metal, opens inwards and is open during the day. It is double-width, each side being **66 cm** wide. At night this door can be opened using an entry-phone, the bell is fixed at a height of **1.50 m** from the floor.
- The second is an automatic, sliding glass door with an opening 1 m wide. It is marked with 2 red circles.
- Between the **2** doors is a doormat which is not fixed to the floor.

9

ACCESSIBILITY - HEARING IMPAIRED

Room	0 0 0	
	TV which communicates with reception: no	
•	TV has alarm clock with visual alert: no	
Bedside plug socket: yes	Entrance door with peephole: no	
Written information on available	Light signals to indicate a knock	
services: yes	at the door: no	
Communal WCs	0 0 0	
Door lock with visual aid to indicate either free or occupied: no	Cubicle doors with a gap underneath to see if there is someone inside: no	
Lifts	• •	
and direction of movement, both	Emergency button with a light to show that the emergency call has been received: no	
Emergency system	•	
Emergency alarm systems with visual alerts: no		

★ ★ GUEST HOUSE AND HOSTELS

San Lorenzo

ACCESSIBILITY - PHYSICALLY DISABLED

Adapted room (No. 216)	Number of adapted rooms: 1			
On 2 nd floor accessible via lift	Width of door: 65 cm			
Clear turning circle inside	Height of climate control: with			
(diameter): Ø 150 cm	remote control			
Height of bed: 50 cm	Space for access to the bed: left			
	hand side > 150 cm			
Wardrobe doors: sliding, difficult	Height of hanger rail: 170 cm			
to open	•			
Min. and max. height of wardrobe shelves and drawers: 40 cm				
Bathroom in adapted room				
Door: sliding with a width of 73 cm				
	(diameter): Ø 150 cm			
Toilet:				
Seat height: 40 cm	Height of flush mechanism: 75 cm			
Approach area: right hand side	Folding grab bar on the right hand			
120 cm, front 90 cm	side: 86 cm			
Fixed grab bar on the left hand	Distance between bars: 67 cm			
side: 86 cm				
Basin:	· · - · ·			
Height and clearance beneath	Tap: mixer tap			
the basin: 65 cm and 40 cm	* NAC			
Height of the lower edge of the	Min. and max. height of bathroom			
mirror: 130 cm	fittings: 90 cm			
Shower:				
Width of approach area, 450 are	*Chaver base level with the fleer			
Width of approach area: 150 cm	Shower base: level with the floor			
Shower floor: non-slip	Shower chair or seat: yes , mobile			
Shower floor: non-slip Horizontal grab bar: 90 cm , on				
Shower floor: non-slip Horizontal grab bar: 90 cm , on wall next to tap	Shower chair or seat: yes , mobile Vertical grab bar: 90-120 cm			
Shower floor: non-slip Horizontal grab bar: 90 cm , on	Shower chair or seat: yes , mobile Vertical grab bar: 90-120 cm Height of the tap: 80 cm , on			
Shower floor: non-slip Horizontal grab bar: 90 cm, on wall next to tap Tap: mixer tap	Shower chair or seat: yes , mobile Vertical grab bar: 90-120 cm Height of the tap: 80 cm , on accessible wall			
Shower floor: non-slip Horizontal grab bar: 90 cm, on wall next to tap Tap: mixer tap Adjustable shower-head height:	Shower chair or seat: yes , mobile Vertical grab bar: 90-120 cm Height of the tap: 80 cm , on			
Shower floor: non-slip Horizontal grab bar: 90 cm, on wall next to tap Tap: mixer tap Adjustable shower-head height: yes	Shower chair or seat: yes , mobile Vertical grab bar: 90-120 cm Height of the tap: 80 cm , on accessible wall Folding shower screen			
Shower floor: non-slip Horizontal grab bar: 90 cm, on wall next to tap Tap: mixer tap Adjustable shower-head height: yes Lifts	Shower chair or seat: yes, mobile Vertical grab bar: 90-120 cm Height of the tap: 80 cm, on accessible wall Folding shower screen Number of lifts: 1			
Shower floor: non-slip Horizontal grab bar: 90 cm, on wall next to tap Tap: mixer tap Adjustable shower-head height: yes Lifts Accessible up to the door	Shower chair or seat: yes, mobile Vertical grab bar: 90-120 cm Height of the tap: 80 cm, on accessible wall Folding shower screen Number of lifts: 1 Height of call buttons: 110 cm			
Shower floor: non-slip Horizontal grab bar: 90 cm, on wall next to tap Tap: mixer tap Adjustable shower-head height: yes Lifts	Shower chair or seat: yes, mobile Vertical grab bar: 90-120 cm Height of the tap: 80 cm, on accessible wall Folding shower screen Number of lifts: 1 Height of call buttons: 110 cm Width and depth of cab: 123 and			
Shower floor: non-slip Horizontal grab bar: 90 cm, on wall next to tap Tap: mixer tap Adjustable shower-head height: yes Lifts Accessible up to the door Width of door: 80 cm	Shower chair or seat: yes, mobile Vertical grab bar: 90-120 cm Height of the tap: 80 cm, on accessible wall Folding shower screen Number of lifts: 1 Height of call buttons: 110 cm			
Shower floor: non-slip Horizontal grab bar: 90 cm, on wall next to tap Tap: mixer tap Adjustable shower-head height: yes Lifts Accessible up to the door	Shower chair or seat: yes, mobile Vertical grab bar: 90-120 cm Height of the tap: 80 cm, on accessible wall Folding shower screen Number of lifts: 1 Height of call buttons: 110 cm Width and depth of cab: 123 and 117 cm			

618 _______ ACCESSIBLE TOURISM GUIDE ______ 61.





Other amenities	Location	Access	Main characteristics
Reception	First floor	Accessible	Height of reception desk: 115 cm
Communal WCs	Basement floor (-1)	Accessible	None of them are adapted for wheelchair users
Breakfast buffet	First floor	Accessible	A la carte breakfasts Height of table: 77 cm Height beneath table 73 cm Width beneath table: 50 cm Depth beneath table: 70 cm Tables with 4 legs



ACCESSIBILITY - VISUALLY IMPAIRED

Signs		
Signs the same size: yes , average height of 150-200 cm and a font size of ≥ 1.5 cm		
Lettering in a colour which contrasts with the background: yes	Text and symbols: not in relief and not in Braille	
Main stairs	• •	
Edge of stairs marked with a non-slip strip in a contrasting colour: no	Side protection skirting board of ≥ 12 cm on both sides: yes	
Steps have a riser: yes Steps have nosing: yes	All steps are the same height: yes	
The space under the stairs is blocked off: yes	Handrail on either side: no	
Continuous handrails on half-landings: no	Handrail extends at top and bottom of stairs: no	
Strip of surface of a different texture and contrasting colour at the top and bottom of the stairs: no		
Lifts	•	
Cab with audio signals: no	Control buttons in contrasting colour: no	
Keypad with numbers in relief: yes	Keypad with numbers in Braille: yes	



PLAZA MAYOR TOURIST CENTER

Plaza Mayor 27, 28012 Madrid Tel: +34 91 454 44 10

Metro: Sol/Ópera turismo@esmadrid.com +info: www.esmadrid.com/en